



TRANSFORM YOUR BUSINESS

BY TRANSFORMING YOUR CABLING SYSTEM

# **Contents**

# **Get More with R&M**



Installation Cables

Patch Panels

Connection Modules

Patch Cords

Outlets

Security System

Cables Routing

**Copper System** 



Installation Cables

Patch Panels

Patch Cords / Pigtails

**Fiber Optic Systems** 

Ordering Information	Description	PU	Part Number
	Installation Cable Cat.5e, U/UTP  - Cat.5e, U/UTP cable  - 100 Ohm impedance  - Data transmission frequencies of up to 100 MHz  4P, 24 AWG, PVC, Gray	305 m	R195703
	Installation Cable Cat.6, U/UTP  - Cat.6, U/UTP cable  - 100 Ohm impedance  - Data transmission frequencies of up to 250 MHz		
	4P, 24 AWG,PVC, Gray 4P, 23 AWG,LSZH, Gray	305m 305m	R795138 R195731
	Installation Cable Cat.6, F/UTP  - Cat.6, F/UTP cable  - 100 Ohm impedance  - Data transmission frequencies of up to 250 MHz		
	4P, 23 AWG,LSZH, Gray	305m	R195712
1/	Installation Cable Cat.6A, U/UTP  - Cat.6A, U/UTP cable  - 100 Ohm impedance		
	- Data transmission frequencies of up to 500 MHz  4P, 23 AWG, LSZH, Gray	305m	R195718
	Installation Cable Cat.6A, F/UTP  - Cat.6A, U/UTP cable  - Overall Foil-shielded  - 100 Ohm impedance  - Data transmission frequencies of up to 500 MHz		
	4P, 23 AWG, PVC, Gray	305m	R195728

Ordering Information	Description	PU	Part Number
	Installation Cable Cat.6A, S/FTP  - Cat.6A, S/FTP cable  - Foil shielding of pairs and overall tin plated copper braid shield  - 100 Ohm impedance  - Data transmission frequencies of up to 650 MHz		
	4P, 23 AWG, LSZH, Gray	500m	R305649
	Installation Cable Cat.7, S/FTP  - Cat.7, S/FTP cable  - Foil shielding of pairs and overall tin plated copper braid shield  - 100 Ohm impedance  - Data transmission frequencies of up to 1000 MHz		
	4P, 23 AWG, LSFRZH, Gray	500m	R35060
	<ul> <li>19" 1U Straight Patch Panel 24-Port, Unloaded</li> <li>With a capacity of up to 24 snap-in connection moshielded/unshielded</li> <li>Supplied: <ul> <li>19" 1U 24-port straight metal patch panel, unloaded</li> <li>19" Rack mounting kit</li> <li>Labeling kit</li> <li>Installation instructions</li> </ul> </li> </ul>		
	24 port straight unloaded patch panel, Gray	1	R195500
	<ul> <li>19" 1U Angled Patch Panel 24-Port, Unloaded</li> <li>With a capacity of up to 24 snap-in connection modules shielded/unshielded</li> <li>Supplied: <ul> <li>19" 1U 24-port angled, metal patch panel, unloade with integrated cable tie supporting bar</li> <li>19" Rack mounting kit</li> <li>Labeling kit</li> <li>Installation instructions</li> </ul> </li> </ul>	d	
	24 port angled unloaded patch panel, Gray	1	R195501

Ordering Information Description PU Part Number



## Connection Module Cat.5e, 1xRJ45/u (For Face Plate)

Supplied:

- RJ45 Cat.5e connection module, unshielded
- Mounting plate
- Dust cover
- Cable tie
- Installation instructions

10x 10 R925371



#### Connection Module Cat.5e, 1xRJ45/u, Snap-in (For Patch Panel)

Supplied:

- RJ45 Cat.5e connection module, unshielded
- Snap-in adapter
- Dust cover
- Cable tie
- Installation instructions

12x 12 R809804




#### Connection Module Easy Cat.6, 1xRJ45/u (For Face Plate)

Supplied

- RJ45 Cat.6 connection module, unshielded
- Mounting plate
- Dust cover
- Cable tie
- Installation instructions

1x 1 R810597



#### Connection Module Easy Cat.6, 1xRJ45/u, Snap-in (For Patch Panel)

Supplied:

- RJ45 Cat.6 connection module, unshielded
- Snap-in adapter
- Dust cover
- Cable tie
- Installation instructions

24x 24 R810598

Description

PU

Part Number



#### Connection Module Real10 Cat.6, 1xRJ45/s (For Face Plate)

Supplied:

- RJ45 Real10 Cat.6 connection module, shielded
- Mounting plate
- EMC cover
- Dust cover
- Cable tie
- Installation instructions

10x 10 R302372




## Connection Module Real10 Cat.6, 1xRJ45/s, Snap-in (For Patch Panel)

Supplied:

- RJ45 Real10 Cat.6 connection module, shielded
- Snap-in adapter
- EMC cover
- Dust cover
- Cable tie
- Installation instructions

10x 10 R304373



#### FM45 Connector IP20

- Field-terminated RJ45 connector (UTP/STP) with housing
- Color housing: gray (RAL 7042)
- Color termination block: gray (RAL 7035)

# Supplied:

- RJ45 connection kit
- Housing IP20
- Instruction manual

4P, TIA 568A/ B (AWG26-23)	10	R312231
4P, TIA 568A/ B (AWG26-23), Cat 6A	10	R815651



## FM45 Connector IP20, Angled

- Field-terminated RJ45 connector (UTP/ STP) with housing, angled
- Color housing: gray (RAL 7042)
- Color termination block: gray (RAL 7035)

#### Supplied:


- RJ45 connection kit
- Housing IP20
- Instruction manual

4P, TIA 568A/B (AWG26-23)	10	R803489
4P. TIA 568A/ B (AWG26-23), Cat.6A	10	R845599

#### Description

PU

Part Number



# Patch Cord Cat.5e, U/UTP, 4P, PVC, RJ45/u- RJ45/u, Gray

- Cable identification: U/UTP
- Outer jacket: PVC
- Conductor diameter copper strand: AWG24/7
- Screened in pairs: no
- Overall screen: no

1.0m	1	R195641
2.0m	1	R195603
3.0m	1	R195630
5.0m	1	R195642
7.5m	1	R195643
10.0m	1	R195631



# Cat.5e U/UTP, 4P, PVC, RJ45/u-RJ45/u, IDC, Gray

- Cable identification: U/UTP
- Outer jacket: PVC
- Conductor diameter copper strand: AWG24/7
- Screened in pairs: no
- Overall screen: no

1.0m	10	R305015
2.0m	10	R305020
3.0m	10	R305021
5.0m	10	R305022
7.5m	10	R305023
10.0m	10	R305024



# Patch Cord Cat.6, U/UTP, 4P, PVC, RJ45/u- RJ45/u

- Cable identification: U/UTP
- Outer jacket: PVC
- Screened in pairs: no
- Overall screen: no
- Conductor diameter copper strand: AWG24/7

	PU	Gray	Green	Red	Yellow	Blue
1.0m	1	R795578	R195623	R195605	R795720	R795579
2.0m	1	R795217	R795222	R795218	R795219	R795220
3.0m	1	R795226	R195619	R195001	R795616	R195613
5.0m	1	R195620	R196085	R196002	R196006	R196806
7.5m	1	R196017	R195626	R196015	R196007	R196011
10.0m	1	R195606	R195627	R196016	R195611	R196090



# Patch cord Cat.6 U/UTP, 4P, LSZH, RJ45/u-RJ45/u

- Cable identification: U/UTP
- Outer jacket: LSZH
- Conductor diameter copper strand: AWG 24/7
- Screened in pairs: no
- Overall screen: no

	PU	Gray	Green	Red	Yellow	Blue
1.0m	1	R196109	R196169	R196168	R196106	R196126
2.0m	1	R196110	R196108	R196111	R196117	R196107
3.0m	1	R196128	R196139	R196112	R196142	R196127
5.0m	1	R196121	R196140	R196113	R196142	R196010

#### Description

PU

Part Number



# Patch cord Cat .6 U/UTP, 4P, PVC, RJ45/u- RJ45/u, IDC

- Cable identification: U/UTP
- Outer jacket: PVC
- Conductor diameter copper strand: AWG 26/7
- Screened in pairs: no
- Overall screen: no


	PU	Gray	Green	Red	Yellow	Blue
1.0m	10	R830719	R830735	R830727	R830723	R830731
2.0m	10	R830720	R830736	R830728	R830724	R830732
3.0m	10	R830721	R830737	R830729	R830725	R830733
5.0m	10	R830722	R830738	R830730	R830726	R830734



# Patch Cord Cat.6, U/FTP, 4P, LSZH RJ45/s-RJ45/s, IDC

- Cable identification: U/FTP
- Outer jacket: LSZH
- Conductor diameter copper strand: AWG 26/7
- Screened in pairs: AL/foil
- Overall screen: no.

	PU	Gray	Green	Red	Yellow	Blue
1.0m	10	R830557	R830707	R830698	R830694	R830702
2.0m	10	R830691	R830708	R830699	R830695	R830703
3.0m	10	R830692	R830709	R830700	R830696	R830704
5.0m	10	R830693	R830710	R830701	R830697	R830705



# Patch cord Cat.6A U/UTP, 4P, LSZH, RJ45/u-RJ45/u, IDC

- Cable identification: U/UTP
- Outer jacket: LSZH
- Conductor diameter copper strand: AWG 26/7
- Screened in pairs: no
- Overall screen: no

	PU	Gray	Green	Red	Yellow	Blue
1.0m	10	R830779	R830809	R830801	R830784	R830805
2.0m	10	R830780	R830810	R830802	R830798	R830806
3.0m	10	R830781	R830811	R830803	R830799	R830807
5.0m	10	R830783	R830812	R830904	R830800	R830808



# Patch cord Cat.6A U/FTP, 4P, LSZH, RJ45/s-RJ45/s, IDC

- Cable identification: U/FTP
- Outer jacket: LSZH
- Conductor diameter copper strand: AWG 26/7
- Screened in pairs: AL/foil
- Overall screen: no

	PU	Gray	Green	Red	Yellow	Blue
1.0m	10	R830749	R830765	R830757	R830753	R830761
2.0m	10	R830750	R830766	R830758	R830754	R830762
3.0m	10	R830751	R830767	R830759	R830755	R830763
5.0m	10	R830752	R830768	R830760	R830756	R830764

#### Description

PU

Part Number



#### BS Faceplate 86x86, 2x1 port

- Plastic: PC/ABS

Supplied:

- Faceplate 86x86 mm for 2 RJ45 ports, including fastening screws
- Blind cover (when used as a 1 port outlet)
- Label strips

#### 2x1-Port, White

1

R195514



Suitable for RJ45 connection modules and fiber optic connectors with support plates



## BS Faceplate 86x86, 4x1 port

- Plastic: PC/ABS

Supplied:


- Faceplate 86x86 mm for 4 RJ45 ports, including fastening screws
- 2 Label strips

#### 4x1-Port, White

1

R195515

Suitable for RJ45 connection modules and fiber optic connectors with support plates



## US Faceplate 114x70, 2x1 port

- Plastic: ABS

Supplied:

- Faceplate 114x70 mm for 2 RJ45 ports, including fastening screws
- 2 Label strips

2x1-Port,	White
2x1-Port,	Black

R199512

R196812

Suitable for RJ45 Snap-in connection modules



## US Faceplate 114x70, 4x1 port

- Plastic: ABS

Supplied:

- Faceplate 114x70 mm for 4 RJ45 ports, including fastening screws
- 2 Label strips

4x1-Port, White R199513 1 4x1-Port, Black 1 R196813

Suitable for RJ45 Snap-in connection modules

#### **Ordering Information** Description PU Part Number **Hinged Dust Cover** - Dust cover and color coding for RJ45 outlets and patch panels - Fitting R&M Smartholes anthracite 10 R305685 blue 10 R305686 brown 10 R305687 10 R305688 yellow 10 R305689 gray 10 green R305690 red 10 R305691



#### Snap-in Coding Clip

violet

white

Color coding clip for snap-in adapters and the multimedia outlet

anthracite	10	R196509
blue	10	R196510
grey	10	R196513
green	10	R196514
red	10	R196515
white	10	R196517
yellow	10	R196512

10

10

R305692

R305693



# Plug Guard RJ45

- RJ45 connection protection for outlets and patch panels
- Fitting R&M Smartholes

# Supplied:

- Plug Guard
- 1 key per packing unit

green	20	R304825
white	20	R304827
red	20	R304826



## Safe Clip

 Locking element for RJ45 patch cords (R&M standard patch cords), protecting connections from being unplugged by mistakes.

20 R304807

# **Copper Systems**

Ordering Information	Description	PU	Part Number
•	Patch Guard RJ45		
	<ul> <li>Lockable plug-out protection for RJ45 connecting cables (R&amp;M standard IDC patch cables)</li> </ul>		
ASSISS	Supplied:		
	– Patch Guard, top part		
	- Patch Guard, bottom part	00	D040044
	- 1 key per packing unit	20	R313814
	Key Patch Guard RJ45		
	Supplied:		
	- Key plus key ring	1	R313815
	Port Guard		
	- RJ45 Connection protection for outlets and patch		
	Supplied:		
The state of the s	– 20 port guards with 1 key	20	R510854




## FLEXkanal, extended 1 m

- For an organized and protected cable routing up to your desk, connecting deskboxes with cable ducts or floor connection boxes
  Integral cable organization in two channels
  Length 1 m in extended form


Black Gray RAL 7021	1	R451000
Light Gray RAL 7035	1	R451002
White RAL 9010	1	R451003

Ordering Information Description PU Part Number




#### **Tight Buffer Indoor, LSZH Fiber Cables**

Fiber Cable Type No. of Cores	OS 1 / OS 2	ОМ3	ОМ4
6F	R195693	R196756	R195562
12F	R195568	R196738	R195567
24F	R195595	R196757	R195597




# Central Loose Tube/Uni tube, Gel filled, Unarmored Indoor/Outdoor LSZH Fiber cables

Fiber Cable Type No. of Cores	OS 1 / OS 2	ОМ3	ОМ4
6F	R196714	R196713	R196712
12F	R196720	R195663	R196718
24F	R196723	R196722	R196721



# Central Loose Tube/Uni tube, Gel filled, ECCS Armored Outdoor HDPE Fiber cables

Fiber Cable Type No. of Cores	OS 1 / OS 2	ОМ3	OM4	
6F	R195666	R196701	R196700	
12F	R195667	R196707	R196705	



# Multi Loose Tube, Gel filled, ECCS Armored Outdoor HDPE Fiber cables

Fiber Cable Type No. of Cores	Type OS 1 / OS 2		OM4	
12F	R195679	R196708	R196706	



19" Rack Mount 12Port Fiber LIU, Loaded with 6xLCPC Dx adapters & Splice trays

Single Mode Multi-Mode 1 R220036 1 R220042


Ordering Information	Description	PU	Part Number
	19" Rack Mount 24Port Fiber LIU, Loaded with 12xLCPC Dx adapters & Splice trays		
	Single Mode Multi-Mode	1	R220037 R220043
	19" Rack Mount 48Port Fiber LIU, Loaded with 24xLCPC Dx adapters & Splice trays		
	Single Mode Multi-Mode	1	R220111 R220081
	19" Rack Mount 12Port Fiber LIU, Loaded with 6xSCPC Dx adapters & Splice trays		
	Single Mode Multi-Mode	1	R220039 R220045
	19" Rack Mount 24Port Fiber LIU, Loaded with 12xSCPC Dx adapters & Splice trays		
	Single Mode Multi-Mode	1	R220040 R220046
	19" 1U Rack Mount 96Port Fiber LIU, Fully Loade 24xLCPC Quad adapters, Splice trays & Pigtails	d with	
	Single Mode Multi-Mode OM3	1 1	R220360 R220324


# Description


PU

Part Number


# Duplex Fiber Patch Cords, LSZH







Connector side 1	, p	SC	Duplex	
		SM (OS2)	ОМ3	ОМ4
W. Comment	1m	R198023	R222138	R222143
0.03.4	2m	R198367	R222132	R222144
SC Duplex	3m	R198114	R222182	R222145
	5m	R198291	R198467	R222146
	10m	R198372	R222137	R222113
		VIAN EX	OM3	OM4
A. S.	1m	<b>SM (OS2)</b> R198103	R222281	R222139
	2m	R198103	R222261 R222136	R222139 R222140
LC Duplex	3m	R198236	R222130	R222140
Le Bapiex	5m	R198241	R222163	R222141
	10m	R198002	R222123	R222115
			Duplex 🗳	
		SM (OS2)	OM3	OM4
The state of the s	1m	R198020	R222134	R222147
	2m	R198368	R222135	R222148
SC Duplex	3m	R198113	R222124	R222149
	5m	R198192	R222125	R222128
	10m	R198191	R222126	R222114



Fiber Pigtails, LSZH, 1.5m

1	R222162
1	R222183
1	R198035
1	R198365
1	R198496
	1