Assignment –4

Retrieving Information from Tables.

1)Write a select command that produces the order number, amount, and date for all rows in the Orders table.

Output:-

```
mysql>  select Onum,Amt,Odate
    -> from ORDERS;
+------+---------+------------+
| Onum | Amt     | Odate      |
+------+---------+------------+
| 3001 |   18.69 | 1990-03-10 |
| 3003 |  767.19 | 1990-03-10 |
| 3002 | 1900.10 | 1990-03-10 |
| 3005 | 5160.45 | 1990-03-10 |
| 3006 | 1098.16 | 1990-03-10 |
| 3009 | 1713.23 | 1990-04-10 |
| 3007 |   75.75 | 1990-04-10 |
| 3008 | 4723.00 | 1990-05-10 |
| 3010 | 1309.95 | 1990-06-10 |
| 3011 | 9891.88 | 1990-06-10 |
+------+---------+------------+
10 rows in set (0.00 sec)
```

2) Write a query that produces all rows from the Customers table for which the salesperson's number is 1001.

```
mysql> select * from CUSTOMERS
    -> where Snum = 1001;
+------+---------+--------+--------+------+
| Cnum | Cname   | City   | Rating | Snum |
+------+---------+--------+--------+------+
| 2001 | Hoffman | London |    100 | 1001 |
| 2006 | Clemens | London |    100 | 1001 |
+------+---------+--------+--------+------+
2 rows in set (0.01 sec)
```

3) Write a query that displays the Salespeople table with the columns in the

following order: city, sname, snum, comm.

```
mysql> select City,Sname,Snum,Comm
    -> from SALESPEOPLE;
+----------+---------+------+------+
| City     | Sname   | Snum | Comm |
+----------+---------+------+------+
| London   | Peel    | 1001 | 0.12 |
| San Jose | Serres  | 1002 | 0.13 |
| London   | Motika  | 1003 | 0.11 |
| Barcelona | Rifkin | 1007 | 0.15 |
| New York | Axelrod | 1004 | 0.10 |
+----------+---------+------+------+
5 rows in set (0.00 sec)
```

4) Write a select command that produces the rating followed by the name of each customer in San Jose.

```
+------+----------+----------+--------+------+
| Cnum | Cname    | City     | Rating | Snum |
+------+----------+----------+--------+------+
| 2003 | Liu      | San Jose |    200 | 1002 |
| 2008 | Cisneros | San Jose |    300 | 1007 |
+------+----------+----------+--------+------+
2 rows in set (0.00 sec)
```

5) Write a query that will produce the snum values of all salespeople(suppress the duplicates) with orders in the Orders table.

```
+------+
| Snum |
+------+
| 1001 |
| 1002 |
| 1003 |
| 1007 |
| 1004 |
+------+
```