

## 1. Welcome Page

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<style>
```

```
body {
  font-family: "Oswald", sans-serif;

  -webkit-font-smoothing: antialiased;
  font-smoothing: antialiased;
  background-color: #b074d9c4;
  text-align: center;
}
```

```
h1 {
  line-height: .95;

  font-weight: 900;
  font-size: 105px;
  text-transform: uppercase;

  color: #b57bde;
  text-shadow: -8px -8px 12px rgb(207 166 237 / 94%), 8px 8px 12px rgb(70 5 75 /
56%);
  caret-color: #262626;
  outline: none;
}
```

```
.center {
  width: 100%;
  height: 100%;

  display :inline-block;
  justify-content :center;
  align-items: center;
}
```

```
.btn {
  display: inline-block;
  margin: 0 auto;
  width: 175px;
  height: 60px;
  padding: 6px 0 0 3px;
```

```

background-color: #b57bde;
  box-shadow: -8px -8px 12px rgb(207 166 237 / 94%), 8px 8px 12px rgb(145 92 166);
  border-radius: 40px;

  font-size: 16px;
  line-height: 54px;
  color: #fff;
  letter-spacing: .25em;
  text-decoration: none;
  font-weight: 600;
  text-transform: uppercase;
  vertical-align: middle;
  text-align: center;
  cursor: pointer;
}

.btn:hover {
  background: #8a30b4;
  color: #dab1ec;
}

a{
  text-decoration: none;
  color: white;
}

.button{
  margin: 5px;
}

</style>
<body>
<div class="center">
  <h1>WELCOME <br>to <br>medical pedia</h1>
  <div class="button">
    <div class="btn"><a href="register.jsp"> Register</div></a>
    <div class="btn"><a href="login.jsp"> Log in</div></a>
  </div>
</div>
</body>
</html>

```

## 2. Register page

```

<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
body {

```

```
    font-family: Arial, Helvetica, sans-serif;
    background-color: #b074d9c4;
}
```

```
* {
    box-sizing: border-box;
}
```

```
.container {
    padding: 20px;
    width: 560px;
    position: absolute;
    left: 50%;
    top: 50%;
    transform: translate(-50%, -50%);
```

```
    border-radius: 10px;
    background: #c294e1;
```

```
    box-shadow: -9px 9px 17px #9748bc, 9px -9px 17px #dfbdf4;
    height: 20px 0px;
```

```
}
```

```
/* Full-width input fields */
```

```
input[type=text], input[type=password], input[type=date], input[type=email] {
    width: 100%;
    padding: 15px;
    margin: 5px 0px 10px 0px;
    display: inline-block;
    border: none;
    background: #c294e1;
    border-radius: 20px;
    box-shadow: inset 7px 2px 10px #b387c4, inset -5px -5px 12px rgb(113 38 135 /
60%);
    color: black;
    font-weight: bolder;
    padding: 15px 20px;
}
```

```
input[type=text]:focus, input[type=password]:focus, input[type=date]:focus
, input[type=email]:focus {
    background-color: #debbf5;
    outline: none;
```

```

}

/* Set a style for the submit button */
.registerbtn {
background-color: #c294e1;
color: rgb(0, 0, 0);
padding: 16px 20px;
margin: 8px 0;
border: none;
cursor: pointer;
width: 100%;
opacity: 0.9;
box-shadow: 0px -2px 10px #edb1ff, 12px 4px 12px rgb(123 25 184 / 60%);
font-weight: bolder;
border-radius: 20px;
}

.registerbtn:hover {
opacity: 1;
}
.registerbtn:focus{
background-color: #bf84da;
box-shadow: 0px -2px 10px #edb1ff, 12px 4px 12px rgb(123 25 184 / 60%);
}

::placeholder {
color: rgb(0, 0, 0);
}
a{
color: black;
}

</style>
</head>
<body>

<form action="registerAction" method="post">
<div class="container">
<h1>Register</h1>
<p>Please fill in this form to create an account.</p>
<hr>
<label for="uname"><b>Name</b></label>
<input type="text" placeholder="Enter name" name="uname" id="uname" required>

```

```

<label for="age"><b>Age</b></label>
<input type="text" placeholder="Enter age" name="uage" id="uage" required>

    <label for="udob"><b>Date of birth</b></label>
    <input type="date" placeholder="Date of Birth" name="udob" id="udpb" required>

    <label for="email"><b>Email</b></label>
    <input type="email" placeholder="Enter Email" name="uemail" id="email" required>

    <label for="psw"><b>Password</b></label>
    <input type="password" placeholder="Enter Password" name="upassword" id="psw"
required>

    <button type="submit" class="registerbtn">Register</button>

        <p class="text-center text-muted mt-5 mb-0">Have already an account?
<a href="login.jsp" class="fw-bold text-body"><u>Login here</u></a></p>
    </div>

</form>

</body>
</html>

```

### 3. Login page

```

<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<style>
body {
font-family: Arial, Helvetica, sans-serif;
background-color: #b074d9c4;
}

* {
box-sizing: border-box;
}

.container {
padding: 20px;
width:500px;

```

```
position: absolute;
left: 50%;
top: 50%;
transform: translate(-50%, -50%);
```

```
padding: 40px 30px;
background: #c294e1;
```

```
border-radius: 10px;
box-shadow: -9px 9px 17px #9748bc, 9px -9px 17px #dfbdf4;
```

```
}
```

```
/* Full-width input fields */
```

```
input[type=date],input[type=password],input[type=email]{
width: 100%;
padding: 15px;
margin: 18px 0px 19px 0px;
display: inline-block;
border: none;
background: #c294e1;
border-radius: 20px;
box-shadow: inset 7px 2px 10px #b387c4, inset -5px -5px 12px rgb(113 38 135 / 60%);
color: black;
font-weight: bolder;
padding: 20px 20px;
}
```

```
input[type=password]:focus,input[type=email]:focus {
background-color: #debbf5;
outline: none;
```

```
}
```

```
/* Set a style for the submit button */
```

```
.loginbtn {
background-color: #c294e1;
color: rgb(0, 0, 0);
padding: 16px 20px;
margin: 8px 0;
border: none;
```

```

cursor: pointer;
width: 100%;
opacity: 0.9;
box-shadow: 0px -2px 10px #edb1ff, 12px 4px 12px rgb(123 25 184 / 60%);
font-weight: bolder;
border-radius: 20px;

}

.loginbtn:hover {
opacity: 1;
font-weight: bolder;
}

.loginbtn:focus{
background-color: #bf84da;
box-shadow: 0px -2px 10px #edb1ff, 12px 4px 12px rgb(123 25 184 / 60%);
}

::placeholder {
color: rgb(0, 0, 0);
}

```

```
</style>
```

```
</head>
```

```
<body>
```

```
<form action="loginAction" method="post">
```

```
<div class="container">
```

```
<h1>Login</h1>
```

```
<p>Welcome back....</p>
```

```
<hr>
```

```
<label for="email"><b>Email</b></label>
```

```
<input type="email" placeholder="Enter Email" name="uemail" id="email" required>
```

```
<label for="psw"><b>Password</b></label>
```

```
<input type="password" placeholder="Enter Password" name="upassword" id="psw"
required>
```

```
<button type="submit" class="loginbtn">Log in</button>
```

```
                <p class="text-center text-muted mt-5 mb-0">Don't have an account<a
href="register.jsp" class="fw-bold text-body"><u>Create here</u></a></p>
    </div>
```

```
</form>
```

```
</body>
```

```
</html>
```

#### 4. admin page

```
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<style></style>
<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<style>
    body{
        background-color: #b074d9c4;
        box-sizing: border-box;
        font-family: 'Raleway', sans-serif;
        margin: 0;
        padding: 0;
    }

    header{
        width: 100%;
        height: 70px;
        color: #ffffff;
        display: flex;
    }
    .part{
        width: 50%;
        height: 70px
    }
    .head-item-1{
        margin-left: 15px;
        display: flex;
        justify-content: flex-start;
```



```

        align-items: center;
        height: 70px
    }
    .head-item-1 .headname{
        color: rgb(255, 255, 255);
        margin-left: 20px;
        height: 70px;
    }
    .head-item-1 .logo{
        width: 50px;
        height: 50px;
    }
    .head-item-1 .logo img{
        width: 50px;
        height: 50px;
    }

```

```

.head-item{
    display: flex;
    justify-content: flex-end;
    align-items: center;
    height: 70px
}

```

```

.head-item .nav ul{
    margin: 0;
    padding: 0;
}
.head-item .nav li{
    display: inline;
    margin-right: 50px;
}
.head-item .nav li a{
    text-decoration: none;
    color: rgb(254, 253, 255);
    font-size: 18px;
}

```

```

/*-----*/

```

```

section{
    width: 100%;
    height: 600px;
    margin-top: 70px;
}
.container {
    width: 774px; /* 400*/
}

```

```
height: 539px; /*300*/  
padding: 50px;
```

```
margin: auto;  
box-sizing: border-box;  
border-radius: 10px;
```

```
background: #c294e1;
```

```
border-radius: 10px;  
box-shadow: -9px 9px 17px #9748bc, 9px -9px 17px #dfbdf4;
```

```
}
```

```
.head{  
    text-align: center;  
    margin-bottom: 80px;  
}
```

```
.head h2 {  
    margin-top: 0;  
    font-size: 31px;  
    color: #ffffff;  
    font-weight: bold;  
}
```

```
.item{  
    width: 660px;  
    height: 200px;  
    display: flex;  
    gap: 30px;  
    justify-content: center;  
    margin: 0 auto;  
}
```

```
.item .item-box{  
    width: 200px;  
    height: 200px;  
    border-radius: 28px;  
    background: #c294e1;  
    box-shadow: -9px 9px 17px #9748bc, 9px -9px 17px #dfbdf4;  
    margin: 0;  
    transition: 0.5s;  
}
```

```
.item .item-box:hover{  
    transform: scale(1.2);
```

```

}
.item-box .icon-wrapper{
    width: 62px;
    height: 62px;
    margin: 0 auto;
    padding-top:38px ;
    padding-bottom: 19px;
}

.item-box .icon-wrapper img{
    width: 62px;
    height: 62px;
}

.text{
    text-align: center;
}

.text h3{
    font-size: 20px;
    color: #ffffff;
    margin: 0;
}

* {
    margin: 0;
    padding: 0;
}

#navbar {
    display: flex;
    flex-direction: row;
    justify-content: space-between;
    font-size: 20px;
    font-family: Roboto;
    background: #c294e1;
    padding: 20px;
    box-shadow: -9px 9px 17px #9748bc, 9px -9px 17px #dfbdf4;
}

nav ul{
    list-style-type:none;
    display:flex;
}

nav input{
    background: #c294e1;
    border: none;
    color: white;
}

```

```

padding: 5px 20px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 0px 4px;
cursor: pointer;
box-shadow: -9px 9px 17px #9748bc, 9px -9px 17px #dfbdf4;
border-radius: 28px;
font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}
nav input:focus{
background-color: #bf84da;
}

nav a{
font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
text-decoration: none;
background: #c294e1;
border: none;
color: white;
padding: 5px 20px;
text-align: center;
text-decoration: none;
display: inline-block;
font-size: 16px;
margin: 0px 4px;
cursor: pointer;
box-shadow: -9px 9px 17px #9748bc, 9px -9px 17px #dfbdf4;
border-radius: 28px;
}
nav a:focus{
background-color: #bf84da;
}
.container a{
text-decoration: none;
color: #ffffff;
font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}
#navbar-brand h3{
color: #ffffff;
font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
}

```

</style>

<body>

```

<%
if(session.getAttribute("uemail")==null){
    response.sendRedirect("register.jsp");
}
%>

<div id="navbar">
    <div id="navbar-brand">
        <h3 >ADMIN</h3>
    </div>

    <nav>

        <ul>

            <li><a href="HomePage.jsp">Home page</a></li>

            <li>
                <form action="logoutAction">
                    <input type="submit" value="logout">
                </form>
            </li>
        </ul>
    </nav>

</div>
</div>
<section class="ptr-1">
    <div class="container">
        <div class="head">
            <h2>WELCOME</h2>
        </div>

        <div class="item">
            <div class="item-box">
                <div class="icon-wrapper">
                    
                </div>
                <div class="text">
                    <h3><a href="addproduct.jsp">ADD PRODUCT</a> <br>

                    </h3>
                </div>
            </div>
            <div class="item-box">
                <div class="icon-wrapper">
                    

```

```

        </div>
        <div class="text">
            <h3><a href="removeProduct.jsp">REMOVE PRODUCT</a> <br>

            </h3>
        </div>
    </div>

```

```

    </div>

```

```

        </div>
    </div>
</section>

```

```

</body>
</html>

```

```

</body>
</html>

```

## 5. addProduct page

```

<!DOCTYPE html>
<html>
<head>
<meta charset="ISO-8859-1">
<title>Insert title here</title>
</head>
<style>

```

```

body {
font-family: Arial, Helvetica, sans-serif;
background-color: #b074d9c4;
}

```

```

* {
box-sizing: border-box;

}

```

```

.container {
padding: 20px;
width:500px;
position: absolute;
left: 50%;
top: 50%;
transform: translate(-50%, -50%);
}

```

```
padding: 40px 30px;
background: #c294e1;

border-radius: 10px;
box-shadow: -9px 9px 17px #9748bc, 9px -9px 17px #dfbdf4;
```

```
}
```

```
/* Full-width input fields */
input[type=text]{
width: 100%;
padding: 15px;
margin: 18px 0px 19px 0px;
display: inline-block;
border: none;
background: #c294e1;
border-radius: 20px;
box-shadow: inset 7px 2px 10px #b387c4, inset -5px -5px 12px rgb(113 38 135 / 60%);
color: black;
font-weight: bolder;
padding: 20px 20px;
}
```

```
input[type=text]:focus{
background-color: #debbf5;
outline: none;
}
```

```
/* Set a style for the submit button */
.addbtn {
background-color: #c294e1;
color: rgb(0, 0, 0);
padding: 16px 20px;
margin: 8px 0;
border: none;
cursor: pointer;
width: 100%;
opacity: 0.9;
box-shadow: 0px -2px 10px #edb1ff, 12px 4px 12px rgb(123 25 184 / 60%);
```

```
font-weight: bolder;
border-radius: 20px;
```

```
}
```

```
.addbtn:hover {
opacity: 1;
```

```
font-weight: bolder;
```

```
}
```

```
.addbtn:focus{
    background-color: #bf84da;
    box-shadow: 0px -2px 10px #edb1ff, 12px 4px 12px rgb(123 25 184 / 60%);
```

```
}
```

```
::placeholder {
color: rgb(0, 0, 0);
```

```
}
```

```
</style>
```

```
<body>
```

```
<form enctype="multipart/form-data" action="AddProAction" method="post">
```

```
  <div class="container">
```

```
    <h1>ADD PRODUCT</h1>
```

```
    <p>Welcome back....</p>
```

```
    <hr>
```

```
    <label for="pid"><b>Product ID</b></label>
```

```
    <input type="text" placeholder="Product id" name="pid" id="pid" required>
```

```
    <label for="pname"><b>Product name</b></label>
```

```
    <input type="text" placeholder="Product name" name="pname" id="pname" required>
```

```
    <label for="pprice"><b>Price</b></label>
```

```
    <input type="text" placeholder="Product price" name="pprice" id="pprice"
required>
```

```
    <label for="pprice"><b>Product Image</b></label>
```

```
    <input type="file" id="myFile" name="pimage" required>
```

```
    <button type="submit" class="addbtn">Submit</button>
```

```
</div>
```



```
</form>
</body>
</html>
```

## 6. productDetail page

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Medical Pedia</title>

  <link rel="stylesheet" href="https://unpkg.com/swiper/swiper-bundle.min.css" />

  <!-- font awesome cdn link -->
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.15.3/css/all.min.css">

  <!-- custom css file link -->

</head>
<style>
  @import
url('https://fonts.googleapis.com/css2?family=Nunito:wght@200;300;400;600;700&displa
y=swap');

:root{
  --green:#27ae60;
  --black:#192a56;
  --light-color:#666;
  --box-shadow:0 .5rem 1.5rem rgba(0,0,0,.1);
}

*{
  font-family: 'Nunito', sans-serif;
  margin:0; padding:0;
  box-sizing: border-box;
  text-decoration: none;
  outline: none; border:none;
  text-transform: capitalize;
  transition: all .2s linear;
}

html{
```

```
    font-size: 62.5%;
    overflow-x: hidden;
    scroll-padding-top: 5.5rem;
    scroll-behavior: smooth;
    background: #f0c4ff99;
}

section{
    padding:2rem 9%;
}

section:nth-child(even){
    background:#eee;
}

.sub-heading{
    text-align: center;
    color:#a656b0;
    font-size: 2rem;
    padding-top: 1rem;
}

.heading{
    text-align: center;
    color:var(--black);
    font-size: 3rem;
    padding-bottom: 2rem;
    text-transform: uppercase;
}

.btn{
    margin-top: 1rem;
    display: inline-block;
    font-size: 1.7rem;
    color:#fff;
    background: #a656b0;
    border-radius: .5rem;
    cursor: pointer;
    padding:.8rem 3rem;
}

.btn:hover{
    background: #501c74;
    letter-spacing: .1rem;
}

header{
    position: fixed;
    top:0; left: 0; right:0;
```

```
    background: #fff;
    padding: 1rem 7%;
    display: flex;
    align-items: center;
    justify-content: space-between;
    z-index: 1000;
    box-shadow: var(--box-shadow);
        box-shadow: -9px 9px 17px #b985d1, 9px -9px 17px #dfbdf4;
}
```

```
header .logo{
    color: #ae68ba;
    font-size: 2.5rem;
    font-weight: bolder;
}
```

```
header .logo i{
    color: #ae68ba;
}
```

```
header .navbar a{
    font-size: 1.7rem;
    border-radius: .5rem;
    padding: .5rem 1.5rem;
    color: var(--light-color);
}
```

```
header .navbar a.active,
header .navbar a:hover{
    color: #fff;
    background: #c373d2;
}
```

```
header .icons i,
header .icons a{
    cursor: pointer;
    margin-left: .5rem;
    height: 4.5rem;
    line-height: 4.5rem;
    width: 4.5rem;
    text-align: center;
    font-size: 1.7rem;
    color: #a656b0;
    border-radius: 50%;
    background: #eee;
}
```

```
header .icons i:hover,
header .icons a:hover{
    color: #fff;
}
```

```

        background: #da8ae4;
        transform: rotate(360deg);
    }

header .icons #menu-bars{
    display: none;
}

#search-form{
    position: fixed;
    top:-110%; left:0;
    height:100%; width:100%;
    z-index: 1004;
    background:rgba(0,0,0,.8);
    display: flex;
    align-items: center;
    justify-content: center;
    padding:0 1rem;
}

#search-form.active{
    top:0;
}

#search-form #search-box{
    width:50rem;
    border-bottom: .1rem solid #fff;
    padding:1rem 0;
    color:#fff;
    font-size: 3rem;
    text-transform: none;
    background:none;
}

#search-form #search-box::placeholder{
    color:#eee;
}

#search-form #search-box::-webkit-search-cancel-button{
    -webkit-appearance: none;
}

#search-form label{
    color:#fff;
    cursor:pointer;
    font-size: 3rem;
}

#search-form label:hover{
    color:var(--green);
}

```

```

}

#search-form #close{
  position: absolute;
  color:#fff;
  cursor: pointer;
  top: 2rem; right:3rem;
  font-size: 5rem;
}

.swiper-pagination-bullet-active{
  background:var(--green);
}

.dishes .box-container{
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(28rem, 1fr));
  gap:1.5rem;
}

.dishes .box-container .box{
  padding:2.5rem;
  background:#fff;
  border-radius: .5rem;
  border:.1rem solid rgba(0,0,0,.2);
  box-shadow: var(--box-shadow);
  position: relative;
  overflow: hidden;
  text-align: center;
  box-shadow: inset -4px -6px 10px rgb(157 72 139), inset 25px 21px 23px rgb(168 80
168 / 37%);
}

.dishes .box-container .box .fa-heart,
.dishes .box-container .box .fa-eye{
  position: absolute;
  top:1.5rem;
  background:#eee;
  border-radius: 50%;
  height: 5rem;
  width:5rem;
  line-height: 5rem;
  font-size: 2rem;
  color:#a656b0;
}

.dishes .box-container .box .fa-heart:hover,
.dishes .box-container .box .fa-eye:hover{
  color:#fff;
}

```

```

    background: #da8ae4;
}

.dishes .box-container .box .fa-heart{
    right:-15rem;
}

.dishes .box-container .box .fa-eye{
    left:-15rem;
}

.dishes .box-container .box:hover .fa-heart{
    right:1.5rem;
}

.dishes .box-container .box:hover .fa-eye{
    left:1.5rem;
}

.dishes .box-container .box img{
    height:17rem;
    margin:1rem 0;
}

.dishes .box-container .box h3{
    color:#792a83;
    font-size: 2.5rem;
}

.dishes .box-container .box .stars{
    padding:1rem 0;
}

.dishes .box-container .box .stars i{
    font-size: 1.7rem;
    color:#a656b0;
}

.dishes .box-container .box span{
    color:#ae27a4;
    font-weight: bolder;
    margin-right: 1rem;
    font-size: 2.5rem;
}

.about .row{
    display: flex;
    flex-wrap: wrap;
    gap:1.5rem;
    align-items: center;

```

```

}

.about .row .image{
    flex:1 1 45rem;
}

.about .row .image img{
    width: 100%;
}

.about .row .content{
    flex:1 1 45rem;
}

.about .row .content h3{
    color:var(--black);
    font-size: 4rem;
    padding:.5rem 0;
}

.about .row .content p{
    color:var(--light-color);
    font-size: 1.5rem;
    padding:.5rem 0;
    line-height: 2;
}

.about .row .content .icons-container{
    display: flex;
    gap:1rem;
    flex-wrap: wrap;
    padding:1rem 0;
    margin-top: .5rem;
}

.about .row .content .icons-container .icons{
    background:#eee;
    border-radius: .5rem;
    border:.1rem solid rgba(0,0,0,.2);
    display: flex;
    align-items: center;
    justify-content: center;
    gap:1rem;
    flex:1 1 17rem;
    padding:1.5rem 1rem;
}

.about .row .content .icons-container .icons i{
    font-size: 2.5rem;
    color:#9327ae;
}

```

```

}

.about .row .content .icons-container .icons span{
    font-size: 1.5rem;
    color:var(--black);
}

.footer .box-container{
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(25rem, 1fr));
    gap:1.5rem;
}

.footer .box-container .box h3{
    padding:.5rem 0;
    font-size: 2.5rem;
    color:var(--black);
}

.footer .box-container .box a{
    display: block;
    padding:.5rem 0;
    font-size: 1.5rem;
    color:var(--light-color);
}

.footer .box-container .box a:hover{
    color:var(--green);
    text-decoration: underline;
}

.footer .credit{
    text-align: center;
    border-top: .1rem solid rgba(0,0,0,.1);
    font-size: 2rem;
    color:var(--black);
    padding:.5rem;
    padding-top: 1.5rem;
    margin-top: 1.5rem;
}

.footer .credit span{
    color:var(--green);
}

/* media queries */

@media (max-width:991px){

```



```

html{
    font-size: 55%;
}

header{
    padding:1rem 2rem;
}

section{
    padding:2rem;
}

}

@media (max-width:768px){

    header .icons #menu-bars{
        display: inline-block;
    }

    header .navbar{
        position: absolute;
        top:100%; left:0; right:0;
        background:#fff;
        border-top: .1rem solid rgba(0,0,0,.2);
        border-bottom: .1rem solid rgba(0,0,0,.2);
        padding:1rem;
        clip-path: polygon(0 0, 100% 0, 100% 0, 0 0);
    }

    header .navbar.active{
        clip-path: polygon(0 0, 100% 0, 100% 100%, 0% 100%);
    }

    header .navbar a{
        display: block;
        padding:1.5rem;
        margin:1rem;
        font-size: 2rem;
        background:#eee;
    }

    #search-form #search-box{
        width:90%;
        margin:0 1rem;
    }

    .home .home-slider .slide .content h3{
        font-size: 5rem;
    }

```

```

    }
}

@media (max-width:450px){
    html{
        font-size: 50%;
    }

    .dishes .box-container .box img{
        height:auto;
        width: 100%;
    }

    .order form .inputBox .input{
        width:100%;
    }
}

</style>
<body>

<header>

    <a href="#" class="logo"><i class="fa fa-medkit"></i>Medstore</a>

    <nav class="navbar">
        <a class="active" href="HomePage.jsp">home</a>

        <a href="#about">about</a>
        <a href="login.jsp">logout</a>

    </nav>

    <div class="icons">
        <i class="fas fa-bars" id="menu-bars"></i>
        <i class="fas fa-search" id="search-icon"></i>
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-shopping-cart"></a>
    </div>

</header>

<!-- header section ends-->

<!-- search form -->

```

```
<div id="search-form">
    <input type="search" placeholder="search here..." name="" id="search-box">
    <label for="search-box" class="fas fa-search"></label>
    <i class="fas fa-times" id="close"></i>
</div><br><br><br><br>
```

```
<!-- medicine section starts -->
```

```
<section class="dishes" id="dishes">
```

```
    <h1 class="heading"> popular medicines </h1>
```

```
<%
    if(session.getAttribute("uemail")==null){
        response.sendRedirect("register.jsp");
    }
%>
```

```
    <div class="box-container">
<%
```

```
GetProducts get=new GetProducts();
List<ProductDetail> list=get.getDetails();
session.setAttribute("list", list);
for(ProductDetail pro:list){
%>
    <div class="box">
        <a href="#" class="fas fa-heart"></a>
        <a href="#" class="fas fa-eye"></a>
        
        <h3><%=pro.getPname() %></h3>
        <div class="stars">
            <i class="fas fa-star"></i>
            <i class="fas fa-star"></i>
            <i class="fas fa-star"></i>
            <i class="fas fa-star"></i>
            <i class="fas fa-star-half-alt"></i>
        </div>
        <span>Rs.<%=pro.getPprice() %></span>
        <a href="#" class="btn">Buy</a>
    </div>
```

```

    <%
  }
    %>
  </div>

</section>

<!-- medicines section ends -->

<!-- about section starts -->

<section class="about" id="about">

  <h3 class="sub-heading"> about us </h3>
  <h1 class="heading"> why choose us? </h1>

  <div class="row">

    <div class="image">
      
    </div>

    <div class="content">
      <h3>best quality medicines in the country</h3>
      <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Dolore,
sequi corrupti corporis quaerat voluptatem ipsam neque labore modi autem, saepe
numquam quod reprehenderit rem? Tempora aut soluta odio corporis nihil!</p>
      <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Aperiam,
nemo. Sit porro illo eos cumque deleniti iste alias, eum natus.</p>
      <div class="icons-container">
        <div class="icons">
          <i class="fas fa-shipping-fast"></i>
          <span>free delivery</span>
        </div>
        <div class="icons">
          <i class="fas fa-dollar-sign"></i>
          <span>easy payments</span>
        </div>
        <div class="icons">
          <i class="fas fa-headset"></i>
          <span>24/7 service</span>
        </div>
      </div>
      <a href="#" class="btn">learn more</a>
    </div>

  </div>

```

```
</section>
```

```
<!-- about section ends -->
```

```
<!-- review section ends -->
```

```
<!-- footer section starts -->
```

```
<section class="footer">
```

```
    <div class="box-container">
```

```
        <div class="box">
```

```
            <h3>locations</h3>
```

```
            <a href="#">india</a>
```

```
            <a href="#">japan</a>
```

```
            <a href="#">russia</a>
```

```
            <a href="#">USA</a>
```

```
            <a href="#">france</a>
```

```
        </div>
```

```
        <div class="box">
```

```
            <h3>quick links</h3>
```

```
            <a href="HomePage.jsp">home</a>
```

```
            <a href="#">about</a>
```

```
            <a href="login.jsp">login</a>
```

```
            <a href="register.jsp">register</a>
```

```
        </div>
```

```
        <div class="box">
```

```
            <h3>contact info</h3>
```

```
            <a href="#">+123-456-7890</a>
```

```
            <a href="#">+111-222-3333</a>
```

```
            <a href="#">amritarimu@gmail.com</a>
```

```
            <a href="#">amritarimu@gmail.com</a>
```

```
            <a href="#">Odisha, india - 400104</a>
```

```
        </div>
```

```
        <div class="box">
```

```
            <h3>follow us</h3>
```

```
            <a href="#">facebook</a>
```

```
            <a href="#">twitter</a>
```

```
            <a href="#">instagram</a>
```

```
            <a href="#">linkedin</a>
```

```
        </div>
```

</div>

<div class="credit"> copyright @ 2022 by <span>medical.pedia</span> </div>

</section>

</ProductDetail>

<!-- footer section ends -->

<script src="https://unpkg.com/swiper/swiper-bundle.min.js"></script>

<!-- custom js file link -->

<script>

let menu = document.querySelector('#menu-bars');

let navbar = document.querySelector('.navbar');

```
menu.onclick = () =>{  
  menu.classList.toggle('fa-times');  
  navbar.classList.toggle('active');  
}
```

let section = document.querySelectorAll('section');

let navLinks = document.querySelectorAll('header .navbar a');

window.onscroll = () =>{

menu.classList.remove('fa-times');

navbar.classList.remove('active');

```

section.forEach(sec =>{

    let top = window.scrollY;
    let height = sec.offsetHeight;
    let offset = sec.offsetTop - 150;
    let id = sec.getAttribute('id');

    if(top >= offset && top < offset + height){
        navLinks.forEach(links =>{
            links.classList.remove('active');
            document.querySelector('header .navbar
a[href*='+id+']').classList.add('active');
        });
    };

});

}

document.querySelector('#search-icon').onclick = () =>{
    document.querySelector('#search-form').classList.toggle('active');
}

document.querySelector('#close').onclick = () =>{
    document.querySelector('#search-form').classList.remove('active');
}

var swiper = new Swiper(".home-slider", {
    spaceBetween: 30,
    centeredSlides: true,
    autoplay: {
        delay: 7500,
        disableOnInteraction: false,
    },
    pagination: {
        el: ".swiper-pagination",
        clickable: true,
    },
    loop:true,
});

```

</script>

</body>

</html>