kunal@kali: ~/cc my_scanner

Session Actions Edit View Help

```
└$ mv "'nano scanner.py'" scanner.py
mv: cannot stat "'nano scanner.py'": No such file or directory

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ mv
mv: missing file operand
Try 'mv --help' for more information.

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ mv "'nano scanner.py'" scanner.py
mv: cannot stat "'nano scanner.py'": No such file or directory

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ mv "'nano scanner.py'" scanner.py
mv: cannot stat "'nano scanner.py'": No such file or directory

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ ls
scanner.py

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ python3 scanner.py
═══════════════════════════════════════════════════
    MULTI-THREADED TCP PORT SCANNER v1.0
═══════════════════════════════════════════════════
[?] Enter Target IP/Domain: 127.0.0.1
[?] Enter Starting Port: 1
[?] Enter Ending Port: 1500

[*] Scanning Target: 127.0.0.1
[*] Scan Started at: 2026-05-08 19:37:22
───────────────────────────────────────────────────
───────────────────────────────────────────────────
[*] Scan Completed at: 2026-05-08 19:37:23
═══════════════════════════════════════════════════

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$
```

kunal@kali: ~/cc my_scanner

Session Actions Edit View Help

```
└─$ python3 scanner.py
═══════════════════════════════════════════════════════
      MULTI-THREADED TCP PORT SCANNER v1.0
═══════════════════════════════════════════════════════
[?] Enter Target IP/Domain: 127.0.0.1
[?] Enter Starting Port: 1
[?] Enter Ending Port: 1500

[*] Scanning Target: 127.0.0.1
[*] Scan Started at: 2026-05-08 19:37:22
───────────────────────────────────────────────────────
───────────────────────────────────────────────────────
[*] Scan Completed at: 2026-05-08 19:37:23
═══════════════────────────────────────────────────────

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ sudo systemctl start apache2
[sudo] password for kunal:

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ python3 scanner.py
═══════════════────────────────────────────────────────
      MULTI-THREADED TCP PORT SCANNER v1.0
═══════════════────────────────────────────────────────
[?] Enter Target IP/Domain: 127.0.0.1
[?] Enter Starting Port: 1
[?] Enter Ending Port: 1000

[*] Scanning Target: 127.0.0.1
[*] Scan Started at: 2026-05-08 20:09:21
───────────────────────────────────────────────────────
[+] Found Open Port: 80     | Service: http
───────────────────────────────────────────────────────
[*] Scan Completed at: 2026-05-08 20:09:22
═══════════════────────────────────────────────────────

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$
```

kunal@kali: ~/cc my_scanner

Session Actions Edit View Help

```
[?] Enter Ending Port: 1000

[*] Scanning Target: 127.0.0.1
[*] Scan Started at: 2026-05-08 20:09:21
──────────────────────────────────────────────────────────────
[+] Found Open Port: 80     | Service: http
──────────────────────────────────────────────────────────────
[*] Scan Completed at: 2026-05-08 20:09:22
══════════════════════════════════════════════════════════════

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ python3 scanner.py
══════════════════════════════════════════════════════════════
      MULTI-THREADED TCP PORT SCANNER v1.0
══════════════════════════════════════════════════════════════
[?] Enter Target IP/Domain: scanme.nmap.org
[?] Enter Starting Port: 20
[?] Enter Ending Port: 100

[*] Scanning Target: scanme.nmap.org
[*] Scan Started at: 2026-05-08 20:12:52
──────────────────────────────────────────────────────────────
[+] Found Open Port: 21     | Service: ftp
[+] Found Open Port: 27     | Service: Unknown Service
[+] Found Open Port: 28     | Service: Unknown Service
[+] Found Open Port: 20     | Service: ftp-data
[+] Found Open Port: 25     | Service: smtp
[+] Found Open Port: 38     | Service: Unknown Service
[+] Found Open Port: 71     | Service: Unknown Service
[+] Found Open Port: 56     | Service: Unknown Service
[+] Found Open Port: 90     | Service: Unknown Service
[+] Found Open Port: 89     | Service: Unknown Service
──────────────────────────────────────────────────────────────
[*] Scan Completed at: 2026-05-08 20:12:53
══════════════════════════════════════════════════════════════

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$
```

kunal@kali: ~/cc my_scanner

Session Actions Edit View Help

```
┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ python3 scanner_v2.py
──────────────────────────────────────────────────────────────────────────
      MULTI-THREADED NETWORK AUDITOR v2.0
──────────────────────────────────────────────────────────────────────────
[?] Target Host: scanme.nmap.org
[?] Start Port: 20
[?] End Port: 100

[*] Target: scanme.nmap.org
[*] Report: scan_scanme.nmap.org_2026-05-08_2042.txt
══════════════════════════════════════════════════════════════════════════
[+] 20    | Service: ftp-data     | Info: n/a
[+] 21    | Service: ftp          | Info: n/a
[+] 24    | Service: unknown      | Info: n/a
[+] 27    | Service: unknown      | Info: n/a
[+] 23    | Service: telnet       | Info: n/a
[+] 36    | Service: unknown      | Info: n/a
[+] 59    | Service: unknown      | Info: n/a
[+] 53    | Service: domain       | Info: n/a
[+] 99    | Service: unknown      | Info: n/a
[+] 22    | Service: ssh          | Info: n/a
[+] 29    | Service: unknown      | Info: n/a
[+] 26    | Service: unknown      | Info: n/a
[+] 28    | Service: unknown      | Info: n/a
[+] 32    | Service: unknown      | Info: n/a
[+] 31    | Service: unknown      | Info: n/a
[+] 42    | Service: unknown      | Info: n/a
[+] 61    | Service: unknown      | Info: n/a
[+] 75    | Service: unknown      | Info: n/a
[+] 82    | Service: unknown      | Info: n/a
[+] 25    | Service: smtp         | Info: n/a
══════════════════════════════════════════════════════════════════════════
[*] Scan finalized. Results persisted to scan_scanme.nmap.org_2026-05-08_2042.txt

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$
```

kunal@kali: ~/cc my_scanner

Session Actions Edit View Help

```
[*] Scan finalized. Results persisted to scan_scanme.nmap.org_2026-05-08_2042.txt

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ python3 network_auditor.py --help
usage: network_auditor.py [-h] -t TARGET [-p PORTS]

Professional Network Auditor v5.0

options:
  -h, --help           show this help message and exit
  -t, --target TARGET  Target Hostname or IP Address
  -p, --ports PORTS    Port Range (e.g. 20-1024)

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ python3 network_auditor.py -t scanme.nmap.org -p 20-100
═══════════════════════════════════════════════════════════
      ELITE COMMAND-LINE AUDITOR v5.0
═══════════════════════════════════════════════════════════
[*] Target: 45.33.32.156 (scanme.nmap.org)
[*] Range : 20 to 100
[*] Report: audit_45.33.32.156.log
───────────────────────────────────────────────────────────
[+] 20      | ftp-data        | no-response
[+] 26      | unknown         | no-response
[+] 23      | telnet          | no-response
[+] 37      | time            | no-response
[+] 21      | ftp             | no-response
[+] 58      | unknown         | no-response
[+] 72      | unknown         | no-response
[+] 98      | unknown         | no-response
[+] 89      | unknown         | no-response
[+] 22      | ssh             | no-response
[+] 24      | unknown         | no-response
[+] 28      | unknown         | no-response
[+] 27      | unknown         | no-response
[+] 29      | unknown         | no-response
[+] 39      | unknown         | no-response
```

kunal@kali: ~/cc my_scanner

Session Actions Edit View Help

```
options:
  -h, --help        show this help message and exit
  -t, --target TARGET  Target Hostname or IP Address
  -p, --ports PORTS    Port Range (e.g. 20-1024)

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$ python3 network_auditor.py -t scanme.nmap.org -p 20-100
═══════════════════════════════════════════════════════════
  ELITE COMMAND-LINE AUDITOR v5.0
═══════════════════════════════════════════════════════════
[*] Target: 45.33.32.156 (scanme.nmap.org)
[*] Range : 20 to 100
[*] Report: audit_45.33.32.156.log
───────────────────────────────────────────────────────────
[+] 20      | ftp-data        | no-response
[+] 26      | unknown         | no-response
[+] 23      | telnet          | no-response
[+] 37      | time            | no-response
[+] 21      | ftp             | no-response
[+] 58      | unknown         | no-response
[+] 72      | unknown         | no-response
[+] 98      | unknown         | no-response
[+] 89      | unknown         | no-response
[+] 22      | ssh             | no-response
[+] 24      | unknown         | no-response
[+] 28      | unknown         | no-response
[+] 27      | unknown         | no-response
[+] 29      | unknown         | no-response
[+] 39      | unknown         | no-response
[+] 71      | unknown         | no-response
[+] 92      | unknown         | no-response
[+] 94      | unknown         | no-response
[+] 25      | smtp            | no-response
───────────────────────────────────────────────────────────
Scan Complete. 19 open ports found.

┌──(kunal㉿kali)-[~/cc my_scanner]
└─$
```

Screenshot taken

View image

File Edit Search View Document Help

```
[+] 20    | Service: ftp-data     | Info: n/a
[+] 21    | Service: ftp          | Info: n/a
[+] 24    | Service: unknown      | Info: n/a
[+] 27    | Service: unknown      | Info: n/a
[+] 23    | Service: telnet       | Info: n/a
[+] 36    | Service: unknown      | Info: n/a
[+] 59    | Service: unknown      | Info: n/a
[+] 53    | Service: domain       | Info: n/a
[+] 99    | Service: unknown      | Info: n/a
[+] 22    | Service: ssh          | Info: n/a
[+] 29    | Service: unknown      | Info: n/a
[+] 26    | Service: unknown      | Info: n/a
[+] 28    | Service: unknown      | Info: n/a
[+] 32    | Service: unknown      | Info: n/a
[+] 31    | Service: unknown      | Info: n/a
[+] 42    | Service: unknown      | Info: n/a
[+] 61    | Service: unknown      | Info: n/a
[+] 75    | Service: unknown      | Info: n/a
[+] 82    | Service: unknown      | Info: n/a
[+] 25    | Service: smtp         | Info: n/a
```

File Edit Search View Document Help

```
PORT: 20 | SERVICE: ftp-data | INFO: no-response
PORT: 26 | SERVICE: unknown | INFO: no-response
PORT: 23 | SERVICE: telnet | INFO: no-response
PORT: 37 | SERVICE: time | INFO: no-response
PORT: 21 | SERVICE: ftp | INFO: no-response
PORT: 58 | SERVICE: unknown | INFO: no-response
PORT: 72 | SERVICE: unknown | INFO: no-response
PORT: 98 | SERVICE: unknown | INFO: no-response
PORT: 89 | SERVICE: unknown | INFO: no-response
PORT: 22 | SERVICE: ssh | INFO: no-response
PORT: 24 | SERVICE: unknown | INFO: no-response
PORT: 28 | SERVICE: unknown | INFO: no-response
PORT: 27 | SERVICE: unknown | INFO: no-response
PORT: 29 | SERVICE: unknown | INFO: no-response
PORT: 39 | SERVICE: unknown | INFO: no-response
PORT: 71 | SERVICE: unknown | INFO: no-response
PORT: 92 | SERVICE: unknown | INFO: no-response
PORT: 94 | SERVICE: unknown | INFO: no-response
PORT: 25 | SERVICE: smtp | INFO: no-response
```