


Name: Kunal Tatyasaheb Madhavai

PRN:2124UCSM1054

Unit 1: Web Technology & Reconnaissance Perform passive OSINT reconnaissance on a target domain by analyzing HTTP headers, enumerating subdomains with passive tools, and using Google Dorks to find exposed configuration files

- HTTP Headers



- Passive Subdomain Enumeration

crt.sh Identity Search CSV JSON Group by Issuer						
CriteriaType: IdentityMatch: ILIKESearch: 'example.com'						
Certificates	crt.sh ID	Logged At	Not Before	Not After	Common Name	Matching Identities
	28361996564	2026-07-29	2026-07-29	2026-10-27	example.com	*.example.com example.com
	28361996505	2026-07-29	2026-07-29	2026-10-27	example.com	*.example.com example.com
	28361964045	2026-07-29	2026-07-29	2026-10-27	example.com	*.example.com example.com
	28361938121	2026-07-29	2026-07-29	2026-10-27	example.com	*.example.com example.com
	28361617869	2026-07-29	2026-07-29	2026-10-27	example.com	*.example.com example.com
	28361618258	2026-07-29	2026-07-29	2026-10-27	example.com	*.example.com example.com
	28361594355	2026-07-29	2026-07-29	2026-10-27	example.com	*.example.com example.com
	28361593297	2026-07-29	2026-07-29	2026-10-27	example.com	*.example.com example.com
	26787176238	2026-05-31	2026-05-31	2026-08-29	example.com	*.example.com example.com
	26787080935	2026-05-31	2026-05-31	2026-08-29	example.com	*.example.com example.com
	26786991824	2026-05-31	2026-05-31	2026-08-29	example.com	*.example.com example.com
	26786991078	2026-05-31	2026-05-31	2026-08-29	example.com	*.example.com example.com
	25916432092	2026-04-15	2026-04-15	2026-07-14	example.com	*.example.com example.com
	25916429815	2026-04-15	2026-04-15	2026-07-14	example.com	*.example.com example.com
	25916253962	2026-04-15	2026-04-15	2026-07-14	example.com	*.example.com example.com
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing ECC CA 3
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing RSA CA 3
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing ECC CA 3
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing RSA CA 3
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing ECC CA 3
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing RSA CA 3
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing ECC CA 3
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing RSA CA 3
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing ECC CA 3
						C=US, O=SSL Corporation, CN=Cloudflare TLS Issuing RSA CA 3
						C=GB, O= Sectigo Limited, CN= Sectigo Public Server Authentication CA DV E36
						C=GB, O= Sectigo Limited, CN= Sectigo Public Server Authentication CA DV E36
						C=GB, O= Sectigo Limited, CN= Sectigo Public Server Authentication CA DV E36

Tool Used: crt.sh

Target Domain: example.com

Observation:

Certificate Transparency logs were checked for the target domain.

Matching Identities:

- *.example.com

- example.com

Issuer:


Cloudflare TLS Issuing CA

- **Enumerating Subdomains with Passive Tools**

Tool: Subfinder

Commands: subfinder -d ietf.org subfinder -d ietf.org -o output.txt cat output.txt

Purpose: To enumerate publicly known subdomains of the target domain using passive OSINT techniques. Observation: Subfinder identified publicly available subdomains associated with the target domain



```
Session Actions Edit View Help
zsh: corrupt history file /home/kali/.zsh_history
kali@kali:~$ subfinder -version
[INF] Current Version: v2.14.0
[INF] Subfinder Config Directory: /home/kali/.config/subfinder

kali@kali:~$ subfinder -d ietf.org


Subfinder
projectdiscovery.io

[INF] Current subfinder version v2.14.0 (latest)
[INF] Loading provider config from /home/kali/.config/subfinder/provider-config.yaml
[INF] Enumerating subdomains for ietf.org
dhcp-9282.meeting.ietf.org
dhcp-9651.meeting.ietf.org
dhcp-8168.meeting.ietf.org
dhcp-85de.meeting.ietf.org
dhcp-9919.meeting.ietf.org
dhcp-9eff.meeting.ietf.org
dhcp-a3b7.meeting.ietf.org
dhcp-a3b8.meeting.ietf.org
nat64-a8.meeting.ietf.org
dhcp-9927.meeting.ietf.org
dhcp-9d9c.meeting.ietf.org
dhcp-ba9b.meeting.ietf.org
dhcp-bae3.meeting.ietf.org
dhcp-bc5e.meeting.ietf.org
rp-011-media.meeting.ietf.org
rtrscoutb.meeting.ietf.org
dhcp-8658.meeting.ietf.org
dhcp-9146.meeting.ietf.org
dhcp-984b.meeting.ietf.org
dhcp-ba99.meeting.ietf.org
dhcp-007f.meeting.ietf.org
dhcp-009f.meeting.ietf.org
dhcp-91ba.meeting.ietf.org
dhcp-91e7.meeting.ietf.org
rp-008-wired.meeting.ietf.org
dhcp-85d8.meeting.ietf.org
dhcp-88ac.meeting.ietf.org
dhcp-8edd.meeting.ietf.org
```

```
kali@kali: ~$ cat output.txt
dhcp-9948.meeting.ietf.org
dhcp-9e3b.meeting.ietf.org
dhcp-a27a.meeting.ietf.org
dhcp-b904.meeting.ietf.org
dhcp-bc93.meeting.ietf.org
[INF] Found 12294 subdomains for ietf.org in 2 minutes 41 seconds

(kali@kali)~$ cat output.txt
dhcp-bfc0.meeting.ietf.org
dhcp-0092.meeting.ietf.org
dhcp-84be.meeting.ietf.org
dhcp-84d8.meeting.ietf.org
dhcp-8788.meeting.ietf.org
dhcp-95b9.meeting.ietf.org
dhcp-9a24.meeting.ietf.org
dhcp-9c35.meeting.ietf.org
dhcp-a1a0.meeting.ietf.org
dhcp-8c47.meeting.ietf.org
dhcp-8e42.meeting.ietf.org
dhcp-978e.meeting.ietf.org
dhcp-9d09.meeting.ietf.org
dhcp-9d1a.meeting.ietf.org
dhcp-baad.meeting.ietf.org
dhcp-bf7b.meeting.ietf.org
dhcp-bfe4.meeting.ietf.org
dhcp-8826.meeting.ietf.org
dhcp-9dcf.meeting.ietf.org
dhcp-b042.meeting.ietf.org
dhcp-bcad.meeting.ietf.org
dhcp-bcb8.meeting.ietf.org
nat64-9d.meeting.ietf.org
rp-114.meeting.ietf.org
dhcp-00d7.meeting.ietf.org
dhcp-81dc.meeting.ietf.org
dhcp-8210.meeting.ietf.org
dhcp-8515.meeting.ietf.org
dhcp-8d23.meeting.ietf.org
dhcp-8d9a.meeting.ietf.org
dhcp-8dc1.meeting.ietf.org
dhcp-904b.meeting.ietf.org
dhcp-a3c5.meeting.ietf.org
dhcp-8d96.meeting.ietf.org
dhcp-921d.meeting.ietf.org
dhcp-97b5.meeting.ietf.org
dhcp-a0d3.meeting.ietf.org
dhcp-b959.meeting.ietf.org
dhcp-bc17.meeting.ietf.org
```

- **Google Dorks**



Query: site:example.com filetype:conf

Purpose: To identify publicly indexed configuration files.

Observation: No publicly indexed configuration files were found.

Recommendation:

- Sensitive configuration files should not be publicly accessible.
- Proper access control should be implemented.

- Unnecessary information disclosure through headers should be avoided.
- Regular security reviews should be performed.

Conclusion:

- Passive OSINT reconnaissance was performed on the authorized target environment.
- HTTP headers, passive subdomain information, and Google Dork queries were analyzed.
- The findings were documented as part of the reconnaissance process.