

Key Measures

```
Average Fare per Trip =  
DIVIDE([Revenue], [Total Trips])
```

```
Avg Distance = AVERAGE(Uber[Ride Distance])
```

```
Booking Count = DISTINCTCOUNT(Uber[Booking ID])
```

```
Bookings Remove Status Filter = CALCULATE([Booking  
Count],ALL(Uber[Booking Status]))
```

```
Completed Bookings = CALCULATE([Booking  
Count],Uber[Booking Status]="Completed")
```

```
Con% =  
    var vehicle_remove_filter=CALCULATE(SUM(Uber[Booking  
Value]),ALL(Uber[Ve Type]))  
    var revenue =SUM(Uber[Booking Value])  
    return DIVIDE(revenue,vehicle_remove_filter)
```

```
Customer Count = DISTINCTCOUNT(Uber[Customer ID])
```

```
First time =  
COUNTROWS(FILTER(SUMMARIZE(Uber,Uber[Customer  
ID],"COUNT",COUNT(Uber[Customer ID])),[COUNT]=1))
```

```
Lost Bookings = CALCULATE([Booking Count],Uber[Booking  
Status]<>"Completed")
```

```
MoM Growth % =  
var Current_Month = [Revenue]
```

```

var Previous_Month =
    CALCULATE (
        [Revenue],
        DATEADD ('Calender' [Date], -1, MONTH)
    )
RETURN
DIVIDE (Current_Month - Previous_Month, Previous_Month)
*100

```

```

Regular Rider =
COUNTROWS (FILTER (SUMMARIZE (Uber, Uber [Customer
ID], "COUNT", COUNT (Uber [Customer ID])), [COUNT] >= 3))

```

```

Return Rider =
COUNTROWS (FILTER (SUMMARIZE (Uber, Uber [Customer
ID], "COUNT", COUNT (Uber [Customer ID])), [COUNT] = 2))

```

```

Revenue = SUM (Uber [Booking Value])

```

```

Top Month Revenue =
MAXX (VALUES (Calender [Month]), [Revenue])

```

```

Total Distance = SUM (Uber [Ride Distance])

```

```

Total Trips =
COUNTROWS (Uber)

```

```

Lost Revenue = [Lost Bookings] * [Average Fare
per Trip]

```