

Finding an Apartment near UIC

Coursera Capstone project

Coursera IBM Data Science Certification

Kunal Shah

May 25th, 2020



Report Content

Introduction Section:

• The "business problem" to be solved by this project and who may be interested.

Data Section:

- Describe Data requirements and Sources needed to solve the problem.
- Data Processing
- Data screenshots

Methodology Section:

• This section contains the methodology used.

Analysis and Plotting

• This section contains the analysis of our data and plotting the data acquired

Results and Discussion

Result of the analysis and plotting is discussed.

Conclusion

• Final conclusion of the whole project

Introduction

Scenario and Background

Wanting to pursue a Masters in Computer Science, I applied to several
colleges in the US. I recently got an admit from the University of Illinois
at Chicago for their Masters in Computer Science program. Having
finalised the university, I was going to move to Chicago in a few months'
time.

Problem to be resolved:

- I wanted to find a suitable apartment to share with a friend. The apartment had to be near the university to cut down on commuting time and to be safe because Chicago is the crime capital of the US. The criteria for selecting the apartment was as follows:
- Minimum 2 bedrooms.
- Near the university (within 3-5 miles)
- Subway station nearby.
- Good venues nearby for relaxation and eating out.
- Per person monthly rent not more than \$800.

Interested Audience

 I believe the methodology, tools and strategy used in this project is relevant for a person moving to a new city and has to find a place to live. The use of FourSquare data and mapping techniques combined with data analysis will help resolve the key questions arisen while searching for the place to live.



Data Section

Data Requirements

- List of apartments for rent in Chicago near the University of Illinois at Chicago.
 The data was scraped from the apartments.com website.
 https://www.apartments.com/off-campus-housing/il/chicago/university-of-illinois-at-chicago/student-housing/
- The neighborhood of each apartment is found using the Google Maps Geocoding API.
- List of subway metro stations in Chicago with name and geolocations. The data was sourced from: https://data.cityofchicago.org/Transportation/CTA-System-Information-List-of-L-Stops/8pix-ypme/data
- List of neighborhoods was taken from the apartments data because I needed the venues for the neighborhoods which had an apartment available for rent.
- List of top 20 venues for each neighbourhood. The data was sourced using the Foursquare api.

Data Processing

- The Geo Location of each apartment and Neighborhood was found using google maps geocoding api.
- The subway stations data had features which were not of use to us, so they were removed.
- Distance of each apartment from UIC was calculated using Google Distance Matrix API.
- The Beds column scraped from the website which contains the no of bedrooms was cleaned, so that it can be used for analysis and calculating per room rent.
- The per room rent column was added and was calculated as Rent/Bedroom.

Methodology




• The main strategy to find the answer was based on analysing and mapping the data, in order to facilitate the choice of at least two candidate places for rent. The information was consolidated in one map where one could see the details of the apartment, the cluster of neighbourhoods and the relative location from a subway station and from the university. A measurement tool icon was also provided. The popups on the map items will display the details of the apartment, neighbourhood and subway station, a permanent marker on the university. Visualisation greatly helps in making the decision as all the details could be seen.


The Tools:

- The properties available for rent were web scraped using beautiful soup in a different notebook and the csv file was saved for easy use.
- Google Maps Geocoding API was used to get the geo location of each apartment and neighbourhood.
- Google Maps Distance Matrix API was used to get the distance of the apartment from the university.
- Seaborn graphic was used for general statistics on rental data.
- Maps were plotted using Folium with popups labels which allowed quick identification of location, rent and feature, thus making the selection very easy.

Analysis and Plotting







Average rent of property in each neighbourhood:


Average rent of property in Chicago, near UIC:

In [19]: Chicago_rental.groupby('Neighborhood')['Price'].mean() Out[19]: Neighborhood Armour Square 1518.750000 Bridgeport 1323.076923 Cabrini-Green 3210.666667 Chicago Loop 2044.797872 East Pilsen 3468.750000 Fulton Market 2232.000000 Garfield Park 1517.230769 Gold Coast 1641.666667 Goose Island 3196.545455 Heart of Italy 1525.000000 Humboldt Park 1395.000000 Lincoln Park 3300.000000 2148.000000 Little Italy Lower West Side 1678.590909 Marshall Square 1442.368421 McKinley Park 1087.500000 Near North 2573.823529 2690.409091 Near North Side

Finding mean rent of an apartment in Chicago

In [20]: Chicago_rental['Price'].mean()
Out[20]: 2261.171171171171

Neighbourhood Venues Analysis



[87]: Chicago_venues.groupby	y('Neighborhood').count()	<u> </u>				, ,
Neighborhood						
Armour Square, Chicago	100	100	100	100	100	100
Bridgeport, Chicago	100	100	100	100	100	100
Cabrini-Green, Chicago	100	100	100	100	100	100
Chicago Loop, Chicago	100	100	100	100	100	100
East Pilsen, Chicago	100	100	100	100	100	100
Fulton Market, Chicago	100	100	100	100	100	100
Garfield Park, Chicago	53	53	53	53	53	53
Gold Coast, Chicago	100	100	100	100	100	100
Goose Island, Chicago	100	100	100	100	100	100
Heart of Italy, Chicago	93	93	93	93	93	93
Humboldt Park, Chicago	60	60	60	60	60	60
Lincoln Dark Chicago	100	100	100	100	100	100

Number of Venues returned for each neighbourhood:

	Chic	ago_grouped	0.				, ,,							
Out[91]:		Neighborhood	African Restaurant	American Restaurant	Amphitheater	Animal Shelter	Aquarium	Argentinian Restaurant	Art Gallery	Art Museum	Arts & Crafts Store	Arts & Entertainment		Athletics & Sports
	0	Armour Square, Chicago	0.000000	0.000000	0.00	0.00	0.00	0.00	0.010000	0.00	0.000000	0.00	0.02	0.000000
	1	Bridgeport, Chicago	0.000000	0.010000	0.00	0.00	0.00	0.00	0.050000	0.00	0.000000	0.00	0.00	0.000000
	2	Cabrini-Green, Chicago	0.000000	0.010000	0.00	0.00	0.00	0.00	0.000000	0.00	0.000000	0.00	0.00	0.000000
	3	Chicago Loop, Chicago	0.000000	0.020000	0.01	0.00	0.00	0.00	0.000000	0.01	0.020000	0.00	0.00	0.000000
	4	East Pilsen, Chicago	0.000000	0.000000	0.00	0.00	0.00	0.00	0.020000	0.00	0.000000	0.00	0.03	0.000000
	-	Fulton Market,	0.00000	0.00000	0.00	0.00	0.00	0.00	0.040000	0.00	0.000000	0.00	0.00	0 000000

In [91]: Chicago grouped = Chicago onehot.groupby('Neighborhood').mean().reset index()

Grouping rows by neighbourhood and by taking the mean of the frequency of occurrence of each category:

ut[96]:


	Neighborhood	1st Most Common Venue	Most Common Venue	3rd Most Common Venue	4th Most Common Venue	5th Most Common Venue	6th Most Common Venue	7th Most Common Venue	8th Most Common Venue	9th Most Common Venue	Most Common Venue	11th Most Common Venue	12th Most Common Venue	13 C
0	Armour Square, Chicago	Chinese Restaurant	Bar	Pizza Place	Bakery	Mexican Restaurant	Hot Dog Joint	Sandwich Place	Coffee Shop	Korean Restaurant	Park	Wings Joint	Asian Restaurant	Re
1	Bridgeport, Chicago	Bar	Pizza Place	Mexican Restaurant	Hot Dog Joint	Art Gallery	Sandwich Place	Chinese Restaurant	Grocery Store	Bakery	Food Truck	Lounge	Park	1
2	Cabrini-Green, Chicago	Coffee Shop	Gym	Steakhouse	Hotel	Gym / Fitness Center	Italian Restaurant	Café	Grocery Store	Pizza Place	Burger Joint	Restaurant	New American Restaurant	
3	Chicago Loop, Chicago	Hotel	Park	Pizza Place	Burger Joint	Steakhouse	Coffee Shop	Theater	Italian Restaurant	Music Venue	Pub	Vegetarian / Vegan Restaurant	Portuguese Restaurant	
4	East Pilsen, Chicago	Chinese Restaurant	Park	Yoga Studio	Vietnamese Restaurant	Asian Restaurant	Bar	Dessert Shop	Grocery Store	Mexican Restaurant	Hot Dog Joint	Sandwich Place	New American Restaurant	lo
4														- 1

Each neighbourhood along with the top 20 most common venues:



Plotting our Data


Map of Chicago with all the properties superimposed on top with popup showing details and a marker which points to UIC:




Map of Chicago with neighbourhoods superimposed on top with popup showing details:




Plotting map of Chicago with properties and subway stations superimposed on top (properties in blue and subway stations in red):




Neighbourhood clusters:




Neighbourhood
Clusters along
with properties.





Results and Discussion



Discussion

My analysis found out that out of all the 666 places available for rent, 15 properties fit my criteria of rent price and distance from campus. Having plotted all our data on the folium map with measurement tool, I was able to shortlist 3 properties.

- Property 1: 915 S Loomis St Unit 1, with 2 bedrooms in the Little Italy Neighbourhood and near Polk subway station which is around 600 m and around 800 m from UIC, with monthly rent 1550 Dollars
- Property 2: 1508 W 17th St Unit R2, with 2 bedrooms in the Lower West Side Neighbourhood and near 18th Subway station which is around 300m and around 1.6 km from UIC, with monthly rent 1300 dollars
- Property 3: Common Addams, with 2 bedrooms in the Little Italy Neighbourhood and near 18th Subway station which is around 600m and around 1.2 km from UIC, with monthly rent 858 dollars.

Based on the venues in the neighbourhood, I feel that Little Italy neighbourhood is better suited as it has a good mixture of restaurants, cafes, coffee shops, grocery stores and gym. That means that Property 1 and Property 3 are a better choice since both of them are really close to the university as well as subway stations. I will go for property 1 as it is at walkable distance from the university and subway station.

Conclusion

Purpose of this project was to identify suitable properties available for rent in Chicago around University of Illinois, Chicago with 2 bedroom and rent per month under 800\$ per person. By analysing the data, I first shortlisted all the properties that fit the conditions and then by getting the top venues around each neighbourhood from Foursquare data I was able to select the apartment which was at walkable distance from University and subway station with the kind of venues in the neighbourhood that I would prefer.

Thank You