

ReactJS HOL 6

React Router Navigation

In this exercise, I developed a React application to manage trainer information using React Router. I created separate components for the Home page, Trainers List, and Trainer Details. React Router was used to navigate between pages, and the trainer ID was passed through the URL to display the selected trainer's information. The application was executed successfully, and the expected output was displayed.

Source Code

trainer.js

```
class Trainer {  
  constructor(trainerId, name, email, phone, technology, skills) {  
    this.trainerId = trainerId;  
    this.name = name;  
    this.email = email;  
    this.phone = phone;  
    this.technology = technology;  
    this.skills = skills;  
  }  
}  
  
export default Trainer;
```

TrainersMock.js

```
import Trainer from "./trainer";  
  
const trainersMock = [  
  new Trainer(  
    "t-syed8",  
    "Syed Khaleelullah",  
    "khaleelullah@cognizant.com",  
    "97676516962",  
    ".NET",  
    ["C#", "SQL Server", "React", ".NET Core"]  
  )  
];
```

```

    ),
    new Trainer(
      "t-jojo",
      "Jojo Jose",
      "jojo@cognizant.com",
      "9897199231",
      "Java",
      ["Java", "JSP", "Angular", "Spring"]
    ),
    new Trainer(
      "t-elisa",
      "Elisa Jones",
      "elisa@cognizant.com",
      "9871212235",
      "Python",
      ["Python", "Django", "Angular"]
    )
  ];
export default trainersMock;

```

TrainersList.js

```

import trainersMock from "../TrainersMock";
import { Link } from "react-router-dom";
function TrainersList() {
  return (
    <div>
      <h2>Trainers List</h2>
      <ul>
        {trainersMock.map((trainer) => (
          <li key={trainer.trainerId}>

```

```

        <Link to={` /trainer/${trainer.trainerId}`}>
            {trainer.name}
        </Link>
    </li>
  )}
</ul>
</div>
);
}

```

```
export default TrainersList;
```

Home.js

```

function Home() {
  return (
    <div>
      <h2>Welcome to My Academy trainers page</h2>
    </div>
  );
}

```

```
export default Home;
```

TrainerDetails.js

```

import { useParams } from "react-router-dom";
import trainersMock from "../TrainersMock";

function TrainerDetails() {
  const { id } = useParams();
  const trainer = trainersMock.find(
    (trainer) => trainer.trainerId === id
  );
  if (!trainer) {
    return <h2>Trainer Not Found</h2>;
  }
}

```

```

    }
    return (
      <div>
        <h2>Trainer Details</h2>
        <p><b>Trainer Id:</b> {trainer.trainerId}</p>
        <p><b>Name:</b> {trainer.name}</p>
        <p><b>Email:</b> {trainer.email}</p>
        <p><b>Phone:</b> {trainer.phone}</p>
        <p><b>Technology:</b> {trainer.technology}</p>
        <p><b>Skills:</b> {trainer.skills.join(", ")}</p>
      </div>
    );
  }
}

export default TrainerDetails;

```

App.js

```

import { BrowserRouter, Routes, Route, Link, Navigate } from "react-router-dom";
import Home from "./Home";
import TrainersList from "./TrainersList";
import TrainerDetails from "./TrainerDetails";
function App() {
  return (
    <BrowserRouter>
      <div>
        <h1>My Academy Trainers App</h1>
        <nav>
          <Link to="/">Home</Link> |{" "}
          <Link to="/trainers">Show Trainers</Link>
        </nav>

```

```

    <hr />

    <Routes>

      <Route path="/" element={<Home />} />

      <Route path="/home" element={<Navigate to="/" />} />

      <Route path="/trainers" element={<TrainersList />} />

      <Route path="/trainer/:id" element={<TrainerDetails />} />

    </Routes>

  </div>

</BrowserRouter>

);
}

export default App;

```

Figure 1: Project Structure




Figure 2: Home Page




Figure 3: Trainers List




Figure 4: Trainer Details





Figure 5: Terminal Output



Result

The React Router application was implemented successfully. Navigation between the Home page, Trainers List, and Trainer Details page worked correctly using React Router. The trainer details were displayed based on the selected trainer ID, and the application executed successfully with the expected output.