

ReactJS HOL 4

Blog Application

In this exercise, I created a React application named **blogapp**. I created a Post model and a Posts class component to fetch blog posts from an online API. The application retrieves the data using the Fetch API and displays the title and body of each post dynamically. After running the application, all blog posts were displayed successfully in the browser.

Source Code

Post.js

```
class Post {  
  constructor(id, title, body) {  
    this.id = id;  
    this.title = title;  
    this.body = body;  
  }  
}  
  
export default Post;
```

Posts.js

```
import React from "react";  
import Post from "../Post";  
  
class Posts extends React.Component {  
  constructor(props) {  
    super(props);  
    this.state = {  
      posts: []  
    };  
  }  
  
  loadPosts() {
```

```
fetch("https://jsonplaceholder.typicode.com/posts")
  .then(response => response.json())
  .then(data => {
    const posts = data.map(
      item => new Post(item.id, item.title, item.body)
    );
    this.setState({
      posts: posts
    });
  });
}
componentDidMount() {
  this.loadPosts();
}
render() {
  return (
    <div>
      {
        this.state.posts.map(post => (
          <div key={post.id}>
            <h3>{post.title}</h3>
            <p>{post.body}</p>
            <hr />
          </div>
        ))
      }
    </div>
  )
}
```

```
        </div>


    );
}
componentDidCatch(error, info) {
    alert(error);
    console.error(error, info);
}
}
export default Posts;
```

App.js


```
import Posts from './Posts';

function App() {
    return (
        <div>
            <Posts />
        </div>
    );
}
export default App;
```

Figure 1: Project Structure



- **Figure 2: Browser Output**



- **Figure 3:** Terminal Output

```
PS C:\Users\HP\Documents\blogapp> npm start

You can now view blogapp in the browser.

  Local:            http://localhost:3000
  On Your Network:  http://10.1.46.55:3000

Note that the development build is not optimized.
To create a production build, use npm run build.

webpack compiled successfully
```

Result

The Blog application was developed successfully using React. The application fetched blog post data from an online API using the Fetch API and displayed the post titles and descriptions dynamically. The application executed successfully without any errors, and the expected output was displayed in the browser.