

Git Hands-on Lab 2 Report – Using .gitignore

To create a **.gitignore** file, ignore unwanted files and folders, verify the ignored files using Git, and commit the **.gitignore** file to the repository.

Prerequisites

- Git installed and configured.
- Existing **GitLab** repository.
- Notepad++ configured as the default editor.

Step 1: Open the Repository

Open Git Bash and navigate to the existing **GitLab** repository.

```
cd GitLab
```

```
pwd
```



```
HP@DESKTOP-R20G1F5 MINGW64 ~  
$ cd GitLab  
HP@DESKTOP-R20G1F5 MINGW64 ~/GitLab (master)  
$ pwd  
/c/Users/HP/GitLab
```


Step 2: Create Files and Folder

Create a log file, a folder named **log**, and a **.gitignore** file.

```
touch error.log
```

```
mkdir log
```

```
touch .gitignore
```




```
HP@DESKTOP-R20G1F5 MINGW64 ~/GitLab (master)  
$ touch error.log  
mkdir log  
touch .gitignore  
notepad++ .gitignore  
bash: notepad++: command not found
```

Step 3: Edit the .gitignore File

Open the **.gitignore** file using Notepad++ and add the following entries.

```
*.log
```

```
log/
```



Step 4: Verify Repository Status

Check the repository status after creating the **.gitignore** file.

git status

```
HP@DESKTOP-R2OG1F5 MINGW64 ~/GitLab (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)
```

Step 5: Stage the .gitignore File

Add the **.gitignore** file to the staging area.

git add .gitignore

```
HP@DESKTOP-R2OG1F5 MINGW64 ~/GitLab (master)
$ git add .gitignore
```

Step 6: Commit the Changes

Commit the staged **.gitignore** file.

git commit -m "Added .gitignore"

```
HP@DESKTOP-R2OG1F5 MINGW64 ~/GitLab (master)
$ git commit -m "Added .gitignore"
[master a3748af] Added .gitignore
1 file changed, 2 insertions(+)
create mode 100644 .gitignore
```

Step 7: Final Verification

Verify that the repository is in a clean working state.

git status

```
HP@DESKTOP-R2OG1F5 MINGW64 ~/GitLab (master)
$ git status
On branch master
nothing to commit, working tree clean
```

Result

The **.gitignore** file was created successfully, and the specified log file and folder were ignored by Git. The **.gitignore** file was staged and committed successfully. Finally, the repository was verified, and the working tree remained clean with the message "**nothing to commit, working tree clean.**"