

Linguistic Network Analysis with the Koblenz Network Collection

Jérôme Kunegis

Modeling Linguistic Networks 2012



KONECT currently holds
180 networks, of which

- 36 are undirected,
- 51 are directed,
- 93 are bipartite,
- 63 are unweighted,
- 100 allow multiple edges,
- 7 have signed edges,
- 9 have ratings as edges,
- 1 allows multiple weighted edges,
- and 87 have edge arrival times.

KONECT > Networks


Networks

konect.uni-koblenz.de

Code	Name	Category	Format	Weights	Metadata	Size	Volume	Average degree	Download
AD	Advogato	Social	D	■		6,535	51,397	7.86	📄
AM	Amazon	Interaction	U	■		403,394	3,387,388	8.40	📄
AP	arXiv astro-ph	Interaction	U	■		18,772	396,160	21.10	📄
AC	arXiv cond-mat	Authorship	B	■		38,741	58,595	3.50	📄
PH	arXiv hep-ph	Interaction	U	■	③	28,093	12,730,098	453.14	📄
PHc	arXiv hep-ph	Reference	D	■		34,546	421,578	12.20	📄
THc	arXiv hep-th	Reference	D	■		27,770	352,807	12.70	📄
TH	arXiv hep-th	Interaction	U	■	③	22,908	11,209,368	489.32	📄
th	arXiv hep-th cit	Reference	D	■		27,770	352,807	12.70	📄
BAI	Baidu	Reference	D	■		2,141,300	17,794,639	8.31	📄
BAr	Baidu	Reference	D	■		415,641	3,284,387	7.90	📄
BS	Berkeley/Stanford	Reference	D	■		685,230	7,600,595	11.09	📄
Bti	BibSonomy ti	Folksonomy	B	■	③	975,963	2,555,080	12.48	📄
Bul	BibSonomy ut	Folksonomy	B	■	③	777,084	2,555,080	440.99	📄
But	BibSonomy ut	Folksonomy	B	■	③	210,467	2,555,080	440.99	📄
PM	Caenorhabditis elegans	Interaction	U	■		453	4,596	10.15	📄
IN	CAIDA	Physical	U	■		26,475	106,762	4.03	📄
RO	California	Physical	U	■		1,965,206	5,533,214	2.82	📄
Sc	Catster	Social	U	■		149,700	5,449,275	38.40	📄
Scd	Catster/Dogster	Social	U	■		624,127	15,705,337	25.16	📄
CS	CiteSeer	Reference	D	■		723,131	1,764,929	2.44	📄
Cti	CiteULike ti	Folksonomy	B	■	③	885,046	2,411,819	15.74	📄
Cul	CiteULike ut	Folksonomy	B	■	③	754,484	2,411,819	106.18	📄
Cut	CiteULike ut	Folksonomy	B	■	③	175,992	2,411,819	106.18	📄
CN	Countries	Affiliation	B	■		512,781	557,587	1.09	📄
PI	DBLP	Reference	D	■		12,591	49,793	3.95	📄
Pc	DBLP	Interaction	U	■	③	1,103,412	14,703,760	13.33	📄
Pa	DBLP	Authorship	B	■		4,337,293	6,631,962	5.72	📄
DB	DBpedia	Semantic	D	■		2,152,642	7,494,124	3.48	📄
Dti	Delicious ti	Folksonomy	B	■	③	33,792,636	301,254,171	8.92	📄
Dul	Delicious ut	Folksonomy	B	■	③	834,679	301,254,171	361.61	📄
Dut	Delicious ut	Folksonomy	B	■	③	5,368,293	301,254,171	361.61	📄
DG	Digg	Communication	D	■	③	30,398	87,627	2.88	📄
Sd	Dogster	Social	U	■		426,820	8,546,581	20.02	📄
EA	Edinburgh Associative Thesaurus	Lexical	D	■		23,219	312,342	13.45	📄
EN	Enron	Communication	D	■	③	87,273	1,148,072	13.15	📄

Types of Linguistic Networks

(1) Semantic network




(2) Adjacency network

“Whether I shall **turn out** to be
the hero of my own life . . .”

(3) Association network

“Turn”  “Revolve”

Not in This Talk: Word–Document Networks



Datasets


Type	Network	#Nodes	#Edges	Avg. degree	Max. degree
Semantic	WordNet (WO)	144,511	643,863	8.91	991
Adjacency	Spanish book (SB)	12,643	57,772	9.14	5,542
Association	Edinburgh Associative Thesaurus (EA)	23,219	312,342	26.90	1,898

<http://konect.uni-koblenz.de/networks/wordnet>

<http://konect.uni-koblenz.de/networks/lasagne-spanishbook>


<http://konect.uni-koblenz.de/networks/eat>

Overview




Degree Distributions: Are They Power Laws?





WordNet



Spanish Book




E. Associative Thesaurus




Is It a Small World?





WordNet




Spanish Book



E. Associative Thesaurus




Is It a Small World? (2)




Spectral Analysis





WordNet




Spanish Book




E. Associative Thesaurus




WordNet



Spanish Book





E. Associative Thesaurus



$$\mathbf{A} + \mathbf{A}^T + i(\mathbf{A} - \mathbf{A})^T = \mathbf{U} \mathbf{\Lambda} \mathbf{U}^T$$

(only directed networks)



Jérôme Kunegis

@kunegis

Contribute to KONECT

- Propose/donate datasets
- Propose/donate analyses
- Propose/donate plots

Tools

- Matlab



konect.uni-koblenz.de

Thank You