

EXP.NO: 5

AIM:

To demonstrate the difference between HTTP GET and POST methods in a Job Portal application by creating a form and handling requests using a Java Servlet.

ALGORITHM:

1. Input:

- The user enters job-related details such as name and email.
 - The form allows submission using both GET and POST methods.
-

2. Steps for Creating and Handling HTTP GET and POST Requests:

1. Create an HTML Form:

- Design a form with input fields for name and email.
 - Provide two sections:
 - GET method (search jobs)
 - POST method (apply/register)
 - Add buttons for submission using GET and POST.
 - Set action to Servlet URL (Exp5Servlet).
-

2. Create the Servlet:

- Create a Java class extending HttpServlet.
 - Use annotation: `@WebServlet("/Exp5Servlet")`.
 - Implement:
 - `doGet()` → handles GET requests.
 - `doPost()` → handles POST requests.
-

3. Handle GET Request:

- Retrieve values using `request.getParameter()`.
 - Display name and email.
 - Show message: Data is visible in URL.
-

4. Handle POST Request:

- Retrieve values using `request.getParameter()`.
- Display name and email.
- Show message: Data is NOT visible in URL.

5. Generate Response:

- Use `PrintWriter` to display output in HTML format.

6. Deploy and Execute:

- Compile servlet using `javac`.
- Deploy in Tomcat (`WEB-INF/classes`).
- Run using browser:

`http://localhost:8080/your-project/exp5.html`

7. Observe Output:

- GET → Data appears in URL.
- POST → Data does not appear in URL.

CODE

`Exp5Servlet.java`

```
import java.io.*;
import jakarta.servlet.*;
import jakarta.servlet.http.*;
import jakarta.servlet.annotation.WebServlet;

@WebServlet("/Exp5Servlet")
public class Exp5Servlet extends HttpServlet {

    // GET METHOD
    protected void doGet(HttpServletRequest request,
                          HttpServletResponse response)
        throws ServletException, IOException {

        String name = request.getParameter("name");
        String email = request.getParameter("email");

        response.setContentType("text/html");
        PrintWriter out = response.getWriter();

        out.println("<html><body style='font-family:Arial;'>");
        out.println("<h2 style='color:green;'>GET Method Output</h2>");
```

```

        out.println("<p>Name: " + name + "</p>");
        out.println("<p>Email: " + email + "</p>");

        out.println("<p><b>Data is visible in URL</b></p>");

        out.println("<a href='exp5.html'>Back</a>");
        out.println("</body></html>");
    }

    // POST METHOD
    protected void doPost(HttpServletRequest request,
                           HttpServletResponse response)
        throws ServletException, IOException {

        String name = request.getParameter("name");
        String email = request.getParameter("email");

        response.setContentType("text/html");
        PrintWriter out = response.getWriter();

        out.println("<html><body style='font-family:Arial;'>");
        out.println("<h2 style='color:blue;'>POST Method Output</h2>");

        out.println("<p>Name: " + name + "</p>");
        out.println("<p>Email: " + email + "</p>");

        out.println("<p><b>Data is NOT visible in URL</b></p>");

        out.println("<a href='exp5.html'>Back</a>");
        out.println("</body></html>");
    }
}

```

exp5.html

```

<!DOCTYPE html>
<html>
<head>
    <title>Job Portal - GET & POST</title>

```

```
<style>
  body {
    font-family: Arial;
    background-color: #f2f6ff;
  }

  .container {
    display: flex;
    justify-content: space-around;
    margin-top: 50px;
  }

  .box {
    width: 40%;
    background: white;
    padding: 20px;
    border-radius: 10px;
    box-shadow: 0 0 10px gray;
  }

  h2 {
    text-align: center;
  }

  input {
    width: 100%;
    padding: 8px;
    margin: 8px 0;
  }

  button {
    width: 100%;
    padding: 10px;
    background-color: #004aad;
    color: white;
    border: none;
  }
</style>
</head>
```

```
<body>

<h1 style="text-align:center;">Job Portal - GET & POST Demonstration</h1>

<div class="container">

    <!-- GET FORM -->
    <div class="box">
        <h2>GET Method (Search Jobs)</h2>

        <form action="Exp5Servlet" method="get">
            <input type="text" name="name" placeholder="Enter Name">
            <input type="email" name="email" placeholder="Enter Email">
            <button type="submit">Submit using GET</button>
        </form>
    </div>


    <!-- POST FORM -->
    <div class="box">
        <h2>POST Method (Apply Job)</h2>

        <form action="Exp5Servlet" method="post">
            <input type="text" name="name" placeholder="Enter Name" required>
            <input type="email" name="email" placeholder="Enter Email" required>
            <button type="submit">Submit using POST</button>
        </form>
    </div>

</div>

</body>
</html>
```

OUTPUT:.



RESULT:

The Job Portal application successfully demonstrates the difference between HTTP GET and POST methods using a Servlet.