

EXP.NO: 6

AIM:

To demonstrate session tracking using HttpSession in a Servlet-based Job Portal application by implementing a login system where the user session is maintained.

ALGORITHM:

1. Input:

- The user enters username and password in the login form.
- The servlet validates credentials and creates a session if valid.

2. Steps for Implementing Session Tracking using HttpSession:

1. Create the Login Form (HTML):

- Design a login page for Job Portal.
- Add fields for username and password.
- Submit data using POST method to Login Servlet.

2. Create the Login Servlet:

- Create a servlet to handle login.
- Retrieve username and password using `request.getParameter()`.
- Validate using predefined values.
- If valid → create session using `HttpSession`.
- Store username using `setAttribute()`.

3. Validate User Credentials:

- Compare entered values with predefined credentials.
- If valid → redirect to Job Portal Dashboard.
- If invalid → show error message and reload login page.

4. Create and Track Session:

- Use HttpSession to store user data.
- Maintain session across multiple pages.

5. Redirect to Dashboard:

- After login, redirect to Dashboard Servlet.
- Check session before displaying content.
- If no session → redirect to login page.

6. Logout and Session Invalidation:

- Provide logout option.
- Use session.invalidate() to destroy session.
- Redirect back to login page.

7. Session Expiration:

- If session expires → user must login again.

PROGRAM

Login.html

```
<!DOCTYPE html><html><head><title>Job Portal Login</title><style>body { font-family:
Arial; background: linear-gradient(to right, #667eea, #764ba2); display: flex; justify-
content: center; align-items: center; height: 100vh;}.login-box { background: white;
padding: 30px; border-radius: 10px; box-shadow: 0 0 15px rgba(0,0,0,0.2); width:
320px; text-align: center;}input { width: 90%; padding: 10px; margin: 10px 0;
border-radius: 5px; border: 1px solid #ccc;}button { background: #667eea; color:
white; border: none; padding: 10px; width: 100%; border-radius: 5px; cursor:
pointer;}button:hover { background: #5a67d8;}</style></head><body><div class="login-
box"> <h2>Job Portal Login</h2> <form action="LoginServlet" method="post">
<input type="text" name="username" placeholder="Enter Username" required>
<input type="password" name="password" placeholder="Enter Password" required>
<button type="submit">Login</button> </form></div></body></html>
```

LoginServlet.java

```
import java.io.*;import jakarta.servlet.*;import
jakarta.servlet.annotation.WebServlet;import
jakarta.servlet.http.*;@WebServlet("/LoginServlet")public class LoginServlet extends
HttpServlet {protected void doPost(HttpServletRequest request, HttpServletResponse
response)throws ServletException, IOException {String username =
request.getParameter("username");String password =
request.getParameter("password");response.setContentType("text/html");// simple
authenticationif (username.equals("admin") && password.equals("1234")) {  HttpSession
session = request.getSession();  session.setAttribute("user", username);
response.sendRedirect("DashboardServlet");} else {  PrintWriter out =
response.getWriter();  out.println("<h3>Invalid Username or Password</h3>");
out.println("<a href='Login.html'>Try Again</a>");}}}
```


DashboardServlet.java

```
import java.io.*;import jakarta.servlet.*;import
jakarta.servlet.annotation.WebServlet;import
jakarta.servlet.http.*;@WebServlet("/DashboardServlet")public class DashboardServlet
extends HttpServlet {protected void doGet(HttpServletRequest request,
HttpServletResponse response)throws ServletException, IOException
{response.setContentType("text/html");PrintWriter out =
response.getWriter();HttpSession session = request.getSession(false);if (session != null &&
session.getAttribute("user") != null) {String user = (String)
session.getAttribute("user");out.println("<html><head><style>");out.println("body { font-
family: Arial; background:#f4f6f9; padding:20px; }");out.println(".header {
background:#004aad; color:white; padding:15px; border-radius:8px; }");out.println(".box {
background:white; margin:15px 0; padding:15px; border-radius:8px; box-shadow:0 0 10px
rgba(0,0,0,0.1); }");out.println(".logout { display:inline-block; margin-top:20px;
padding:10px; background:red; color:white; text-decoration:none; border-radius:5px;
}");out.println("</style></head><body>");out.println("<div class='header'><h2>Job Portal
Dashboard</h2></div>");out.println("<h3>Welcome " + user + "</h3>");out.println("<div
class='box'>Browse jobs and apply easily.</div>");out.println("<div class='box'>Upload
resume and manage applications.</div>");out.println("<div class='box'>Track your job
status.</div>");out.println("<a class='logout'
href='LogoutServlet'>Logout</a>");out.println("</body></html>");} else {
response.sendRedirect("Login.html");}}}
```

LogoutServlet.java

```
import java.io.*;import jakarta.servlet.*;import
jakarta.servlet.annotation.WebServlet;import
jakarta.servlet.http.*;@WebServlet("/LogoutServlet")public class LogoutServlet extends
HttpServlet {protected void doGet(HttpServletRequest request, HttpServletResponse
response)throws ServletException, IOException {HttpSession session =
request.getSession(false);if (session != null) {
session.invalidate();}response.sendRedirect("Login.html");}}
```

OUTPUT:



RESULT:

Session tracking using HttpSession is successfully implemented in the Job Portal application. User login session is created, maintained, and destroyed using servlets.