



BKP: An R Package for Beta Kernel Process Modeling

Jiangyan Zhao

School of Statistics, ECNU

jyzhao@sfs.ecnu.edu.cn

joint work with Kunhai Qing and Jin Xu

2026.07.24




Contents

- 1 Motivation
- 2 Methodology
- 3 Summary



Estimating an Unknown Probability Surface



- **Observation model**

$$y_i \mid \pi(\mathbf{x}_i) \sim \text{Binomial}(m_i, \pi(\mathbf{x}_i)).$$

- **Objective**

Estimate the underlying probability surface $\pi(\mathbf{x})$ and quantify its pointwise uncertainty.



Existing Approaches and the Remaining Gap

Logistic regression

$$\pi(\mathbf{x}) = \text{logit}^{-1}(\mathbf{x}^\top \boldsymbol{\beta})$$

Fast and interpretable
Limited nonlinear flexibility

Gaussian process classification

$$\pi(\mathbf{x}) = \text{logit}^{-1}\{f(\mathbf{x})\}, \quad f(\mathbf{x}) \sim \text{GP}$$

Flexible probability surfaces
Approximate posterior inference

Motivation

Can we retain nonlinear flexibility while performing direct, closed-form updating on the probability scale?



Contents

- 1 Motivation
- 2 Methodology
- 3 Summary



Beta Kernel Process: Direct Probability-Scale Updating

For each input location $\mathbf{x}$, combine a Beta prior with kernel-weighted binomial evidence.

1. Beta prior

$$\pi(\mathbf{x}) \sim \text{Beta}\{\alpha_0(\mathbf{x}), \beta_0(\mathbf{x})\}.$$

Prior information on the probability scale

+

2. Local evidence

$$k_i(\mathbf{x}) = k(\mathbf{x}, \mathbf{x}_i; \boldsymbol{\theta}),$$

$$S(\mathbf{x}) = \sum_{i=1}^n k_i(\mathbf{x}) y_i,$$

$$F(\mathbf{x}) = \sum_{i=1}^n k_i(\mathbf{x}) (m_i - y_i).$$

Nearby observations receive greater weight

$\Rightarrow$

3. Beta posterior

$$\pi(\mathbf{x}) | \mathcal{D} \sim \text{Beta}\{\alpha_n(\mathbf{x}), \beta_n(\mathbf{x})\},$$

$$\alpha_n(\mathbf{x}) = \alpha_0(\mathbf{x}) + S(\mathbf{x}),$$

$$\beta_n(\mathbf{x}) = \beta_0(\mathbf{x}) + F(\mathbf{x}).$$

Closed-form posterior inference

Key idea

Local kernel weighting + **Beta-binomial conjugacy**
 $\Rightarrow$ **flexible modeling with closed-form posterior inference.**



Contents

- 1 Motivation
- 2 Methodology
- 3 Summary



Summary

- Developed the **first publicly available BKP package** implementing BKP and DKP models
- **Methodological contributions:**
 - Provided a **Bayesian interpretation** of the BKP model
 - Proposed a **flexible framework for constructing priors**, including data-adaptive options
 - Developed a **robust and efficient hyperparameter optimization strategy** using LOOCV and multi-start reparameterization.



Future Development Directions

- **Model extensions:** Extend the BKP framework to multivariate, functional, and spatio-temporal data, as well as mixed-type covariates
- **Alternative likelihoods:** Explore likelihoods beyond the binomial family, e.g., negative binomial for over-dispersed counts, geometric for waiting-time modeling
- **Community contributions:** We invite developers to contribute via GitHub pull requests <https://github.com/Jiangyan-Zhao/BKP/pulls>



Resources

-  <https://cran.r-project.org/web/packages/BKP/index.html>
-  <https://github.com/Jiangyan-Zhao/BKP>
-  <https://arxiv.org/abs/2508.10447>



