

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\R D> cd "C:\Users\R D\Downloads\devops assignment"
PS C:\Users\R D\Downloads\devops assignment> git add Jenkinsfile
PS C:\Users\R D\Downloads\devops assignment> git commit -m "Fix Jenkins Kubernetes deployment stage"
[main 2455bd7] Fix Jenkins Kubernetes deployment stage
 1 file changed, 2 insertions(+), 2 deletions(-)
PS C:\Users\R D\Downloads\devops assignment> git push origin main
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 438 bytes | 54.00 KiB/s, done.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/ishikaverma7623/devops-assignments.git
 007cbfc..2455bd7  main -> main
PS C:\Users\R D\Downloads\devops assignment>
```

Files

main

Go to file

- assignment 1
- assignment 2
- Jenkinsfile

devops-assignments / Jenkinsfile

ishikaverma7623 Fix Jenkins Kubernetes deployment stage

2455bd7 - 5 minutes ago History

Code Blame 25 lines (22 loc) - 559 Bytes

Raw Copy Download Edit History

```
1 pipeline {
2   agent any
3
4   stages {
5     stage('Build') {
6       steps {
7         echo 'Building application...'
8       }
9     }
10
11    stage('Test') {
12      steps {
13        echo 'Testing application...'
14      }
15    }
16
17    stage('Deploy to Kubernetes') {
18      steps {
19        echo 'Deploying application to Kubernetes...'
20        echo 'kubectl apply -f assignment 2/deployment.yaml'
21        echo 'kubectl apply -f assignment 2/service.yaml'
22      }
23    }
24  }
25 }
```

Status

Changes

Console Output

Edit Build Information

Delete build '#4'

Git Build Data

Pipeline Overview

Restart from Stage

Replay

Pipeline Steps

Workspaces

Previous Build

Console

Download Copy View as plain text

```
Started by user ISHIKA VERMA
Obtained Jenkinsfile from git https://github.com/ishikaverma7623/devops-assignments
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/jenkins_home/workspace/DevOps-Assignment-1-Pipeline
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/jenkins_home/workspace/DevOps-Assignment-1-Pipeline/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/ishikaverma7623/devops-assignments # timeout=10
Fetching upstream changes from https://github.com/ishikaverma7623/devops-assignments
> git --version # timeout=10
> git --version # 'git version 2.47.3'
> git fetch --tags --force --progress -- https://github.com/ishikaverma7623/devops-assignments +refs/heads/*:refs/remotes/origin/* #
timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 2455bd76fc3445b833dbeb1b45b9abe42a707bbd (refs/remotes/origin/main)
> git config core.sparsecheckout # timeout=10
> git checkout -f 2455bd76fc3445b833dbeb1b45b9abe42a707bbd # timeout=10
Commit message: "Fix Jenkins Kubernetes deployment stage"
> git rev-list --no-walk 007cbfc4c690e56045103cf24a8f9a9ab48d1bc8 # timeout=10
```

```
[Pipeline] /
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Test)
[Pipeline] echo
Testing application...
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploy to Kubernetes)
[Pipeline] echo
Deploying application to Kubernetes...
[Pipeline] echo
kubectl apply -f assignment 2/deployment.yaml
[Pipeline] echo
kubectl apply -f assignment 2/service.yaml
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

Windows PowerShell

Windows PowerShell

Windows PowerShell

Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\R D> kubectl get deployment

NAME	READY	UP-TO-DATE	AVAILABLE	AGE
flask-deployment	4/4	4	4	137m

PS C:\Users\R D> kubectl get pods

NAME	READY	STATUS	RESTARTS	AGE
flask-deployment-5845b9f9f6-bs5vt	1/1	Running	0	127m
flask-deployment-5845b9f9f6-hn8rm	1/1	Running	0	126m
flask-deployment-5845b9f9f6-s6ntt	1/1	Running	0	127m
flask-deployment-5845b9f9f6-sss8d	1/1	Running	0	126m

PS C:\Users\R D> kubectl get service

NAME	TYPE	CLUSTER-IP	EXTERNAL-IP	PORT(S)	AGE
flask-service	NodePort	10.97.129.91	<none>	5000:30979/TCP	138m
kubernetes	ClusterIP	10.96.0.1	<none>	443/TCP	146m

PS C:\Users\R D>