

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\R D> cd "C:\Users\R D\Downloads\devops assignment\assignment 2"
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker network create my-network
670a50b42defaf64a44fca60067dfa819a3e61fe462bee477023413cb737748c
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker run -dit --name container1 --network my-network alpine sh
74ffd1f621ddde7c191c37933c7b34cbb69ff4702e7257022cfba5d3b1daf84c
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker run -dit --name container2 --network my-network alpine sh
7e510ea86b434cd5eff01f37967d97e88473d7a856ccd6bd4400d9bcbd644da0
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker exec -it container1 sh
/ # ping -c 3 container2
PING container2 (172.19.0.3): 56 data bytes
64 bytes from 172.19.0.3: seq=0 ttl=64 time=2.997 ms
64 bytes from 172.19.0.3: seq=1 ttl=64 time=0.293 ms
64 bytes from 172.19.0.3: seq=2 ttl=64 time=0.119 ms

--- container2 ping statistics ---
3 packets transmitted, 3 packets received, 0% packet loss
round-trip min/avg/max = 0.119/1.136/2.997 ms
/ # exit

What's next:
  Try Docker Debug for seamless, persistent debugging tools in any container or image → docker debug container1
  Learn more at https://docs.docker.com/go/debug-cli/
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker inspect -f "{{range .NetworkSettings.Networks}}{{.IPAddress}}{{end}}" container2
172.19.0.3
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker exec -it container1 sh
/ # ping -c 3 172.19.0.3
PING 172.19.0.3 (172.19.0.3): 56 data bytes
64 bytes from 172.19.0.3: seq=0 ttl=64 time=1.986 ms
64 bytes from 172.19.0.3: seq=1 ttl=64 time=0.098 ms
64 bytes from 172.19.0.3: seq=2 ttl=64 time=0.119 ms

--- 172.19.0.3 ping statistics ---
3 packets transmitted, 3 packets received, 0% packet loss
round-trip min/avg/max = 0.098/0.734/1.986 ms
/ # exit

What's next:
  Try Docker Debug for seamless, persistent debugging tools in any container or image → docker debug container1
  Learn more at https://docs.docker.com/go/debug-cli/
PS C:\Users\R D\Downloads\devops assignment\assignment 2> |
```

```
Windows PowerShell
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker network inspect my-network
[
  {
    "Name": "my-network",
    "Id": "670a50b42defaf64a4fca60067dfa819a3e61fe462bee477023413cb737748c",
    "Created": "2026-09-08T15:34:18.674772187Z",
    "Scope": "local",
    "Driver": "bridge",
    "EnableIPv4": true,
    "EnableIPv6": false,
    "IPAM": {
      "Driver": "default",
      "Options": {},
      "Config": [
        {
          "Subnet": "172.19.0.0/16",
          "Gateway": "172.19.0.1"
        }
      ]
    },
    "Internal": false,
    "Attachable": false,
    "Ingress": false,
    "ConfigFrom": {
      "Network": ""
    },
    "ConfigOnly": false,
    "Options": {
      "com.docker.network.enable_ipv4": "true",
      "com.docker.network.enable_ipv6": "false"
    },
    "Labels": {},
    "Containers": {
      "74fffd1f621ddde7c191c37933c7b34cbb69ff4702e7257022cfba5d3b1daf84c": {
        "Name": "container1",
        "EndpointID": "9be4401eefbd50da24e68636012ff2924ddef52b2180a5dcb71bfe498c51180c",
        "MacAddress": "c2:f6:21:0b:1f:e6",
        "IPv4Address": "172.19.0.2/16",
        "IPv6Address": ""
      },
      "7e510ea86b434cd5eff01f37967d97e88473d7a856ccd6bd4400d9bcd644da0": {
        "Name": "container2",
        "EndpointID": "ea27ca7b7331a624248c238e2081e7ed5d29e9711b1e74a70f1d178e4e83b3a1",
        "MacAddress": "1e:0f:ad:a2:3d:17"
      }
    }
  }
]
```