

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\R D> cd "C:\Users\R D\Downloads\devops assignment\assignment 2"
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker run -it --name storage-test alpine sh
Unable to find image 'alpine:latest' locally
latest: Pulling from library/alpine
55afalecc21d: Pull complete
f5124fb579e2: Download complete
56dceff11b33: Download complete
Digest: sha256:28bd5fe8b56d1bd048e5babf5b10710ebe0bae67db86916198a6eec434943f8b
Status: Downloaded newer image for alpine:latest
/ # echo "This data is inside the container layer" > /data.txt
/ # cat /data.txt
This data is inside the container layer
/ # exit
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker rm storage-test
storage-test
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker run --rm alpine cat /data.txt
cat: can't open '/data.txt': No such file or directory

What's next:
  Debug this container error with Gordon → docker ai "help me fix this container error"
PS C:\Users\R D\Downloads\devops assignment\assignment 2> |
```

```
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker volume create my-storage
my-storage
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker run -it --name volume-test -v my-storage:/data alpine sh
/ # echo "This data is stored in a named volume" > /data/file.txt
/ # cat /data/file.txt
This data is stored in a named volume
/ # exit
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker rm volume-test
volume-test
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker run --rm -v my-storage:/data alpine cat /data/file.txt
This data is stored in a named volume
PS C:\Users\R D\Downloads\devops assignment\assignment 2> |
```

```
PS C:\Users\R D\Downloads\devops assignment\assignment 2> mkdir bind-data
```

Directory: C:\Users\R D\Downloads\devops assignment\assignment 2

Mode	LastWriteTime	Length	Name
d-----	08-09-2026 20:57		bind-data

```
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker run -it --name bind-test -v "${PWD}\bind-data:/data" alpine sh
/ # echo "This data is stored using a bind mount" > /data/file.txt
/ # cat /data/file.txt
This data is stored using a bind mount
/ # exit
PS C:\Users\R D\Downloads\devops assignment\assignment 2> docker rm bind-test
bind-test
PS C:\Users\R D\Downloads\devops assignment\assignment 2> Get-Content .\bind-data\file.txt
This data is stored using a bind mount
PS C:\Users\R D\Downloads\devops assignment\assignment 2> |
```