Microsoft 365

Tenant Configuration Overview

Conditional Access | Device Compliance | Configuration Profiles

Document Date: 2026-03-22

Prepared by **Olu Adelokiki**
linkedin.com/in/olukunmi-adelokiki

Table of Contents

1. Conditional Access Policies

Conditional Access policies control how users and devices access cloud applications. They enforce security requirements such as multi-factor authentication (MFA), device compliance, and approved application usage based on conditions like user role, location, and client app type.

1.1 Policy Summary

Policy Name	Access Control	Enforcement State
Require MFA for admins	Require MFA	Enforced
Require MFA for external and guest users	Require MFA	Enforced
Block all legacy sign-ins that don't support MFA	Block Access	Enforced
Require MFA for internal users (admins not included) - Basic	Require MFA	Enforced
Require MDM-enrolled and compliant device to access cloud apps for all users (Preview)	Require Compliant Device	Report-Only (Not Enforced)
UserCompute - Conditional Access Policy	Require Approved Client App OR Authentication Strength: Multifactor authentication	Report-Only (Not Enforced)
Require multifactor authentication for all users	Require MFA	Report-Only (Not Enforced)
Require multifactor authentication for Microsoft admin portals	Authentication Strength: Multifactor authentication	Report-Only (Not Enforced)
Block legacy authentication	Block Access	Report-Only (Not Enforced)
Require multifactor authentication for guest access	Require MFA	Report-Only (Not Enforced)
Require compliant or Microsoft Entra hybrid joined device or multifactor authentication for all users	Require MFA OR Require Compliant Device OR Require Hybrid Azure AD Joined Device	Report-Only (Not Enforced)
Require multifactor authentication for Azure management	Require MFA	Report-Only (Not Enforced)
Require approved client apps or app protection policies	Require Approved Client App OR Require App Protection Policy	Report-Only (Not Enforced)
Block access for unknown or unsupported device platform	Block Access	Report-Only (Not Enforced)
Require multifactor authentication for admins	Require MFA	Report-Only (Not Enforced)

1.2 Policy Details

Require MFA for admins

Setting	Value
Enforcement State	Enforced
Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: 21 Admin Roles | Excludes: Break-glass account(s)
Access Control	Require MFA

Require MFA for external and guest users

Setting	Value
Enforcement State	Enforced
Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: Guest / External Users | Excludes: Break-glass account(s)
Access Control	Require MFA

Block all legacy sign-ins that don't support MFA

Setting	Value
Enforcement State	Enforced
Target Applications	All Cloud Applications
Client App Types	Exchange ActiveSync, Other Legacy Clients
User Scope	Includes: All Users | Excludes: Break-glass account(s)
Access Control	Block Access

Require MFA for internal users (admins not included) - Basic

Setting	Value
Enforcement State	Enforced
Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: All Users | Excludes: Break-glass account(s), Guest /

	External Users, 21 Admin Roles
Access Control	Require MFA

Require MDM-enrolled and compliant device to access cloud apps for all users (Preview)

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: All Users | Excludes: Break-glass account(s), 1 Admin Roles
Access Control	Require Compliant Device

UserCompute - Conditional Access Policy

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	All Cloud Applications
Client App Types	Exchange ActiveSync, Other Legacy Clients
User Scope	Includes: Specific Security Group(s) | Excludes: Break-glass account(s)
Access Control	Require Approved Client App OR Authentication Strength: Multifactor authentication
Platforms	all
Locations	All

Require multifactor authentication for all users

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: All Users | Excludes: Break-glass account(s), 1 Admin Roles
Access Control	Require MFA

Require multifactor authentication for Microsoft admin portals

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	Selected Applications
Client App Types	All Client App Types
User Scope	Includes: 14 Admin Roles | Excludes: Break-glass account(s)
Access Control	Authentication Strength: Multifactor authentication

Block legacy authentication

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	All Cloud Applications
Client App Types	Exchange ActiveSync, Other Legacy Clients
User Scope	Includes: All Users | Excludes: Break-glass account(s)
Access Control	Block Access

Require multifactor authentication for guest access

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: Guest / External Users | Excludes: Break-glass account(s)
Access Control	Require MFA

Require compliant or Microsoft Entra hybrid joined device or multifactor authentication for all users

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: All Users | Excludes: Break-glass account(s), 1 Admin Roles

Access Control	Require MFA OR Require Compliant Device OR Require Hybrid Azure AD Joined Device

Require multifactor authentication for Azure management

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	Selected Applications
Client App Types	All Client App Types
User Scope	Includes: All Users | Excludes: Break-glass account(s)
Access Control	Require MFA

Require approved client apps or app protection policies

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: All Users | Excludes: Break-glass account(s)
Access Control	Require Approved Client App OR Require App Protection Policy
Platforms	android, iOS

Block access for unknown or unsupported device platform

Setting	Value
Enforcement State	Report-Only (Not Enforced)
Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: All Users | Excludes: Break-glass account(s)
Access Control	Block Access
Platforms	all

Require multifactor authentication for admins

Setting	Value
Enforcement State	Report-Only (Not Enforced)

Target Applications	All Cloud Applications
Client App Types	All Client App Types
User Scope	Includes: 14 Admin Roles | Excludes: Break-glass account(s)
Access Control	Require MFA

1.3 Risks and Considerations

Several policies are currently in Report-Only mode and are not actively enforcing controls. These should be reviewed and transitioned to Enforced state after validation.

A break-glass (emergency access) account is excluded from all policies. This account must be secured with strong credentials, monitored, and its usage audited regularly.

The legacy authentication block policy is in Report-Only mode. Until enforced, legacy protocols remain a potential attack vector.

The compliant device requirement policy is not yet enforced. Users may currently access cloud resources from non-compliant or unmanaged devices.

2. Device Compliance Policies

Compliance policies define the minimum security requirements a device must meet to be considered healthy and allowed access to corporate resources. Non-compliant devices can be blocked from accessing email, files, and other cloud services when combined with Conditional Access.

UserCompute - Win 11 Compliance Policy

Purpose: Defines what makes a device compliant (healthy & secure).

Setting	Value
Platform	Windows10
Password Required	Enabled
Minimum Password Length	8
Password Type	alphanumeric
Password Expiration	60 days
Block Simple Passwords	Enabled
Inactivity Lock	15 minutes
BitLocker Encryption	Enabled
Secure Boot	Enabled
Code Integrity	Enabled
Storage Encryption Required	Enabled

Default compliance policy for Android

Setting	Value
Platform	Android
Password Required	Disabled
Storage Encryption Required	Disabled
Block Jailbroken/Rooted Devices	Enabled
Device Threat Protection	Disabled

UserCompute - VM Compliance Policy

Setting	Value
Platform	Windows10

Password Required	Enabled
Minimum Password Length	8
Password Type	alphanumeric
Password Expiration	60 days
Block Simple Passwords	Enabled
Inactivity Lock	15 minutes
BitLocker Encryption	Disabled
Secure Boot	Disabled
Code Integrity	Enabled
Storage Encryption Required	Disabled

2.1 Risks and Considerations

The default Android compliance policy has minimal security enforcement. Password is not required and most security checks are disabled. This should be reviewed if Android devices access corporate data.

The VM Compliance Policy does not require BitLocker or Secure Boot. While acceptable for virtual machines, ensure this policy is not inadvertently applied to physical endpoints.

Password expiration is set to 60 days for Windows policies. NIST SP 800-63B recommends against periodic password changes unless there is evidence of compromise. Consider aligning with current best practice.

3. Configuration Profiles

Configuration profiles push device settings and policies to enrolled endpoints via Microsoft Intune. These profiles manage Windows Update behaviour, security baselines, and other device configurations.

UserCompute - Windows Update Ring Policy

Purpose: Controls how Windows quality and feature updates are delivered, deferred, and enforced on managed devices.

Setting	Value
Profile Type	Windows Update for Business
Automatic Update Mode	notifyDownload
Quality Update Deferral	4 days
Feature Update Deferral	4 days
Quality Update Deadline	8 days
Feature Update Deadline	8 days
Grace Period After Deadline	2 days
Postpone Reboot Until Deadline	Enabled
Feature Update Rollback Window	10 days
Drivers Excluded from Updates	Enabled
Microsoft Update Service Allowed	Enabled
User Can Pause Updates	Enabled
Allow Windows 11 Upgrade	Enabled

3.1 Risks and Considerations

Quality and feature updates are deferred by only 4 days. While this provides a short buffer, organisations in regulated industries may require a longer deferral window (7-14 days) to allow for compatibility testing.

Users are permitted to pause updates. This can delay critical security patches. Consider restricting pause access for high-risk user populations.

Driver updates are excluded from Windows Update. Ensure an alternative driver management strategy is in place to prevent driver-related vulnerabilities.

The automatic update mode is set to Notify Download, meaning users must initiate the download. This relies on user action and may result in delayed patching.