

Practical No: 03

Aim: *Design A Web Page With Links To Different Pages And Allow Navigation Between Pages.*

Source Code:

HTML:

Index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="style.css">
  <title>Pract - 3</title>
</head>
<body>
  <div class="click">
    <h1>Click Below</h1>
    <h5>Click On The Links To Open It</h5>
  </div>
  <div class="connect">
    <h3><a href="Login Page/index.html">Login Page</a></h3>
    <h3><a href="Welcome Page/index.html">Welcome Page</a></h3>
    <h3><a href="Portfolio page/index.html">My Portfolio</a></h3>
  </div>
</body>
</html>
```

Login Page Html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="style.css">
  <title>Login Page</title>
</head>
```

```
<body>
  <div>
    <div id="box">
      <div>
        <p id="login">Login</p>
        <div id="form">
          <form>
            <input class="User" placeholder="Username" type="text" name="Username">
            <input class="pass" placeholder="Password" type="password" name="Password">
          </form>
        </div>
        <div>
          <button id="button">Log In</button>
        </div>
        <div>
          <p id="acc">Don't have an account? <a id="sign" href="">Sign Up</a></p>
        </div>
      </div>
    </div>
  </div>
</body>
</html>
```

Portfolio Page Html:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="stylesheet" href="style.css">
  <title>Main</title>
</head>
<body>
  <!-- Header Starts -->
  <header>
    <div>
```

```
<!-- <p class="headname">John Doe</p> -->

<nav>
  <div class="name">
    <a href="#">John Doe</a>
  </div>
  <div class="List">
    <ul>
      <li><a href="#">About</a></li>
      <li><a href="#">Experience</a></li>
      <li><a href="#">Projects</a></li>
      <li><a href="#">Contact</a></li>
    </ul>
  </div>
</nav>
</header>
<!-- Header Ends -->
<!-- Main Starts -->
<section>
  <div class="img">
    
  </div>
  <div class="stuff">
    <p class="hello">Hello, I'm</p>
    <p class="nameit">John Doe</p>
    <p class="dev">Frontend Developer</p>
    <div class="ancer">
      <a href="#" class="downcv">Download CV</a>
      <a href="#" class="coninfo">Contact Info</a>
    </div>
    <div id="imgalign">
      
      
    </div>
  </div>
</section>
<!-- Main Ends -->
```

```
</body>
```

```
</html>
```

Welcome Page Html:

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
  <link rel="stylesheet" href="style.css">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <title>PROJECT 01</title>
```

```
</head>
```

```
<body>
```

```
  <div> <!--this is welcome section-->
```

```
    <h1 id="abc">Welcome To The Page</h1>
```

```
  </div>
```

```
    <hr>
```

```
  <div>
```

```
    <p class="abc">This Is The Main Paragraph.
```

```
    <br>Where You Can Enter Whatever Text You Want</p>
```

```
  </div>
```

```
</body>
```

```
</html>
```

CSS:

Main Page CSS:

```
body{
```

```
  display: flex;
```

```
  flex-direction: column;
```

```
  color: black;
```

```
  height: 100vh;
```

```
  justify-content: center;
```

```
  align-items: center;
```

```
}
```

```
h1{
```

```
  margin: 0;
```

```
}  
.click{  
    margin-bottom: 0;  
    text-align:center;  
    display: flex;  
    flex-direction: column;  
}  
.connect{  
    font-size: 20px;  
    margin-bottom: 0;  
    text-align: center;  
    display: flex;  
    flex-direction: column;  
    height: 300px;  
    /* border: 1px solid black; */  
    width: fit-content;  
}
```

Login Page CSS:

```
@import url('https://fonts.googleapis.com/css2?family=Prompt&display=swap');
```

```
body{  
    display: flex;  
    background-color: #f5f5f5;  
    padding: 0;  
    margin: 0;  
    height: 100vh;  
    justify-content: center;  
    align-items: center;  
    font-family: Arial, Helvetica, sans-serif;  
}  
#box{  
    background-color: white;  
    display: flex;  
    flex-direction: column;  
    justify-content: center;  
    align-items: center;
```

```
width: 400px;
height: 300px;
border-radius: 5px;
box-shadow: gray 2px 2px ;
}

#User{
  display: flex;
  flex-direction: column;
  align-items: center;
  justify-content: center;
}

#pass{
  display: flex;
  flex-direction: column;
  margin: 0;
}

#login{
  text-align: center;
  font-size: 30px;
  margin-bottom: 20px;
}

#button{
  color: white;
  width: 300px;
  text-align: center;
  padding: 5px;
  background-color: blue;
  border-radius: 5px;
  border-color: transparent;
  margin: 0px;
  cursor: pointer;
}

form
{
  margin-top: 5px;
  display: flex;
```

```

    flex-direction: column;
    justify-content: center;
    align-items: center;
}
input{
    margin-bottom: 10px;
    display: flex;
    flex-direction: column;
    padding: 5px;
    border-radius: 5px;
    justify-content: center;
    align-items: center;
    border-width: .5px;
    border-color: rgb(134, 134, 134);
    width: 290px;
}
#acc{
    text-align: center;
    font-size: 15px;
    margin-top: 15px;
}
#sign{
    color: blue;
}

```

Portfolio Page CSS:

```

@import url('https://fonts.googleapis.com/css2?family=Nunito:wght@300;600;800&display=swap');
*{
    font-family: 'Nunito', sans-serif;
    padding: 0;
    margin: 0;
    box-sizing: border-box;
}
header nav{
    top: 10px;
    width: 75%;

```

```
height: 50px;
/* border: 1px solid black; */
margin: 0 auto;
margin-top: 20px ;
display: flex;
align-items: center;
justify-content: space-between ;
}

header nav .name{
display: flex;
align-items: center;
font-size: 35px;
font-weight: 700;
margin-left: 0;
}

header nav .name a{
color: #000;
text-decoration: none;
}

header nav .List ul{
display: flex;
align-items: center;
}

header nav .List ul li{
list-style: none;
padding: 3px 15px;
}

header nav .List ul li a{
text-decoration: none;
color: #000;
font-size: 19px ;
font-weight: 600;
}

section{
width: 80%;
height: 70%;
```



```
display: flex;
flex-direction: row;
/* border: 1px solid black; */
margin: 0 auto;
margin-top: 100px;
align-items: center;
justify-content: center;
}
#img{
display: flex;
height: 300px;
width: 300px;
border-radius: 50%;
align-items: center;
}
section .stuff{
display: flex;
flex-direction: column;
/* border: 1px solid black; */
width: 350px;
height: 300px;
justify-content: center;
align-items: center;
text-align: center;
}
section .stuff .dev{
font-size: 25px;
font-weight: bold;
color: rgb(61, 59, 59)
}
section .stuff .nameit{
font-size: 35px;
font-weight: bold;
}
section .stuff .hello{
font-size: 15px;
```

```
font-weight: bold;
color: rgb(61, 59, 59)
}
section .stuff #imgalign{
margin: 0 10px;
display: flex;
flex-direction: row;
align-items: center;
}
section .stuff .ancer{
display: flex;
flex-direction: row;
align-items: center;
text-align: center;
}
section .stuff .ancer .downcv{
text-decoration: none;
color: #000;
border: 1px solid black;
font-weight: bold;
font-size: 13px;
border-radius: 60px;
margin: 10px 5px;
padding: 10px 15px
}
section .stuff .ancer .coninfo{
text-decoration: none;
color: #000;
border: 1px solid black;
font-weight: bold;
font-size: 13px;
border-radius: 60px;
margin: 10px 5px;
padding: 10px 15px
}
section .stuff .ancer .coninfo:hover{
```

```
background-color: rgb(59, 58, 58);
color: #fff;
}
section .stuff .ancer .downcv:hover{
background-color: rgb(59, 58, 58);
color: #fff;
}
section .stuff a .downcv{
display: flex;
flex-direction: row;
}
.link{
height: 50px;
width: 50px;
border-radius: 50%;
}
.git{
height: 40px;
width: 40px;
border-radius: 50%;
}
```

Welcome Page CSS:

```
body{
background-color: floralwhite;
}
#abc{
text-align: center;
background-color: darksalmon;
color: blue;
display: block;
padding-bottom: 10px;
padding-top: 10px;
}
.abc{
text-align: center;
```

```

font-size: 30px;
font-weight: 400;
color: aquamarine;
background-color: black;
display: block;
padding: 20px;
font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
}

```

Output:

