

slangs !

npm v1.1.0-beta.9

license ISC

downloads 346

A multilingual slang dictionary and random slang generator featuring English, Hindi, Bengali, Tamil, Telugu, Marathi, Odia, Assamese, French, Kannada, and more. Created by [@kuntalojha](#) as a fun open-source project for developers, language enthusiasts, and anyone interested in exploring slang across different languages.



Overview

The **slangs** package provides a simple and efficient way to retrieve slang words in multiple languages, including English, Bengali, and French. Users can fetch all available slangs, get random slangs from a specific language, and even specify the number of slangs they want to receive.

Supported Languages

Language	Slangs	Language	Slangs
Assamese	165+	Bengali	200+
English	220+	French	200+
Hindi	215+	Kannada	230+
Marathi	220+	Odia	145+
Tamil	220+	Telugu	200+
Gen Z	150+		

Installation

To install the **slangs** package, simply include it in your project:

```
npm install slangs
```

Package Manager	Command
Yarn	<code>yarn add slangs</code>
PNPM	<code>pnpm add slangs</code>

Package Manager	Command
BUN	<code>bun add slangs</code>



API Reference

Function	Return Type	Description
<code>slangs()</code>	<code>Object</code>	Returns all available slang datasets grouped by language.
<code>slangs(language)</code>	<code>string[]</code>	Returns slang words for the specified language.
<code>slangs(language, count)</code>	<code>string[]</code>	Returns the requested number of slang words from the specified language.
<code>random()</code>	<code>string</code>	Returns a random slang word from all available languages.
<code>random(language)</code>	<code>string</code>	Returns a random slang word from the specified language.
<code>random(language, count)</code>	<code>string[]</code>	Returns the requested number of random slang words from the specified language.
<code>languages()</code>	<code>string[]</code>	Returns a list of all supported languages.

Usage Instructions

Importing the Package

- To use the `slangs` package in your project, you can import it using CommonJS syntax:

```
const { slangs, random, languages } = require('slangs');
```

For projects using ES6 modules, you can also import it as follows:

```
import { slangs, random, languages } from 'slangs';
```

Functionality

The `slangs` package provides the following functions: `slangs`, `random`, and `languages`

The `slangs` Function:

- language:** A string specifying the language for which you want to retrieve slangs. Supported languages include:
 - Assamese:** `assamese`

- **Bengali:** bengali
- **English:** english
- **French:** french
- **Hindi:** hindi
- **Kannada:** kannada
- **Marathi:** marathi
- **Odia:** odia
- **Tamil:** tamil
- **Telugu:** telugu
- **Genz:** genz

- **count:** An optional integer specifying the number of slangs to return. Defaults to **1** if not provided.

Example Usage **languages**

- The **languages** function retrieves the list of supported languages for the **slangs** package.
- To get the list of supported languages, you can call the **languages** function:

```
const { languages } = require('slangs');

// Get the list of supported languages
console.log(languages());
// Returns an array of supported languages
```

Example Usage **slangs**

To use the **slangs** package in your project, you can use the following examples:

1. Get All Slangs

To get all available slangs from the package:

```
const { slangs } = require('slangs');
console.log(slangs());
```

2. Get a Random Slang

To get a slang from a specific language:

```
console.log(slangs('bengali'));
```

3. Get Multiple Slangs

To get a specific number of slangs from a given language:

```
console.log(slangs('english', 3));  
// Get 3 English slangs
```

If the requested number exceeds the available slangs, the function will return only the available ones.

4. Unsupported Language Handling

If a language is not supported, the function will return a message indicating that support is unavailable:

```
console.log(slangs('spanish', 2));  
// Returns "Sorry, we don't support spanish yet."
```

Return Values

- When a valid language is specified, the function returns an array of slangs.
- If the language is unsupported, it returns a string message indicating the lack of support.

Example Usage `random`

1. Get All `random` Slangs

To get all available slangs from the package:

```
console.log(random());
```

2. Get a Random Slang

To get a random slang from a specific language:

```
console.log(random('bengali'));
```

3. Get Multiple Random Slangs

To get a specific number of random slangs from a given language:

```
console.log(random('english', 3));  
// Get 3 random English slangs
```

If the requested number exceeds the available slangs, the function will return only the available ones.

4. Unsupported Language Handling

If a language is not supported, the function will return a message indicating that support is unavailable:

```
console.log(random('spanish', 2));  
// Returns "Sorry, we don't support spanish yet."
```

Return Values

- When a valid language is specified, the function returns an random array of slangs.
- If the language is unsupported, it returns a string message indicating the lack of support.

Example Implementation

Here's a full example of how to implement the `slangs` package:

```
const { slangs, random, languages } = require('slangs');  
  
// Get the list of supported languages  
console.log(languages());  
// Returns an array of supported languages  
  
// Get all slangs  
console.log(slangs());  
  
// Get all random slangs  
console.log(random());  
  
// Get a Bengali slang  
console.log(slangs('bengali'));  
  
// Get a random Bengali slang  
console.log(random('bengali'));  
  
// Get 4 Bengali slangs  
console.log(slangs('bengali', 4));  
  
// Get 4 random Bengali slangs  
console.log(random('bengali', 4));  
  
// Get 3 slangs from English  
console.log(slangs('english', 3));  
  
// Get 3 random slangs from English  
console.log(slangs('english', 3));
```

```
// Get 4 slangs from Hindi
console.log(slangs('hindi', 4));

// Get 4 random slangs from Hindi
console.log(random('hindi', 4));

// Get slangs from an unsupported language
console.log(slangs('spanish', 2));
// Returns "Sorry, we don't support spanish yet."

// Get random slangs from an unsupported language
console.log(random('spanish', 2));
// Returns "Sorry, we don't support spanish yet."
```

What's New in 1.1.0-beta.9 and later

Gen Z Slang Support Added

The **slangs** package now includes slang terms from the Gen Z generation.

```
const { slangs, random } = require('slangs');

console.log(random('genz'));
// Example: ["rizz"]

console.log(random('genz', 5));
// Example: ["sus", "delulu", "slay", "mid", "bet"]
```

Popular Gen Z Terms Included

- rizz • sus • delulu • slay • no cap • bussin • drip • mid • bet • goated • aura • cooked • locked in • touch grass • brainrot • ratio • caught in 4k • based • cringe • cheugy • flex • salty And many more!
- Stay tuned as the Gen Z collection continues to grow with future updates.

Contributing

Contributions to the **slangs** package are welcome! If you have suggestions or improvements, feel free to open an issue or submit a pull request.

License

This project is licensed under the [MIT License](#). See the [LICENSE](#) file for more details.

Author

Kuntal Ojha

- GitHub: [@kuntalojha](#)
 - npm: [@kuntalojha](#)
 - LinkedIn: [@mrkuntalojha](#)
 - X (Twitter): [@kuntalojha](#)
 - Instagram: [@mrkuntalojha](#)
-

Contributing

Contributions, feature requests, and suggestions are welcome!

If you'd like to improve the slang dataset, add support for new languages, fix issues, or enhance the package, feel free to open an issue or submit a pull request.

Support the Project

 BUY ME A CHAI **SUPPORT**

 Building multilingual language tools

 Slang Dictionaries •  Language Data •  Developer Utilities

Your support helps maintain and expand the slang database with more languages and better coverage.

Made with  by Kuntal Ojha