P1

```cpp
#include <bits/stdc++.h>
using namespace std;

int main() {
    cout << "Enter a number between 1 & 100: ";
    int n;
    cin >> n;

    cout << "Factors are: " << "\n";
    for(int i=1; i<=n; i++){
        if (n%i == 0) cout << i << " ";
    }
    return 0;
}
```

```
PS C:\Users\Leo\Desktop\coding\Problems\yzu\CS106\HW_4> .\P1.exe
Enter a number between 1 & 100: 78
Factors are:
1 2 3 6 13 26 39 78
```

P2

```cpp
#include <bits/stdc++.h>
using namespace std;

int main() {
    int m, n;
    cout << "Enter the first number (positive): ";
    cin >> m;
    cout << "Enter the second number (positive): ";
    cin >> n;


    int m1 = m, n1 = n;
    while(n1>0){
        m1 %= n1;
        if (m1 < n1) swap(m1, n1);
    }

    cout << "The greatest common divisor (GCD) between " << n << " and " << m << "
is: " << m1;
    return 0;
}
```

```
PS C:\Users\Leo\Desktop\coding\Problems\yzu\CS106\HW_4> .\P2.exe
Enter the first number (positive): 9
Enter the second number (positive): 12
The greatest common divisor (GCD) between 12 and 9 is: 3
PS C:\Users\Leo\Desktop\coding\Problems\yzu\CS106\HW_4> .\P2.exe
Enter the first number (positive): 7
Enter the second number (positive): 11
The greatest common divisor (GCD) between 11 and 7 is: 1
PS C:\Users\Leo\Desktop\coding\Problems\yzu\CS106\HW_4> .\P2.exe
Enter the first number (positive): 140
Enter the second number (positive): 12
The greatest common divisor (GCD) between 12 and 140 is: 4
```

P3

```cpp
#include <bits/stdc++.h>
using namespace std;

int main() {
    cout << "Enter a positive number: ";
    int n;
    cin >> n;

    cout << "The reversed number is: ";
    while (n>0){
        cout << n%10;
        n /= 10;
    }

    return 0;
}
```

```
PS C:\Users\Leo\Desktop\coding\Problems\yzu\CS106\HW_4> .\P3.exe
Enter a positive number: 145
The reversed number is: 541
PS C:\Users\Leo\Desktop\coding\Problems\yzu\CS106\HW_4> .\P3.exe
Enter a positive number: 9
The reversed number is: 9
PS C:\Users\Leo\Desktop\coding\Problems\yzu\CS106\HW_4> .\P3.exe
Enter a positive number: 14567
The reversed number is: 76541
```

P4

```cpp
#include <bits/stdc++.h>
using namespace std;

int main() {
    cout << " Ce   Fahr   Ce   Fahr   Ce   Fahr   Ce   Fahr   Ce   Fahr\n";
    cout << "-----------------------------------------------------------\n";

    cout << fixed << setprecision(2);

    for (int i = 0; i < 20; ++i) {
        for (int col = 0; col < 5; ++col) {
            int celsius = i + col * 20;
            double fahrenheit = celsius * 180.0 / 100.0 + 32.0;

            cout << setw(3) << celsius << " "
                 << setw(6) << fahrenheit;

            if (col < 4) {
                cout << "  ";
            } else {
                cout << "\n";
            }
        }
    }

    return 0;
}
```

```
PS C:\Users\Leo\Desktop\coding\Problems\yzu\CS106\HW_4> .\P4.exe
 Ce   Fahr   Ce   Fahr   Ce   Fahr   Ce   Fahr   Ce   Fahr
-----------------------------------------------------------
  0  32.00   20  68.00   40 104.00   60 140.00   80 176.00
  1  33.80   21  69.80   41 105.80   61 141.80   81 177.80
  2  35.60   22  71.60   42 107.60   62 143.60   82 179.60
  3  37.40   23  73.40   43 109.40   63 145.40   83 181.40
  4  39.20   24  75.20   44 111.20   64 147.20   84 183.20
  5  41.00   25  77.00   45 113.00   65 149.00   85 185.00
  6  42.80   26  78.80   46 114.80   66 150.80   86 186.80
  7  44.60   27  80.60   47 116.60   67 152.60   87 188.60
  8  46.40   28  82.40   48 118.40   68 154.40   88 190.40
  9  48.20   29  84.20   49 120.20   69 156.20   89 192.20
 10  50.00   30  86.00   50 122.00   70 158.00   90 194.00
 11  51.80   31  87.80   51 123.80   71 159.80   91 195.80
 12  53.60   32  89.60   52 125.60   72 161.60   92 197.60
 13  55.40   33  91.40   53 127.40   73 163.40   93 199.40
 14  57.20   34  93.20   54 129.20   74 165.20   94 201.20
```