

Option 2 Adjacent Note Formats

ECMA 30760 sample renderings

Spring 2026

Anchor	Option 2 worked because the color identified the environment quickly without making the whole body visually heavy.
Direction	These variants keep mostly white bodies and colored headings, but vary rules, gutters, run-in labels, and open blocks.
Deviation	Some variants are deliberately less box-like, so the notes can become denser without losing the color coding.

Variant 1: Micro Header Bands

The closest sibling to Option 2: full-width colored headers, smaller vertical padding, and very faint body tints.

Structure retained

Contents

0	Course Overview	3
1	Voting	4
1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

Voting

1

1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

1.1 Introduction

Formally, $\succ_i$ is a *binary relation*; i.e., it is a subset of $A \times A$ with the infix notation of $x \succ_i y$ instead of $(x, y) \in \succ_i$.

Importantly, i does not depend on $\succ$. The dictatorial property says that i 's top choice is chosen for all preference profiles.

Definition 1.1.3 (Social choice function).

A social choice function is a mapping $f : P^N \rightarrow A$.

Informally, a social choice function is a decision rule for each preference profile.

Example 1.1.5.

For instance, if $A = \{w, x, y, z\}$, plurality chooses w , instant runoff chooses x , elimination chooses y , the Borda count chooses x , and the Copeland rule chooses x .

Lemma 1.1.9.

If X and Y are dominating sets, then $X \subseteq Y$ or $Y \subseteq X$.

Proof of Lemma 1.1.9. Suppose not. Then any $x \in X \setminus Y$ and $y \in Y \setminus X$ have to both beat each other in head-to-head elections, which cannot happen under strict preferences. $\square$

Theorem 1.2.5 (Gibbard–Satterthwaite).

If $|A| > 2$, then every surjective and strategy-proof social choice function is dictatorial, in that there is some agent i such that

$$f(\succ) = \arg \max_{\succ_i} A$$

for all preference profiles $\succ$.

Variant 2: Band Plus Left Spine

A full header band keeps the Option 2 scan pattern, while a thin colored spine lets boxes remain recognizable even when the header is far above a multi-page block.

Structure retained

Contents

0	Course Overview	3
1	Voting	4
1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

Voting

1

1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

1.1 Introduction

Formally, $\succ_i$ is a *binary relation*; i.e., it is a subset of $A \times A$ with the infix notation of $x \succ_i y$ instead of $(x, y) \in \succ_i$.

Importantly, i does not depend on $\succ$. The dictatorial property says that i 's top choice is chosen for all preference profiles.

Definition 1.1.3 (Social choice function).

A social choice function is a mapping $f : P^N \rightarrow A$.

Informally, a social choice function is a decision rule for each preference profile.

Example 1.1.5.

For instance, if $A = \{w, x, y, z\}$, plurality chooses w , instant runoff chooses x , elimination chooses y , the Borda count chooses x , and the Copeland rule chooses x .

Lemma 1.1.9.

If X and Y are dominating sets, then $X \subseteq Y$ or $Y \subseteq X$.

Proof of Lemma 1.1.9. Suppose not. Then any $x \in X \setminus Y$ and $y \in Y \setminus X$ have to both beat each other in head-to-head elections, which cannot happen under strict preferences. $\square$

Theorem 1.2.5 (Gibbard–Satterthwaite).

If $|A| > 2$, then every surjective and strategy-proof social choice function is dictatorial, in that there is some agent i such that

$$f(\succ) = \arg \max_{\succ_i} A$$

for all preference profiles $\succ$.

Variant 3: White Cards With Saturated Headers

The body is fully white and the environment color is concentrated in the header. This is cleaner for long formal statements and proofs.

Structure retained

Contents

0	Course Overview	3
1	Voting	4
1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

Voting

1

1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

1.1 Introduction

Formally, $\succ_i$ is a *binary relation*; i.e., it is a subset of $A \times A$ with the infix notation of $x \succ_i y$ instead of $(x, y) \in \succ_i$.

Importantly, i does not depend on $\succ$. The dictatorial property says that i 's top choice is chosen for all preference profiles.

Definition 1.1.3 (Social choice function).

A social choice function is a mapping $f : P^N \rightarrow A$.

Informally, a social choice function is a decision rule for each preference profile.

Example 1.1.5.

For instance, if $A = \{w, x, y, z\}$, plurality chooses w , instant runoff chooses x , elimination chooses y , the Borda count chooses x , and the Copeland rule chooses x .

Lemma 1.1.9.

If X and Y are dominating sets, then $X \subseteq Y$ or $Y \subseteq X$.

Proof of Lemma 1.1.9. Suppose not. Then any $x \in X \setminus Y$ and $y \in Y \setminus X$ have to both beat each other in head-to-head elections, which cannot happen under strict preferences. $\square$

Theorem 1.2.5 (Gibbard–Satterthwaite).

If $|A| > 2$, then every surjective and strategy-proof social choice function is dictatorial, in that there is some agent i such that

$$f(\succ) = \arg \max_{\succ_i} A$$

for all preference profiles $\succ$.

Variant 4: Overline Bands

A stronger colored rule sits above each header. This is more editorial: the color reads like a section marker rather than a filled note.

Structure retained

Contents

0	Course Overview	3
1	Voting	4
1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

Voting

1

1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

1.1 Introduction

Formally, $\succ_i$ is a *binary relation*; i.e., it is a subset of $A \times A$ with the infix notation of $x \succ_i y$ instead of $(x, y) \in \succ_i$.

Definition 1.1.3 (Social choice function).

A social choice function is a mapping $f : P^N \rightarrow A$.

Informally, a social choice function is a decision rule for each preference profile.

Example 1.1.5.

For instance, if $A = \{w, x, y, z\}$, plurality chooses w , instant runoff chooses x , elimination chooses y , the Borda count chooses x , and the Copeland rule chooses x .

Lemma 1.1.9.

If X and Y are dominating sets, then $X \subseteq Y$ or $Y \subseteq X$.

Proof of Lemma 1.1.9. Suppose not. Then any $x \in X \setminus Y$ and $y \in Y \setminus X$ have to both beat each other in head-to-head elections, which cannot happen under strict preferences. $\square$

Theorem 1.2.5 (Gibbard–Satterthwaite).

If $|A| > 2$, then every surjective and strategy-proof social choice function is dictatorial, in that there is some agent i such that

$$f(\succ) = \arg \max_{\succ_i} A$$

for all preference profiles $\succ$.

Importantly, i does not depend on $\succ$. The dictatorial property says that i 's top choice is chosen for all preference profiles.

Variant 5: Open Full-Width Ribbons

The header is a full-width ribbon, but the body is not framed. This is the most page-efficient banded design while still preserving color-coded environment starts.

Structure retained

Contents

0	Course Overview	3
1	Voting	4
1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

Voting

1

1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

1.1 Introduction

Formally, $\succ_i$ is a *binary relation*; i.e., it is a subset of $A \times A$ with the infix notation of $x \succ_i y$ instead of $(x, y) \in \succ_i$.

Importantly, i does not depend on $\succ$. The dictatorial property says that i 's top choice is chosen for all preference profiles.

Definition 1.1.3 (Social choice function).

A social choice function is a mapping $f : P^N \rightarrow A$.

Informally, a social choice function is a decision rule for each preference profile.

Example 1.1.5.

For instance, if $A = \{w, x, y, z\}$, plurality chooses w , instant runoff chooses x , elimination chooses y , the Borda count chooses x , and the Copeland rule chooses x .

Lemma 1.1.9.

If X and Y are dominating sets, then $X \subseteq Y$ or $Y \subseteq X$.

Proof of Lemma 1.1.9. Suppose not. Then any $x \in X \setminus Y$ and $y \in Y \setminus X$ have to both beat each other in head-to-head elections, which cannot happen under strict preferences. $\square$

Theorem 1.2.5 (Gibbard–Satterthwaite).

If $|A| > 2$, then every surjective and strategy-proof social choice function is dictatorial, in that there is some agent i such that

$$f(\succ) = \arg \max_{\succ_i} A$$

for all preference profiles $\succ$.

Variant 6: Run-In Tags With Side Rules

The label begins the paragraph, so short definitions save an entire title line. The side rule preserves the color code when the text wraps.

Structure retained

Contents

0	Course Overview	3
1	Voting	4
1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

Voting

1

1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

1.1 Introduction

Formally, $\succ_i$ is a *binary relation*; i.e., it is a subset of $A \times A$ with the infix notation of $x \succ_i y$ instead of $(x, y) \in \succ_i$.

Importantly, i does not depend on $\succ$. The dictatorial property says that i 's top choice is chosen for all preference profiles.

Definition 1.1.3 A social choice function is a mapping $f : P^N \rightarrow A$.

Informally, a social choice function is a decision rule for each preference profile.

Example 1.1.5 For instance, if $A = \{w, x, y, z\}$, plurality chooses w , instant runoff chooses x , elimination chooses y , the Borda count chooses x , and the Copeland rule chooses x .

Lemma 1.1.9 If X and Y are dominating sets, then $X \subseteq Y$ or $Y \subseteq X$.

Proof of Lemma 1.1.9. Suppose not. Then any $x \in X \setminus Y$ and $y \in Y \setminus X$ have to both beat each other in head-to-head elections, which cannot happen under strict preferences. $\square$

Theorem 1.2.5 If $|A| > 2$, then every surjective and strategy-proof social choice function is dictatorial, in that there is some agent i such that

$$f(\succ) = \arg \max_{\succ_i} A$$

for all preference profiles $\succ$.

Variant 7: Inline Header Row

The title is attached to the upper text row rather than separated by a title/body boundary. This makes compact environments feel closer to normal paragraphs.

Structure retained

Contents

0	Course Overview	3
1	Voting	4
1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

Voting

1

1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

1.1 Introduction

Formally, $\succ_i$ is a *binary relation*; i.e., it is a subset of $A \times A$ with the infix notation of $x \succ_i y$ instead of $(x, y) \in \succ_i$.

Importantly, i does not depend on $\succ$. The dictatorial property says that i 's top choice is chosen for all preference profiles.

Definition 1.1.3 (Social choice function). A social choice function is a mapping $f : P^N \rightarrow A$.

Informally, a social choice function is a decision rule for each preference profile.

Example 1.1.5. For instance, if $A = \{w, x, y, z\}$, plurality chooses w , instant runoff chooses x , elimination chooses y , the Borda count chooses x , and the Copeland rule chooses x .

Lemma 1.1.9. If X and Y are dominating sets, then $X \subseteq Y$ or $Y \subseteq X$.

Proof of Lemma 1.1.9. Suppose not. Then any $x \in X \setminus Y$ and $y \in Y \setminus X$ have to both beat each other in head-to-head elections, which cannot happen under strict preferences. $\square$

Theorem 1.2.5 (Gibbard–Satterthwaite). If $|A| > 2$, then every surjective and strategy-proof social choice function is dictatorial, in that there is some agent i such that

$$f(\succ) = \arg \max_{\succ_i} A$$

for all preference profiles $\succ$.

Variant 8: Rule-Led Blocks

This is the largest departure: no box fill and no frame, just a title, a color rule, and a lightly indented body. It is compact but still highly scannable.

Structure retained

Contents

0	Course Overview	3
1	Voting	4
1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

Voting

1

1.1	Introduction	4
1.2	Gibbard–Satterthwaite	7

1.1 Introduction

Formally, $\succ_i$ is a *binary relation*; i.e., it is a subset of $A \times A$ with the infix notation of $x \succ_i y$ instead of $(x, y) \in \succ_i$.

Importantly, i does not depend on $\succ$. The dictatorial property says that i 's top choice is chosen for all preference profiles.

Definition 1.1.3 (Social choice function).

A social choice function is a mapping $f : P^N \rightarrow A$.

Informally, a social choice function is a decision rule for each preference profile.

Example 1.1.5.

For instance, if $A = \{w, x, y, z\}$, plurality chooses w , instant runoff chooses x , elimination chooses y , the Borda count chooses x , and the Copeland rule chooses x .

Lemma 1.1.9.

If X and Y are dominating sets, then $X \subseteq Y$ or $Y \subseteq X$.

Proof of Lemma 1.1.9. Suppose not. Then any $x \in X \setminus Y$ and $y \in Y \setminus X$ have to both beat each other in head-to-head elections, which cannot happen under strict preferences. $\square$

Theorem 1.2.5 (Gibbard–Satterthwaite).

If $|A| > 2$, then every surjective and strategy-proof social choice function is dictatorial, in that there is some agent i such that

$$f(\succ) = \arg \max_{\succ_i} A$$

for all preference profiles $\succ$.