


Практическая работа 2




Laptop0



Physical **Config** Desktop Programming Attributes



**GLOBAL**  
 Settings  
 Algorithm Settings  
**INTERFACE**  
 FastEthernet0  
 Bluetooth

FastEthernet0  
 Port Status  
 Bandwidth 100 Mbps 1  
 Duplex Half Duplex Full  
 MAC Address 0060.5C02.94C2  
 IP Configuration  
 DHCP  
☒ Static  
 IPv4 Address 192.168.0.6  
 Subnet Mask 255.255.255.0  
 IPv6 Configuration  
 Automatic  
☒ Static  
 IPv6 Address  
 Link Local Address: FE80::260:5CFF:FE02:94C2



Simulation Panel		
Event List		
Vis.	Time(sec)	Last Device
	0.000	--
	0.001	PC0
	0.002	Hub0
	0.002	Hub0
	0.002	Hub0
	0.002	Hub0
	0.002	Hub0
	0.003	Laptop0
	0.004	Hub0
	0.004	Hub0
	0.004	Hub0
	0.004	Hub0
	0.004	Hub0





```
C:\>ping 192.168.0.3

Pinging 192.168.0.3 with 32 bytes of data:

Reply from 192.168.0.3: bytes=32 time<1ms TTL=128
Reply from 192.168.0.3: bytes=32 time=2ms TTL=128
Reply from 192.168.0.3: bytes=32 time<1ms TTL=128
Reply from 192.168.0.3: bytes=32 time=1ms TTL=128

Ping statistics for 192.168.0.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 2ms, Average = 0ms

C:\>
```