1.Driving licence eligibility

```
import java.util.Scanner;
 public class Licence
{
    public static void main(String[] args)
    {
        Scanner sc=new Scanner(System.in);
int age=sc.nextInt();
        String result=(age>=18)?"Eligible":"Not Eligible";
System.out.println(result);
 sc.close();
   }
}
```

2.Even number and Range checker

```
 public class range
{
    public static void main(String[] args)
{
    int num=14;
if(num%2==0&&num>10)
    System.out.println("The number is even and greater than 10");
}
}
```

3.Student pass checker

```
import java.util.Scanner;
 public class student
{
    public static void main(String[]args)
    {
     Scanner sc=new Scanner(System.in);
int marks=sc.nextInt();
     System.out.println("Enter attendance percentage");
   double attendance=sc.nextDouble();
     String result=(marks>=40&&attendance>=75)?"pass":"fail";
System.out.println(result);
  sc.close();
    }
}
```

4.Shopping discount eligibility

```
import java.util.Scanner; public
class student
{
    public static void main(String[]args)
    {
     Scanner sc=new Scanner(System.in);
int marks=sc.nextInt();
     System.out.println("Enter attendance percentage");
```

```
double attendance=sc.nextDouble();

    String result=(marks>=40&&attendance>=75)?"pass":"fail";
System.out.println(result);
  sc.close();
   }
}
```

5.Password length validator

```
import java.util.Scanner;
public class Main {
   public static void main(String[] args) {
      Scanner sc = new Scanner(System.in);

      System.out.print("Enter password: ");
      String password = sc.nextLine();

      boolean isActive = true;

      boolean valid = password.length() >= 8 && isActive;

      String result = valid
            ? "Valid password"
            : "Invalid password";

      System.out.println(result);

      sc.close();
   }
}
```

6.ATM withdrawal validation

```
import java.util.Scanner;
public class Main {
   public static void main(String[] args) {
      Scanner sc = new Scanner(System.in);

      System.out.print("Enter account balance: ");
      double balance = sc.nextDouble();

      System.out.print("Enter withdrawal amount: ");
      int amount = sc.nextInt();

      if (amount > 0 && amount % 100 == 0 && amount <= balance)
{
         balance = balance - amount;
         System.out.println("Transaction successful!");
         System.out.println("Remaining balance: " + balance);
      } else {
         System.out.println("Transaction rejected!");
      }

      sc.close();
   }
}
```

7.Login attempt controller

```
import java.util.Scanner;
public class Main {
   public static void main(String[] args) {
      Scanner sc = new Scanner(System.in);

      System.out.print("Enter maximum attempts: ");
      int maxAttempts = sc.nextInt();

      System.out.print("Enter current failed attempts: ");
```

```
        int failedAttempts = sc.nextInt();
        if (failedAttempts < maxAttempts) {
            System.out.println("Login attempt allowed.");

            // Simulate a failed login
            failedAttempts++;

            System.out.println("Failed attempts: " + failedAttempts);

            if (failedAttempts < maxAttempts) {
                System.out.println("Next attempt is allowed.");
            } else {
                System.out.println("Account is locked.");
            }
        } else {
            System.out.println("Account is locked.");
        }

        sc.close();
    }
}
```

8.Smart battery charging

```
import java.util.Scanner;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter battery percentage: ");
        int battery = sc.nextInt();
        System.out.print("Enter temperature in Celsius: ");
        int temperature = sc.nextInt();
        boolean allowed = battery < 90 &&
                          temperature >= 10 &&
                          temperature <= 45;
        String status = allowed? "Charging allowed": "Charging not
allowed";
```

```
  System.out.println(status);
if (allowed) {  battery += 5;
if (battery > 100) {
            battery = 100;
          }
 System.out.println("Battery after charging: " + battery + "%");
      }
      sc.close();
   }
}
```

9.Online order free delivery

```
import java.util.Scanner;
public class Main {
   public static void main(String[] args) {
      Scanner sc = new Scanner(System.in);
      System.out.print("Enter order amount: ₹");
      double amount = sc.nextDouble();
      System.out.print("Are you a premium member? (true/false): ");
      boolean premium = sc.nextBoolean();
      if (amount >= 1000 || premium) {
         System.out.println("Free delivery available.");
      } else {
         amount += 50;
         System.out.println("Delivery charge: ₹50");
      }
      System.out.println("Final amount: ₹" + amount);
      sc.close();
   }
}
```

10.Inventory reorder checker

```
import java.util.Scanner;
public class Main {
   public static void main(String[] args) {
```

```
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter current stock: ");
        int stock = sc.nextInt();
        System.out.print("Enter minimum stock level: ");
        int minimum = sc.nextInt();
        System.out.print("Enter incoming stock: ");
        int incoming = sc.nextInt();
        stock += incoming;
        String status = (stock < minimum)
                ? "Reorder Required"
                : "Stock Sufficient";
        System.out.println("Updated stock: " + stock);
        System.out.println(status);
        sc.close();
    }
}
```

11.Scholarship eligibility

```
import java.util.Scanner;
public class Main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter student marks: ");
        int marks = sc.nextInt();
        System.out.print("Enter family income: ₹");
        double income = sc.nextDouble();
        System.out.print("Enter extracurricular points: ");
        int points = sc.nextInt();
        int scholarship = (marks >= 95 && income < 200000) ? 100
                : (marks >= 85 && income < 400000)
                || (marks >= 90 && points >= 8) ? 50
                : (marks >= 75) ? 10 : 0;
        System.out.println("Scholarship awarded: " + scholarship +
"%");
        sc.close();
    }}
```

12.Ride fare calculator

```
import java.util.Scanner;
public class Main {
   public static void main(String[] args) {
      Scanner sc = new Scanner(System.in);
      System.out.print("Enter distance in kilometres: ");
      double distance = sc.nextDouble();
      System.out.print("Enter waiting time in minutes: ");
      int waiting = sc.nextInt();
      System.out.print("Are you a premium member? (true/false): ");
      boolean premium = sc.nextBoolean();
      if (distance <= 0 || waiting < 0) {
         System.out.println("Invalid input!");
      } else {
         double fare = 50 + (distance * 12);
         if (waiting > 5) {
            fare += (waiting - 5) * 2;
         }
         boolean discount = premium && fare > 300;
         fare = discount ? fare * 0.90 : fare;
         System.out.printf("Final ride fare: ₹%.2f%n", fare);
      }
      sc.close();
   }}
```

13.Employee bonus calculator

```
import java.util.Scanner;
public class Main {
   public static void main(String[] args) {
      Scanner sc = new Scanner(System.in);
      System.out.print("Enter salary: ₹");
      double salary = sc.nextDouble();
      System.out.print("Enter performance score: ");
      int score = sc.nextInt();
```

```
        System.out.print("Enter completed projects: ");
        int projects = sc.nextInt();
        int bonusPercent = (score >= 90 && projects >= 3) ? 15
                : (score >= 75 || projects >= 5) ? 10
                : (score >= 60) ? 3 : 0;
        double bonus = salary * bonusPercent / 100;
        double finalSalary = salary + bonus;
        System.out.println("Bonus percentage: " + bonusPercent +
"%");
        System.out.printf("Bonus amount: ₹%.2f%n", bonus);
        System.out.printf("Final salary: ₹%.2f%n", finalSalary);
        sc.close();
    }
}
```

14.Secure transaction validator

```
import java.util.Scanner;
public class main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter account balance: ₹");
        double balance = sc.nextDouble();
        System.out.print("Enter transfer amount: ₹");
        double amount = sc.nextDouble();
        System.out.print("Enter daily transfer limit: ₹");
        double limit = sc.nextDouble();
        System.out.print("Is the account active? (true/false): ");
        boolean active = sc.nextBoolean();
        if (amount > 0 && amount <= balance
                && amount <= limit && active) {
            balance -= amount;
            System.out.println("Transaction successful!");
        } else {
            System.out.println("Transaction rejected!");
        }
```

```
        System.out.printf("Remaining balance: ₹%.2f%n", balance);
        sc.close();
    }
}
```

15.Smart exam registration system

```
import java.util.Scanner;
public class main {
    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);
        System.out.print("Enter attendance percentage: ");
        double attendance = sc.nextDouble();
        System.out.print("Is medical certificate approved? (true/false):
");
        boolean medical = sc.nextBoolean();
        System.out.print("Is examination fee paid? (true/false): ");
        boolean feePaid = sc.nextBoolean();
         System.out.print("Are all assignments submitted? (true/false):
");
        boolean assignments = sc.nextBoolean();
        boolean eligible = (attendance >= 75 ||
                        (attendance >= 65 && medical))
                        && feePaid && assignments;
        String result = eligible
              ? "Registration Successful"
              : "Registration Rejected";
        System.out.println(result);
        sc.close();
    }
}
```