

```

import com.sun.net.httpserver.HttpServer;
import com.sun.net.httpserver.HttpExchange;
import java.io.*;
import java.net.InetSocketAddress;

public class SentimentAPI {

    public static void main(String[] args) throws
    Exception {

        HttpServer server =
        HttpServer.create(new
        InetSocketAddress(8080), 0);

        server.createContext("/predict",
        (HttpExchange exchange) -> {

            if
            ("POST".equals(exchange.getRequestMethod()))
            {

                BufferedReader br = new
                BufferedReader(
                    new
                    InputStreamReader(exchange.getRequestBody())
                );

                String text =
                br.readLine().toLowerCase();

                String sentiment;
            }
        }
    }
}

```

```

        if (text.contains("good") ||
text.contains("happy") ||
        text.contains("excellent") ||
text.contains("great")) {
            sentiment = "Positive";
        }
        else if (text.contains("bad") ||
text.contains("sad") ||
        text.contains("worst") ||
text.contains("poor")) {
            sentiment = "Negative";
        }
        else {
            sentiment = "Neutral";
        }

String response =
        "{ \"Input\": \"" +
text + "\", \"Sentiment\": \"" + sentiment +
        "\" }";

exchange.sendResponseHeaders(200,
response.length());

OutputStream os =
exchange.getResponseBody();
os.write(response.getBytes());
os.close();

    } else {

exchange.sendResponseHeaders(405, -1);
    }
});

```

```
server.setExecutor(null);  
server.start();  
  
System.out.println("Server Started!");  
System.out.println("API URL:  
http://localhost:8080/predict");  
}  
}
```