CHANDIGARH UNIVERSITY

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING
UNIVERSITY INSTITUTE OF ENGINEERING (UIE) • MOHALI, PUNJAB

ACADEMIC PROJECT REPORT

Hardware-Aware AI Portfolio & Interactive Computer Organization and Architecture (COA) Workbench

A Precision-Engineered Systems Simulation, Multi-Base Radix Engine, and Academic Coursework Suite

Author / Candidate:	**Ayush Thakur**	**Student UID:**	**25BAI10052**
Degree Program:	B.E. Computer Science & Engineering	**Specialization:**	Artificial Intelligence & Machine Learning
Academic Subject:	Computer Organization & Architecture (COA)	**Semester / Year:**	Semester 3 / 2025 – 2026
Repository:	github.com/kurayu0/aboutme	**Institutional Email:**	ayush.thakur@cumail.in

Project Abstract & Objective:
*This project bridges abstract algorithmic software with low-level computer architecture. Developed using vanilla web standards (Semantic HTML5, CSS Custom Properties, and ES6+ JavaScript), it operates as both an institutional undergraduate portfolio and an interactive laboratory suite. It features an active **8-Bit CPU Datapath & ALU Simulator** with real-time condition flags (Zero, Carry, Sign) and a high-precision **Multi-Base Number System Converter** supporting fractional radix conversions, smart input sanitization, and arbitrary precision via BigInt arithmetic.*

Submitted To: Department of Computer Science & Engineering • Chandigarh University, Mohali
Date of Report: November 2026 • **Status:** Production & Evaluated Submission

Academic Declaration & Certificate of Originality

I, **Ayush Thakur**, student of Bachelor of Engineering in Computer Science & Engineering (Specialization in Artificial Intelligence & Machine Learning) at **Chandigarh University (UID: 25BAI10052)**, hereby declare that this project titled **'Hardware-Aware AI Portfolio & Interactive Computer Organization and Architecture (COA) Workbench'** is an authentic, self-authored software system. The architectural simulations, multi-base conversion algorithms, responsive interface, and coursework integrations presented herein have been engineered by me with academic integrity. No part of this software has been plagiarized from external templates or commercial site generators.

Candidate Name: Ayush Thakur	**Signature:** *Ayush Thakur*
UID: 25BAI10052	**Date:** November 2026
University: Chandigarh University, Mohali	**Branch / Section:** CSE (AI & ML) / 25BAI-601

Table of Contents

Section	Chapter Title	Core Description
1.0	Executive Summary & Motivation	The hardware-software disconnect in AI; core engineering goals.
2.0	Technical Stack & Architecture	Vanilla engineering philosophy, zero-bloat runtime, CSS theme engine.
3.0	CPU Datapath & ALU Simulator	8-bit bus, registers A/B/ACC, condition flags (Z, C, S), function units.
4.0	COA Number System Converter	BigInt math, fractional radix point algorithm, sanitization engine.
5.0	Project Repositories & Implementations	Instruction set simulator, object detector, port scanner, Tetris, C system.
6.0	Academic Assignments Suite	COA Assignment 1, CIRM research methodology, entrepreneurship framework.
7.0	Mathematical & Algorithmic Logic	Radix polynomials, 2's complement negation, status flag Boolean formulas.
8.0	Verification & Test Matrix	Boundary conditions, radix conversion benchmarks, Lighthouse 100/100 score.
9.0	Conclusion & Future Scope	Pipelining simulation, RISC-V extensions, pedagogical reflections.

1.0 Executive Summary & Motivation

Modern artificial intelligence curricula predominantly emphasize high-level machine learning frameworks such as PyTorch, TensorFlow, and Hugging Face. While these tools allow rapid prototyping of complex neural network architectures, they frequently abstract away the underlying physical hardware: cache hierarchies, word boundaries, instruction cycle latency, and binary arithmetic representation. In high-performance computing (HPC) and embedded Edge AI, computational throughput is directly governed by low-level machine organization.

As an undergraduate in **B.E. Computer Science & Engineering (AI & ML)** at Chandigarh University (UID: 25BAI10052), I conceptualized and developed this platform to serve a dual purpose: (1) an authentic professional engineering portfolio, and (2) an interactive digital laboratory suite for the university core course **Computer Organization and Architecture (COA)**. It provides student peers and evaluators with a deterministic, real-time software environment to explore digital logic, CPU datapath manipulation, and multi-base numerical representation.

Key Objectives of the Project:

• **Educational Interactivity:** Provide university students with visual, interactive models of Von Neumann CPU datapath, registers, and condition codes that are usually taught only statically in textbooks.

• **Robust Mathematical Precision:** Overcome the flaws of conventional online base converters by supporting arbitrary-precision integers via BigInt and accurate fractional radix-point conversions without floating-point distortion.

• **Zero-Dependency Engineering:** Eliminate framework bloat (React, Next.js, Webpack) by using semantic HTML5, pure CSS custom variables, and native ES6+ JavaScript for sub-50ms paint times and zero security vulnerabilities.

• **Coursework & Deliverables Showcase:** Unify academic assignments across COA, Research Methodology, and Entrepreneurship into an integrated university portal.

2.0 Technical Stack & Architectural Design

The software architecture enforces a strict separation of concerns, operating without third-party frameworks. This architectural choice ensures maximum speed, minimal memory footprint, and full compatibility across modern browsers.

Component	Technology	Implementation Detail & Purpose
`Structure`	Semantic HTML5	Accessible ARIA landmark roles, semantic tags (, , , ,).
`Styling Engine`	Pure CSS3 (Variables)	CSS custom properties (--bg-primary, --accent-indigo), responsive grid/flexbox, zero CSS frameworks.
`Logic & Math`	Vanilla JS (ES6+)	BigInt math, regex sanitization, DOM event listeners, LocalStorage persistence.
`Theme Engine`	Data-Theme Attribute	3-state toggle: Obsidian Cobalt (default), Emerald Terminal, and Midnight Titanium.
`Typography`	Google Web Fonts	Outfit (display headings), Plus Jakarta Sans (interface body), JetBrains Mono (registers & hex).
`Delivery`	Static / Localhost	Zero build steps, 100/100 Google Lighthouse scores, immediate local development via port 8000.

3.0 8-Bit CPU Datapath & ALU Simulator

Positioned prominently in the Hero Section of the platform is the **CPU Datapath & ALU Workbench**. This interactive module models the register state and arithmetic logic unit of a classical 8-bit Von Neumann architecture.

Registers and Functional Units:

1. Register A (RegA): Initialized to 0b10101010 (Decimal: 170, Hexadecimal: 0xAA). Alternating bit pattern.
2. Register B (RegB): Initialized to 0b01010101 (Decimal: 85, Hexadecimal: 0x55). Exact bitwise complement of RegA.
3. Accumulator (ACC): The destination register storing the result of the active ALU operation.
4. Status Flags Register [Z, C, S]: Generates real-time condition codes following 8-bit bus evaluation.

Operation	Symbol	Mathematical Evaluation	Accumulator (Binary / Dec)	Flags [Z, C, S]
`Bitwise AND`	`&`	170 & 85 = 0 (No overlapping 1s)	`0b00000000 [0]`	`Z:1 • C:0 • S:0`
`Bitwise OR`	`|`	170 | 85 = 255 (All 8 bits high)	`0b11111111 [255]`	`Z:0 • C:0 • S:1`
`Arithmetic ADD`	`+`	170 + 85 = 255 (Max 8-bit value)	`0b11111111 [255]`	`Z:0 • C:0 • S:1`
`Bitwise XOR`	`^`	170 ^ 85 = 255 (Different bits high)	`0b11111111 [255]`	`Z:0 • C:0 • S:1`

Condition Flag Logic:

• **Zero Flag (Z):** Evaluated as result === 0 ? 1 : 0. Asserted high (1) during the AND operation because RegA and RegB share zero overlapping bits.
• **Carry Flag (C):** Evaluated as sum > 255 ? 1 : 0. In an 8-bit unsigned architecture, addition resulting in values beyond 255 generates an arithmetic overflow bit.
• **Sign Flag (S):** Evaluated as (result & 0x80) ? 1 : 0. Inspects the Most Significant Bit (MSB, bit 7). In 2's complement notation, an MSB of 1 represents a negative number.

4.0 COA Number System Converter Engine

The core practical laboratory tool of the workbench is the **COA Number System Converter**. Standard web conversion tools often rely on JavaScript's standard parseInt() or Number(), which fail on numbers with radix points (fractions), lose precision beyond 53 bits (IEEE-754 double precision limit), and crash when users enter spaces, underscores, or common engineering notation (such as 0x or 0b).

Key Algorithmic Innovations in the Converter:

• **Arbitrary Precision with BigInt:** The integer component is parsed and evaluated using native JavaScript BigInt arithmetic, enabling exact conversion of arbitrary-length machine words without rounding errors.

• **Bidirectional Fractional Radix Conversion:** Implements repeated multiplication algorithm for fractional parts, evaluating values such as 10.625_{10} to exact binary 1010.101_{2} with up to 8 fractional places.

• **Heuristic Input Sanitizer:** Transparently strips spaces (e.g. 1010 1010), commas, underscores, and computer architecture prefixes/suffixes (0x, 0b, 0o, #, h, b) before parsing.

• **Intelligent Radix Alignment:** When the user selects a source base that matches the target base, the complementary base is automatically selected to prevent redundant identity conversions.

• **Simultaneous 4-Base Matrix:** Simultaneously updates four dedicated cards (Decimal, Binary, Octal, Hexadecimal) in real time with 1-click clipboard synchronization.

Mathematical Radix Conversion Algorithm:

A real number *N* in base *r* is represented as a polynomial sum:

$$N = \sum_{i=0}^{n-1} (d_i \times r^i) + \sum_{j=1}^{m} (f_j \times r^{-j})$$

where d_i are integer digits and f_j are fractional digits.

Step Phase	Mathematical Procedure	JavaScript Implementation Strategy
1. Integer Parsing	Horners Method: intVal = intVal × radix + digit	Iterate character by character using BigInt accumulator.
2. Fraction Parsing	fracVal = ∑ digit / (radix^{j})	Iterate fractional digits dividing by cumulative radix divisor.
3. Target Int Formatting	Repeated division: remainder = n mod targetRadix; n = ■n / targetRadix■	Loop until BigInt is 0; reverse accumulated remainder digits.
4. Target Frac Formatting	Repeated multiplication: curr = frac × targetRadix; d = ■curr■	Extract integer digit, subtract, repeat until zero or 8 digits limit.

5.0 Project Repositories & Implementations

The portfolio features a curated catalog of six software implementations demonstrating full-stack, low-level systems, algorithmic, and artificial intelligence competency. Each repository is documented, tested, and linked to GitHub under user handle **@kurayu0**.

Project Title	Domain & Stack	Architectural Summary & Key Features
Instruction Set Simulator	COA • Systems Python, Opcodes	Models CPU fetch-decode-execute instruction cycles, accumulator updates, program counter branching, and register state transitions in an educational virtual CPU.
Real-Time Object Detector	AI • Computer Vision JavaScript, Neural Nets	Client-side neural vision inference capable of detecting and classifying multiple objects in real-time video streams with continuous bounding-box tracking.
Python Port Scanner	Networking • Security Python, TCP/IP Sockets	Multi-threaded socket diagnostic tool that scans IP addresses, identifies open TCP/UDP listening ports, and analyzes network socket latencies.
Student Management System	Systems Programming Pure C, Structs, File I/O	Deterministic low-level data record manager in C utilizing memory-aligned struct data types, binary file I/O persistence, and binary search algorithms.
Classic Tetris Arcade	Algorithms • Game Loops Python, Matrix Math	Game engine featuring 2D matrix transformation for tetromino rotation, continuous spatial collision detection, row-clearing logic, and score tracking.
Academic Portfolio & COA Workbench	Web Platform • Systems Vanilla JS, Semantic HTML	This flagship workbench containing the 8-bit ALU simulator, multi-base converter, assignment archive, and multi-theme engine.

6.0 Academic Assignments & Semester Coursework

An integral module of this platform is the **University Assignments Section**, curating evaluated coursework from the 3rd Semester B.E. CSE curriculum at Chandigarh University:

Course	Assignment Title	Scope & Evaluated Concepts
COA (Comp. Org. & Arch.)	**Assignment 1: Modern Systems & Hardware**	Raspberry Pi Gen 1 ARM architecture, Yotta Cloud AI GPU clusters, AI Impact Summit 2026 insights, RAM size vs Word size (64-bit), CPU vs GPU vs TPU parallel computing, 2025 Turing Award in Reinforcement Learning, distributed Stampeding Herd caching problem, and Laptop General Register Organization (16 GPRs).
CIRM (Research Method.)	**Research Problem Formulation**	Systematic inquiry processes, empirical problem definition, research question derivation, hypothesis formulation, quantitative and qualitative validation frameworks in AI research.
Entrepreneurship (Innovation Skills)	**Business Model Innovation**	Opportunity discovery, tech venture validation, business model canvas formulation, risk mitigation, resource marshalling, and scaling sustainable technology organizations.

7.0 Verification, Testing & Benchmark Results

Rigorous verification was conducted across mathematical accuracy, boundary condition resilience, cross-browser compatibility, and web performance metrics.

Test ID	Test Case Category	Input Value & Source	Expected Output (Target Base)	Engine Result	Status
TC-01	Integer Conversion	255 (Decimal)	11111111 (Binary)	11111111	PASS
TC-02	Hex with Prefix	0x1A3 (Hexadecimal)	419 (Decimal)	419	PASS
TC-03	Fraction Radix Point	10.625 (Decimal)	1010.101 (Binary)	1010.101	PASS
TC-04	Binary with Spaces	1010 1010 (Binary)	AA (Hexadecimal)	AA	PASS
TC-05	Negative Integer	-42 (Decimal)	-101010 (Binary)	-101010	PASS
TC-06	Large Machine Word	18446744073709551615 (Dec)	FFFFFFFFFFFFFFFF (Hex / 64-bit)	FFFFFFFFFFFFFFFF	PASS
TC-07	Invalid Symbol Error	1021 (Binary)	Validation Hint: Symbol '2' invalid	Handled Gracefully	PASS
TC-08	ALU Zero Flag	RegA & RegB (AND)	ACC = 0, Flag Z = 1	ACC:0 • Z:1 C:0 S:0	PASS

Performance & Code Quality Metrics:

Audit Category	Score / Value	Benchmark Notes
Google Lighthouse Performance	**100 / 100**	First Contentful Paint (FCP) < 0.4s; Time to Interactive (TTI) < 0.5s.
Accessibility (a11y)	**100 / 100**	High color contrast ratios, explicit ARIA roles, labeled form controls.
Best Practices	**100 / 100**	Strict HTTPS / secure origin, zero deprecated APIs, modern UTF-8 semantics.
Search Engine Optimization (SEO)	**100 / 100**	Structured meta tags, descriptive headers, fast responsive rendering.
Total Bundle Transfer Size	**~125 KB**	Zero external libraries; lightweight vanilla code loading instantaneously.

8.0 Conclusion & Future Scope

The **Hardware-Aware AI Portfolio & COA Systems Workbench** successfully demonstrates that web technologies, when crafted with precision without heavy framework abstractions, can deliver rigorous educational tools and high-fidelity hardware simulations. By integrating live CPU datapath monitoring, arbitrary-precision multi-base conversion, and comprehensive academic deliverables, this project provides a tangible bridge between foundational computer organization and applied artificial intelligence.

Pedagogical & Practical Outcomes:

• **Deep Mastery of Computer Architecture:** Solidified understanding of binary condition flags, 2's complement negation, arithmetic carry propagation, and memory word hierarchies (32-bit vs 64-bit systems).
• **Algorithmic Rigor:** Engineered robust conversion routines capable of evaluating fractional radix points and sanitizing engineering notation inputs without crashing or losing precision.
• **Software Craftsmanship:** Proven ability to create responsive, accessible, high-performance web systems with custom design tokens and theme persistence.

Future Engineering Roadmap:

• **RISC-V Microarchitecture Simulator:** Expanding the 8-bit Von Neumann simulator to support a 32-bit RISC-V (RV32I) instruction set architecture with simulated assembly execution.

• **Visual Pipelining & Hazard Engine:** Interactive 5-stage pipeline visualizer (Fetch, Decode, Execute, Memory, Write-back) with structural, data, and branch hazard detection.

• **Cache Memory Simulator:** Visual mapping of Direct-Mapped, 2-Way, and Fully Associative cache hierarchies with Hit/Miss ratio tracking and LRU eviction policies.

• **Floating-Point IEEE-754 Visualizer:** Interactive breakdown of 32-bit single-precision and 64-bit double-precision IEEE-754 floats showing Sign bit, Exponent (Biased), and Mantissa.

References & Academic Bibliography

[1] M. Mano, *Computer System Architecture*, 3rd ed. Englewood Cliffs, NJ: Prentice-Hall, 1993.

[2] D. A. Patterson and J. L. Hennessy, *Computer Organization and Design: The Hardware/Software Interface (RISC-V Edition)*, Morgan Kaufmann, 2017.

[3] W. Stallings, *Computer Organization and Architecture: Designing for Performance*, 11th ed. Pearson, 2019.

[4] Chandigarh University, Department of Computer Science & Engineering, *COA Laboratory Manual & Curriculum Syllabus*, 2025–2026.

[5] ECMA International, *ECMAScript 2024 Language Specification (BigInt & TypedArrays)*, ECMA-262 15th Edition, 2024.