



Github repo url

my github repo

w08-P1: navbar with card1 and card2





Browser tabs: kurch1117/sweb, 淡江大學身分別, iClass, Quiz 1 Navbar ar

Address bar: 127.0.0.1:5501/demo/W08_69/quiz1_69.html#

Page header: Quiz1 -- 209418069 cards 1 **cards 2**

First Card 2

Second Card

DevTools is now available in Chinese!

Always match Chrome's language Switch DevTools to Chinese Don't show again

Elements

```
<!DOCTYPE html>
<html lang="en">
<head>...</head>
<body>
  <!-- navbar -->
  <nav class="nav" id="nav">...</nav>
  <section class="show-quiz1-answer">...</section>
  <!-- Code injected by live-server -->
  <script>...</script>
</body>
</html>
```

Styles

```
element.style {
}



.show-quiz1-answer {
  width: 100vw;
  height: calc(100vh - 5rem);
}


*, ::after, ::before {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

section {
  display: block;
}
```


2022-10-27 下午


w08-P2: fixed navbar setup and two sections with two links





w08-P3: define css variables for .btn-1, .btn-2, .btn3





W06-logs: W4 all logs

```

$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2022-10-26"
c33f5ae kurch1117 Thu Oct 27 21:47:56 2022 +0800 w08-P3: define css variables for .btn-1, .btn-2, .btn3
253a918 kurch1117 Thu Oct 27 20:54:40 2022 +0800 w08-P2: fixed navbar setup and two sections with two links
d97782b kurch1117 Thu Oct 27 19:01:28 2022 +0800 w08-P1: navbar with card 1 and card2

```

```

$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2022-10-26"
c33f5ae kurch1117 Thu Oct 27 21:47:56 2022 +0800 w08-P3: define css variables for .btn-1, .btn-2, .btn3
253a918 kurch1117 Thu Oct 27 20:54:40 2022 +0800 w08-P2: fixed navbar setup and two sections with two links
d97782b kurch1117 Thu Oct 27 19:01:28 2022 +0800 w08-P1: navbar with card 1 and card2

```