P(refuse) after resampling from chunk
counterfactual effect ΔP(refuse) of chunk
1.0
0.8
0.6
0.4
0.2
0.0
0.5
0.0
-0.5
-1.0
prompt 174, CoT 0 (complying)
prompt 174, CoT 3 (refusing)
prompt 292, CoT 2 (complying)
prompt 292, CoT 4 (refusing)
prompt 349, CoT 0 (complying)
prompt 349, CoT 4 (refusing)
prompt 420, CoT 1 (complying)
prompt 420, CoT 4 (refusing)
prompt 501, CoT 1 (refusing)
prompt 501, CoT 3 (complying)
prompt 538, CoT 1 (refusing)
prompt 538, CoT 3 (complying)
prompt 593, CoT 2 (refusing)
prompt 593, CoT 3 (complying)
prompt 621, CoT 2 (refusing)
prompt 621, CoT 4 (complying)
prompt 646, CoT 0 (complying)
prompt 646, CoT 1 (refusing)
prompt 732, CoT 2 (complying)
prompt 732, CoT 3 (refusing)
prompt 1301, CoT 0 (complying)
prompt 1301, CoT 3 (refusing)
prompt 1359, CoT 2 (refusing)
prompt 1359, CoT 4 (complying)
prompt 1390, CoT 0 (complying)
prompt 1390, CoT 3 (refusing)
prompt 2325, CoT 2 (complying)
prompt 2325, CoT 4 (refusing)
prompt 2340, CoT 1 (complying)
prompt 2340, CoT 4 (refusing)
chunk index
chunk pushes towards refusal
chunk pushes towards compliance