P(refuse) after resampling from chunk
counterfactual effect ΔP(refuse) of chunk
prompt 80, CoT 1 (refusing)
prompt 80, CoT 2 (complying)
prompt 431, CoT 1 (refusing)
prompt 431, CoT 4 (complying)
prompt 501, CoT 0 (complying)
prompt 501, CoT 4 (refusing)
prompt 531, CoT 1 (complying)
prompt 531, CoT 4 (refusing)
prompt 789, CoT 0 (complying)
prompt 789, CoT 2 (refusing)
prompt 854, CoT 1 (complying)
prompt 854, CoT 4 (refusing)
prompt 912, CoT 1 (refusing)
prompt 912, CoT 3 (complying)
prompt 963, CoT 0 (complying)
prompt 963, CoT 3 (refusing)
prompt 988, CoT 0 (complying)
prompt 988, CoT 1 (refusing)
prompt 1200, CoT 3 (complying)
prompt 1200, CoT 4 (refusing)
prompt 2003, CoT 0 (refusing)
prompt 2003, CoT 1 (complying)
prompt 2049, CoT 0 (refusing)
prompt 2049, CoT 1 (complying)
prompt 2142, CoT 3 (refusing)
prompt 2142, CoT 4 (complying)
prompt 2213, CoT 2 (complying)
prompt 2213, CoT 4 (refusing)
prompt 2299, CoT 2 (complying)
prompt 2299, CoT 3 (refusing)
1.0
0.8
0.6
0.4
0.2
0.0
0.5
−0.5
−1.0
chunk index
chunk pushes towards refusal
chunk pushes towards compliance