

# OpenAPI definition

## Overview

## Paths

### **GET** /api/item-detail/{itemId}

#### Parameters

Type	Name	Description	Schema
path	arg0 <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

### **PUT** /api/item-detail/{itemId}

#### Parameters

Type	Name	Description	Schema
path	arg0 <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

### **POST** /api/item-detail/{itemId}

#### Parameters

Type	Name	Description	Schema
path	arg0 <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **DELETE** /api/item-detail/{itemId}

#### Parameters

Type	Name	Description	Schema
path	arg0 <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/reviews/{itemId}

#### Parameters

Type	Name	Description	Schema
path	arg0 <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **POST** /api/reviews/{itemId}

#### Parameters

Type	Name	Description	Schema
path	arg0 <i>required</i>		integer (int64)

Type	Name	Description	Schema
path	arg0 <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK	No Links

## POST /api/cart/{memberId}/add

#### Parameters

Type	Name	Description	Schema
query	arg2 <i>required</i>		integer (int32)
query	arg1 <i>required</i>		integer (int64)
path	arg0 <i>required</i>		integer (int64)

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /hello

#### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## GET /api/orders/{memberId}

#### Parameters

Type	Name	Description	Schema
path	arg0 <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

## **GET** /api/orders/{memberId}/{orderId}

### Parameters

Type	Name	Description	Schema
path	arg1 <i>required</i>		integer (int64)
path	arg0 <i>required</i>		integer (int64)

### Responses

Code	Description	Links
200	OK  <i>Content</i> /	No Links

# Components

## Schemas

### CreateReviewRequest

#### Properties

Name	Description	Schema
rating <i>optional</i>		integer (int32)
comment <i>optional</i>		string

### Address

#### Properties

Name	Description	Schema
city <i>optional</i>		string

Name	Description	Schema
street <i>optional</i>		string
zipcode <i>optional</i>		string

## Cart

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
member <i>optional</i>		<a href="#">Member</a>
items <i>optional</i>		< <a href="#">CartItem</a> > array

## CartItem

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
quantity <i>optional</i>		integer (int32)
totalPrice <i>optional</i>		integer (int64)
cart <i>optional</i>		<a href="#">Cart</a>
item <i>optional</i>		<a href="#">Item</a>

## Category

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
name <i>optional</i>		string
items <i>optional</i>		< <a href="#">Item</a> > array
parent <i>optional</i>		<a href="#">Category</a>
child <i>optional</i>		< <a href="#">Category</a> > array

## Delivery

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
order <i>optional</i>		<a href="#">Order</a>
address <i>optional</i>		<a href="#">Address</a>
status <i>optional</i>		enum (READY,COMP)

## Item

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
name <i>optional</i>		string
price <i>optional</i>		integer (int32)
stockQuantity <i>optional</i>		integer (int32)
itemDetail <i>optional</i>		string
reviews <i>optional</i>		< <a href="#">Review</a> > array
categories <i>optional</i>		< <a href="#">Category</a> > array
dtype <i>optional</i>		string

## Member

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
name <i>optional</i>		string
address <i>optional</i>		<a href="#">Address</a>
cart <i>optional</i>		<a href="#">Cart</a>
orders <i>optional</i>		< <a href="#">Order</a> > array

## Order

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
member <i>optional</i>		<a href="#">Member</a>
orderItems <i>optional</i>		< <a href="#">OrderItem</a> > array
delivery <i>optional</i>		<a href="#">Delivery</a>
orderDate <i>optional</i>		string (date-time)
status <i>optional</i>		enum (ORDER,CANCEL)
count <i>optional</i>		integer (int32)
totalPrice <i>optional</i>		integer (int32)
memberId <i>optional</i>		integer (int64)
itemId <i>optional</i>		integer (int64)

## OrderItem

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
item <i>optional</i>		<a href="#">Item</a>
order <i>optional</i>		<a href="#">Order</a>
review <i>optional</i>		<a href="#">Review</a>
orderPrice <i>optional</i>		integer (int32)
count <i>optional</i>		integer (int32)
totalPrice <i>optional</i>		integer (int32)
itemId <i>optional</i>		integer (int64)

## Review

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
item <i>optional</i>		<a href="#">Item</a>
rating <i>optional</i>		integer (int32)
comment <i>optional</i>		string

## ItemReviewsDTO

### Properties

Name	Description	Schema
itemId <i>optional</i>		integer (int64)
reviews <i>optional</i>		< <a href="#">ReviewDTO</a> > array

## ReviewDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
rating <i>optional</i>		integer (int32)
comment <i>optional</i>		string

## OrderDTO

### Properties

Name	Description	Schema
id <i>optional</i>		integer (int64)
memberName <i>optional</i>		string
orderDate <i>optional</i>		string (date-time)
status <i>optional</i>		string
orderItems <i>optional</i>		< <a href="#">OrderItemDTO</a> > array



# OrderItemDTO

Properties

Name	Description	Schema
itemId <i>optional</i>		integer (int64)
count <i>optional</i>		integer (int32)
totalPrice <i>optional</i>		integer (int32)