


1.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
(502, 102, 'Education Loan', 1000000, 6.5),
(503, 103, 'Car Loan', 800000, 8.2),
(504, 104, 'Personal Loan', 500000, 10.5),
(505, 105, 'Home Loan', 4000000, 7.2),
(506, 106, 'Car Loan', 900000, 8.5),
(507, 107, 'Business Loan', 3000000, 9.0),
(508, 109, 'Personal Loan', 600000, 10.0);
SELECT * FROM Customer;
SELECT * FROM Account;
SELECT * FROM Bank_Transaction;
SELECT * FROM Loan;
Result Grid
Loan_ID Customer_ID Loan_Type Loan_Amount Interest_Rate
501 101 Home Loan 5000000.00 7.50
502 102 Education Loan 1000000.00 6.50
503 103 Car Loan 800000.00 8.20
504 104 Personal Loan 500000.00 10.50
Output
Action Output
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec
47 11:51:07 CREATE TABLE Loan (Loan_ID INT PRIMARY KEY, Customer_ID INT, Loan_Type VARCHAR(30), Loan_Amount DECI... Error Code: 1050. Table 'loan' already exists 0.000 sec
48 11:51:15 SELECT * FROM Loan LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec


2.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
(10001, 'WITHDRAW', 5000),
(10002, 'DEPOSIT', 15000),
(10003, 'WITHDRAW', 20000),
(10004, 'DEPOSIT', 5000),
(10005, 'WITHDRAW', 10000),
(10006, 'DEPOSIT', 12000),
(10007, 'DEPOSIT', 25000),
(10008, 'WITHDRAW', 5000),
(10009, 'DEPOSIT', 20000),
(10010, 'WITHDRAW', 15000);
INSERT INTO Loan
(Loan ID, Customer ID, Loan Type, Loan Amount, Interest Rate)
Result Grid
Customer_ID Customer_Name Phone Email City
101 Vishnu 9876543210 ravi@gmail.com Hyderabad
102 Priya Sharma 9876543211 priya@gmail.com Vijayawada
103 Arjun Reddy 9876543212 arjun@gmail.com Bangalore
104 Sneha Rao 9876543213 sneha@gmail.com Chennai
105 Kiran Kumar 9876543214 kiran@gmail.com Hyderabad
106 Anil Kumar 9876543215 anil@gmail.com Delhi
107 Meena Reddy 9876543216 meena@gmail.com Mumbai
108 Rahul Sharma 9876543217 rahul@gmail.com Pune
109 Lakshmi Devi 9876543218 lakshmi@gmail.com Hyderabad
110 Suresh Babu 9876543219 suresh@gmail.com Vijayawada
Output
Action Output
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


3.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
72 (10001, 'WITHDRAW', 5000),
73 (10002, 'DEPOSIT', 15000),
74 (10003, 'WITHDRAW', 20000),
75 (10004, 'DEPOSIT', 5000),
76 (10005, 'WITHDRAW', 10000),
77 (10006, 'DEPOSIT', 12000),
78 (10007, 'DEPOSIT', 25000),
79 (10008, 'WITHDRAW', 5000),
80 (10009, 'DEPOSIT', 20000),
81 (10010, 'WITHDRAW', 15000);
82
83 • INSERT INTO Loan
84 (Loan ID, Customer ID, Loan Type, Loan Amount, Interest Rate)
Result Grid
Account_No Customer_ID Account_Type Balance Branch
10001 101 Savings 50000.00 Hyderabad
10002 102 Savings 75000.00 Vijayawada
10003 103 Current 120000.00 Bangalore
10004 104 Savings 45000.00 Chennai
10005 105 Current 90000.00 Hyderabad
10006 106 Savings 65000.00 Delhi
10007 107 Current 150000.00 Mumbai
10008 108 Savings 35000.00 Pune
10009 109 Savings 85000.00 Hyderabad
10010 110 Current 110000.00 Vijayawada
Customer 49
Account 50
Bank_Transaction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
High_Balance_View 58
Hyderabad_Account_View
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


4.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
93 (508, 109, 'Personal Loan', 600000, 10.0);
94
95 • SELECT * FROM Customer;
96 • SELECT * FROM Account;
97 • SELECT * FROM Bank_Transaction;
98 • SELECT * FROM Loan;
99
100 • CREATE VIEW Customer_View AS
101 SELECT *
102 FROM Customer;
103
104 • SELECT * FROM Customer_View;
105
Result Grid
Transaction_ID Account_No Transaction_Type Amount Transaction_Date
1 10001 DEPOSIT 10000.00 2026-08-28 11:54:39
2 10001 WITHDRAW 5000.00 2026-08-28 11:54:39
3 10002 DEPOSIT 15000.00 2026-08-28 11:54:39
4 10003 WITHDRAW 20000.00 2026-08-28 11:54:39
5 10004 DEPOSIT 5000.00 2026-08-28 11:54:39
6 10005 WITHDRAW 10000.00 2026-08-28 11:54:39
7 10006 DEPOSIT 12000.00 2026-08-28 11:54:39
8 10007 DEPOSIT 25000.00 2026-08-28 11:54:39
9 10008 WITHDRAW 5000.00 2026-08-28 11:54:39
10 10009 DEPOSIT 20000.00 2026-08-28 11:54:39
11 10010 WITHDRAW 15000.00 2026-08-28 11:54:39
Customer 49
Account 50
Bank_Transaction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
High_Balance_View 58
Hyderabad_Account_View
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


5.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
105
106 • CREATE VIEW Customer_Basic_View AS
107 SELECT
108 Customer_ID,
109 Customer_Name,
110 City
111 FROM Customer;
112
113 • SELECT * FROM Customer_Basic_View;
114
115 • CREATE VIEW Account_View AS
116 SELECT
117 Account No,
Result Grid
Loan_ID Customer_ID Loan_Type Loan_Amount Interest_Rate
501 101 Home Loan 5000000.00 7.50
502 102 Education Loan 1000000.00 6.50
503 103 Car Loan 800000.00 8.20
504 104 Personal Loan 500000.00 10.50
505 105 Home Loan 4000000.00 7.20
506 106 Car Loan 900000.00 8.50
507 107 Business Loan 3000000.00 9.00
508 109 Personal Loan 600000.00 10.00
Customer 49
Account 50
Bank_Transaction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
High_Balance_View 58
Hyderabad_Account_View
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


6.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
117 Account_No,
118 Account_Type,
119 Balance,
120 Branch
121 FROM Account;
122
123 • SELECT * FROM Account_View;
124
125 • CREATE VIEW Savings_Account_View AS
126 SELECT *
127 FROM Account
128 WHERE Account_Type = 'Savings';
129
Result Grid
Customer_ID Customer_Name Phone Email City
101 Vishnu 9876543210 ravi@gmail.com Hyderabad
102 Priya Sharma 9876543211 priya@gmail.com Vijayawada
103 Arjun Reddy 9876543212 arjun@gmail.com Bangalore
104 Sneha Rao 9876543213 sneha@gmail.com Chennai
105 Kiran Kumar 9876543214 kiran@gmail.com Hyderabad
106 Anil Kumar 9876543215 anil@gmail.com Delhi
107 Meena Reddy 9876543216 meena@gmail.com Mumbai
108 Rahul Sharma 9876543217 rahul@gmail.com Pune
109 Lakshmi Devi 9876543218 lakshmi@gmail.com Hyderabad
110 Suresh Babu 9876543219 suresh@gmail.com Vijayawada
Customer 49
Account 50
Bank_Transaction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
High_Balance_View 58
Hyderabad_Account_View
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


7.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
135 WHERE Account_Type = 'Current';
136
137 SELECT * FROM Current_Account_View;
138
139 CREATE VIEW High_Balance_View AS
140 SELECT
141 Account_No,
142 Customer_ID,
143 Account_Type,
144 Balance
145 FROM Account
146 WHERE Balance > 100000;
147
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Customer_ID Customer_Name City
101 Vishnu Hyderabad
102 Priya Sharma Vijayawada
103 Arjun Reddy Bangalore
104 Sneha Rao Chennai
105 Kiran Kumar Hyderabad
106 Anil Kumar Delhi
107 Meena Reddy Mumbai
108 Rahul Sharma Pune
109 Lakshmi Devi Hyderabad
110 Suresh Babu Vijayawada
Customer 49
Account 50
Bank_Transaction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
High_Balance_View 58
Hyderabad_Account_View
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


8.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
147
148 SELECT * FROM High_Balance_View;
149
150 CREATE VIEW Hyderabad_Account_View AS
151 SELECT *
152 FROM Account
153 WHERE Branch = 'Hyderabad';
154
155 SELECT * FROM Hyderabad_Account_View;
156
157 CREATE VIEW Low_Balance_View AS
158 SELECT
159 Account No,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_No Account_Type Balance Branch
10001 Savings 50000.00 Hyderabad
10002 Savings 75000.00 Vijayawada
10003 Current 120000.00 Bangalore
10004 Savings 45000.00 Chennai
10005 Current 90000.00 Hyderabad
10006 Savings 65000.00 Delhi
10007 Current 150000.00 Mumbai
10008 Savings 35000.00 Pune
10009 Savings 85000.00 Hyderabad
10010 Current 110000.00 Vijayawada
Customer 49
Account 50
Bank_Transaction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
Output
Action Output
Time Action Message
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Markup and share


9.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where,*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
153 WHERE Branch = 'Hyderabad';
154
155 SELECT * FROM Hyderabad_Account_View;
156
157 CREATE VIEW Low_Balance_View AS
158 SELECT
159 Account_No,
160 Customer_ID,
161 Balance
162 FROM Account
163 WHERE Balance < 50000;
164
165 SELECT * FROM Low Balance View;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_No Customer_ID Account_Type Balance Branch
10001 101 Savings 50000.00 Hyderabad
10002 102 Savings 75000.00 Vijayawada
10004 104 Savings 45000.00 Chennai
10006 106 Savings 65000.00 Delhi
10008 108 Savings 35000.00 Pune
10009 109 Savings 85000.00 Hyderabad
Customer 49
Account 50
Bank_Transaction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
Output
Action Output
Time Action Message
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Markup and share


10.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where,*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
153 WHERE Branch = 'Hyderabad';
154
155 SELECT * FROM Hyderabad_Account_View;
156
157 CREATE VIEW Low_Balance_View AS
158 SELECT
159 Account_No,
160 Customer_ID,
161 Balance
162 FROM Account
163 WHERE Balance < 50000;
164
165 SELECT * FROM Low Balance View;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_No Customer_ID Account_Type Balance Branch
10003 103 Current 120000.00 Bangalore
10005 105 Current 90000.00 Hyderabad
10007 107 Current 150000.00 Mumbai
10010 110 Current 110000.00 Vijayawada
Customer 49
Account 50
Bank_Transaction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
High_Balance_View 58
Hyderabad_Account_View
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


11.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
165 • SELECT * FROM Low_Balance_View;
166
167 • CREATE VIEW Customer_Account_View AS
168 SELECT
169 C.Customer_ID,
170 C.Customer_Name,
171 C.City,
172 A.Account_No,
173 A.Account_Type,
174 A.Balance,
175 A.Branch
176 FROM Customer C
177 JOIN Account A
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_No Customer_ID Account_Type Balance
10003 103 Current 120000.00
10007 107 Current 150000.00
10010 110 Current 110000.00
Customer 49
Account 50
Bank_Transaction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
High_Balance_View 58
Hyderabad_Account_View
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


12.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
180 • SELECT * FROM Customer_Account_View;
181
182 • CREATE VIEW Hyderabad_Customer_Accounts AS
183 SELECT
184 C.Customer_Name,
185 C.City,
186 A.Account_No,
187 A.Account_Type,
188 A.Balance
189 FROM Customer C
190 JOIN Account A
191 ON C.Customer_ID = A.Customer_ID
192 WHERE A.Branch = 'Hyderabad';
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_No Customer_ID Account_Type Balance Branch
10001 101 Savings 50000.00 Hyderabad
10005 105 Current 90000.00 Hyderabad
10009 109 Savings 85000.00 Hyderabad
ction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
High_Balance_View 58
Hyderabad_Account_View 59
Low_Balance_View 60
Customer_Acc
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


13.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where,*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
189 FROM Customer C
190 JOIN Account A
191 ON C.Customer_ID = A.Customer_ID
192 WHERE A.Branch = 'Hyderabad';
193
194 SELECT * FROM Hyderabad_Customer_Accounts;
195
196 CREATE VIEW Customer_Loan_View AS
197 SELECT
198 C.Customer_ID,
199 C.Customer_Name,
200 C.City,
201 L.Loan ID,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_No Customer_ID Balance
10004 104 45000.00
10008 108 35000.00
Result Grid
Form Editor
Field Types
Query Stats
ction 51
Loan 52
Customer_View 53
Customer_Basic_View 54
Account_View 55
Savings_Account_View 56
Current_Account_View 57
High_Balance_View 58
Hyderabad_Account_View 59
Low_Balance_View 60
Customer_Acc
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


14.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where,*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
189 FROM Customer C
190 JOIN Account A
191 ON C.Customer_ID = A.Customer_ID
192 WHERE A.Branch = 'Hyderabad';
193
194 SELECT * FROM Hyderabad_Customer_Accounts;
195
196 CREATE VIEW Customer_Loan_View AS
197 SELECT
198 C.Customer_ID,
199 C.Customer_Name,
200 C.City,
201 L.Loan ID,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Customer_ID Customer_Name City Account_No Account_Type Balance Branch Loan_Type Loan_Amount
101 Vishnu Hyderabad 10001 Savings 50000.00 Hyderabad Home Loan 5000000.00
102 Priya Sharma Vijayawada 10002 Savings 75000.00 Vijayawada Education Loan 1000000.00
103 Arjun Reddy Bangalore 10003 Current 120000.00 Bangalore Car Loan 800000.00
104 Sneha Rao Chennai 10004 Savings 45000.00 Chennai Personal Loan 500000.00
105 Kiran Kumar Hyderabad 10005 Current 90000.00 Hyderabad Home Loan 4000000.00
106 Anil Kumar Delhi 10006 Savings 65000.00 Delhi Car Loan 900000.00
107 Meena Reddy Mumbai 10007 Current 150000.00 Mumbai Business Loan 3000000.00
108 Rahul Sharma Pune 10008 Savings 35000.00 Pune NULL NULL
109 Lakshmi Devi Hyderabad 10009 Savings 85000.00 Hyderabad Personal Loan 600000.00
110 Suresh Babu Vijayawada 10010 Current 110000.00 Vijayawada NULL NULL
Result Grid
Form Editor
Field Types
Query Stats
w_Balance_View 60
Customer_Account_View 61
Hyderabad_Customer_Accounts...
Customer_Loan_View 63
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Minimum_Bal
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


15.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
201 L.Loan_ID,
202 L.Loan_Type,
203 L.Loan_Amount,
204 L.Interest_Rate
205 FROM Customer C
206 JOIN Loan L
207 ON C.Customer_ID = L.Customer_ID;
208
209 SELECT * FROM Customer_Loan_View;
210
211 CREATE VIEW Customer_Banking_View AS
212 SELECT
213 C.Customer ID,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Total_Balance
825000.00
Customer_Account_View 61
Hyderabad_Customer_Accounts...
Customer_Loan_View 63
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


16.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
201 L.Loan_ID,
202 L.Loan_Type,
203 L.Loan_Amount,
204 L.Interest_Rate
205 FROM Customer C
206 JOIN Loan L
207 ON C.Customer_ID = L.Customer_ID;
208
209 SELECT * FROM Customer_Loan_View;
210
211 CREATE VIEW Customer_Banking_View AS
212 SELECT
213 C.Customer ID,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Average_Balance
82500.000000
Customer_Account_View 61
Hyderabad_Customer_Accounts...
Customer_Loan_View 63
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


17.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions"
03 practice for where."
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
216 A.Account_No,
217 A.Account_Type,
218 A.Balance,
219 A.Branch,
220 L.Loan_Type,
221 L.Loan_Amount
222 FROM Customer C
223 LEFT JOIN Account A
224 ON C.Customer_ID = A.Customer_ID
225 LEFT JOIN Loan L
226 ON C.Customer_ID = L.Customer_ID;
227
228 SELECT * FROM Customer_Banking_View;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Maximum_Balance
150000.00
Customer_Account_View 61
Hyderabad_Customer_Accounts...
Customer_Loan_View 63
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Minimum_Bal
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


18.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions"
03 practice for where."
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
201 L.Loan_ID,
202 L.Loan_Type,
203 L.Loan_Amount,
204 L.Interest_Rate
205 FROM Customer C
206 JOIN Loan L
207 ON C.Customer_ID = L.Customer_ID;
208
209 SELECT * FROM Customer_Loan_View;
210
211 CREATE VIEW Customer_Banking_View AS
212 SELECT
213 C.Customer ID,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Average_Balance
82500.000000
Customer_Account_View 61
Hyderabad_Customer_Accounts...
Customer_Loan_View 63
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Minimum_Bal
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


19.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
A.Account_No,
A.Account_Type,
A.Balance,
A.Branch,
L.Loan_Type,
L.Loan_Amount
FROM Customer C
LEFT JOIN Account A
ON C.Customer_ID = A.Customer_ID
LEFT JOIN Loan L
ON C.Customer_ID = L.Customer_ID;
SELECT * FROM Customer_Banking_View;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Minimum_Balance
35000.00
Customer_Account_View 61
Hyderabad_Customer_Accounts...
Customer_Loan_View 63
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Read Only
Output
Action Output
Time
Action
Message
Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0.015 sec
Show desktop


20.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
SELECT * FROM Customer_Banking_View;
CREATE VIEW Total_Bank_Balance AS
SELECT
SUM(Balance) AS Total_Balance
FROM Account;
SELECT * FROM Total_Bank_Balance;
CREATE VIEW Average_Account_Balance AS
SELECT
AVG(Balance) AS Average_Balance
FROM Account;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Total_Accounts
10
Customer_Account_View 61
Hyderabad_Customer_Accounts...
Customer_Loan_View 63
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Minimum_Balance_View 68
Read Only
Output
Action Output
Time
Action
Message
Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


21.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
234
235 • SELECT * FROM Total_Bank_Balance;
236
237 • CREATE VIEW Average_Account_Balance AS
238 SELECT
239 AVG(Balance) AS Average_Balance
240 FROM Account;
241
242 • SELECT * FROM Average_Account_Balance;
243
244 • CREATE VIEW Maximum_Balance_View AS
245 SELECT
246 MAX(Balance) AS Maximum Balance
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Branch Number_of_Accounts
Hyderabad 3
Vijayawada 2
Bangalore 1
Chennai 1
Delhi 1
Mumbai 1
Pune 1
Customer_Loan_View 63
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Minimum_Balance_View 68
Account_Count_View 69
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


22.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
246 MAX(Balance) AS Maximum_Balance
247 FROM Account;
248
249 • SELECT * FROM Maximum_Balance_View;
250
251 • CREATE VIEW Minimum_Balance_View AS
252 SELECT
253 MIN(Balance) AS Minimum_Balance
254 FROM Account;
255
256 • SELECT * FROM Minimum_Balance_View;
257
258 • CREATE VIEW Account Count View AS
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Branch Total_Balance
Hyderabad 225000.00
Vijayawada 185000.00
Bangalore 120000.00
Chennai 45000.00
Delhi 65000.00
Mumbai 150000.00
Pune 35000.00
Customer_Loan_View 63
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Minimum_Balance_View 68
Account_Count_View 69
Branch_Account_Count 70
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


23.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
FROM Account;
SELECT * FROM Account_Count_View;
CREATE VIEW Branch_Account_Count AS
SELECT
Branch,
COUNT(*) AS Number_of_Accounts
FROM Account
GROUP BY Branch;
SELECT * FROM Branch_Account_Count;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_Type
Number_of_Accounts
Savings 6
Current 4
Customer_Banking_View 64
Total_Bank_Balance 65
Average_Account_Balance 66
Maximum_Balance_View 67
Minimum_Balance_View 68
Account_Count_View 69
Branch_Account_Count 70
Branch_Total_Balance 71
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


24.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
CREATE VIEW Branch_Total_Balance AS
SELECT
Branch,
SUM(Balance) AS Total_Balance
FROM Account
GROUP BY Branch;
SELECT * FROM Branch_Total_Balance;
CREATE VIEW Account_Type_Count AS
SELECT
Account Type,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Transaction_ID Account_No Transaction_Type Amount Transaction_Date
2 10001 WITHDRAW 5000.00 2026-08-28 11:54:39
4 10003 WITHDRAW 20000.00 2026-08-28 11:54:39
6 10005 WITHDRAW 10000.00 2026-08-28 11:54:39
9 10008 WITHDRAW 5000.00 2026-08-28 11:54:39
11 10010 WITHDRAW 15000.00 2026-08-28 11:54:39
Account_Count_View 69
Branch_Account_Count 70
Branch_Total_Balance 71
Account_Type_Count 72
Account_Type_Balance 73
Multiple_Account_Branches 74
Rich_Branches 75
Deposit_Transaction_View76
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


25.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database
bank database acid property isol..
SQL File 10
Limit to 1000 rows
285 Account_Type,
286 COUNT(*) AS Number_of_Accounts
287 FROM Account
288 GROUP BY Account_Type;
289
290 • SELECT * FROM Account_Type_Count;
291
292 • CREATE VIEW Account_Type_Balance AS
293 SELECT
294 Account_Type,
295 SUM(Balance) AS Total_Balance
296 FROM Account
297 GROUP BY Account Type;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Customer_Name | Account_No | Account_Type | Transaction_ID | Transaction_Type | Amount | Transaction_Date
Vishnu | 10001 | Savings | 1 | DEPOSIT | 10000.00 | 2026-08-28 11:54:39
Vishnu | 10001 | Savings | 2 | WITHDRAW | 5000.00 | 2026-08-28 11:54:39
Priya Sharma | 10002 | Savings | 3 | DEPOSIT | 15000.00 | 2026-08-28 11:54:39
Arjun Reddy | 10003 | Current | 4 | WITHDRAW | 20000.00 | 2026-08-28 11:54:39
Sneha Rao | 10004 | Savings | 5 | DEPOSIT | 5000.00 | 2026-08-28 11:54:39
Kiran Kumar | 10005 | Current | 6 | WITHDRAW | 10000.00 | 2026-08-28 11:54:39
Anil Kumar | 10006 | Savings | 7 | DEPOSIT | 12000.00 | 2026-08-28 11:54:39
Meena Reddy | 10007 | Current | 8 | DEPOSIT | 25000.00 | 2026-08-28 11:54:39
Rahul Sharma | 10008 | Savings | 9 | WITHDRAW | 5000.00 | 2026-08-28 11:54:39
Lakshmi Devi | 10009 | Savings | 10 | DEPOSIT | 20000.00 | 2026-08-28 11:54:39
Suresh Babu | 10010 | Current | 11 | WITHDRAW | 15000.00 | 2026-08-28 11:54:39
Result Grid
Form Editor
Field Types
Query Stats
anch_Account_Count 70
Branch_Total_Balance 71
Account_Type_Count 72
Account_Type_Balance 73
Multiple_Account_Branches 74
Rich_Branches 75
Deposit_Transaction_View76
Withdrawal_Transaction_View 77
Customer_Transa
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


26.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database
bank database acid property isol..
SQL File 10
Limit to 1000 rows
285 Account_Type,
286 COUNT(*) AS Number_of_Accounts
287 FROM Account
288 GROUP BY Account_Type;
289
290 • SELECT * FROM Account_Type_Count;
291
292 • CREATE VIEW Account_Type_Balance AS
293 SELECT
294 Account_Type,
295 SUM(Balance) AS Total_Balance
296 FROM Account
297 GROUP BY Account Type;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Transaction_ID | Account_No | Transaction_Type | Amount | Transaction_Date
3 | 10002 | DEPOSIT | 15000.00 | 2026-08-28 11:54:39
4 | 10003 | WITHDRAW | 20000.00 | 2026-08-28 11:54:39
7 | 10006 | DEPOSIT | 12000.00 | 2026-08-28 11:54:39
8 | 10007 | DEPOSIT | 25000.00 | 2026-08-28 11:54:39
10 | 10009 | DEPOSIT | 20000.00 | 2026-08-28 11:54:39
11 | 10010 | WITHDRAW | 15000.00 | 2026-08-28 11:54:39
Result Grid
Form Editor
Field Types
Query Stats
otal_Balance 71
Account_Type_Count 72
Account_Type_Balance 73
Multiple_Account_Branches 74
Rich_Branches 75
Deposit_Transaction_View76
Withdrawal_Transaction_View 77
Customer_Transaction_View 78
High_Value_Transa
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


27.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database
bank database acid property isol...
SQL File 10
Limit to 1000 rows
294 Account_Type,
295 SUM(Balance) AS Total_Balance
296 FROM Account
297 GROUP BY Account_Type;
298
299 • SELECT * FROM Account_Type_Balance;
300
301 • CREATE VIEW Multiple_Account_Branches AS
302 SELECT
303 Branch,
304 COUNT(*) AS Number_of_Accounts
305 FROM Account
306 GROUP BY Branch
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_No | Customer_ID | Account_Type | Balance
10007 | 107 | Current | 150000.00
10003 | 103 | Current | 120000.00
10010 | 110 | Current | 110000.00
10005 | 105 | Current | 90000.00
10009 | 109 | Savings | 85000.00
10002 | 102 | Savings | 75000.00
10006 | 106 | Savings | 65000.00
10001 | 101 | Savings | 50000.00
10004 | 104 | Savings | 45000.00
10008 | 108 | Savings | 35000.00
Result Grid
Form Editor
Field Types
Query Stats
ype_Count 72
Account_Type_Balance 73
Multiple_Account_Branches 74
Rich_Branches 75
Deposit_Transaction_View76
Withdrawal_Transaction_View 77
Customer_Transaction_View 78
High_Value_Transaction_View 79
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


28.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database
bank database acid property isol...
SQL File 10
Limit to 1000 rows
303 Branch,
304 COUNT(*) AS Number_of_Accounts
305 FROM Account
306 GROUP BY Branch
307 HAVING COUNT(*) > 1;
308
309 • SELECT * FROM Multiple_Account_Branches;
310
311 • CREATE VIEW Rich_Branches AS
312 SELECT
313 Branch,
314 SUM(Balance) AS Total_Balance
315 FROM Account
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Customer_ID | Customer_Name | City
106 | Anil Kumar | Delhi
103 | Arjun Reddy | Bangalore
105 | Kiran Kumar | Hyderabad
109 | Lakshmi Devi | Hyderabad
107 | Meena Reddy | Mumbai
102 | Priya Sharma | Vijayawada
108 | Rahul Sharma | Pune
104 | Sneha Rao | Chennai
110 | Suresh Babu | Vijayawada
101 | Vishnu | Hyderabad
Result Grid
Form Editor
Field Types
Query Stats
pe_Balance 73
Multiple_Account_Branches 74
Rich_Branches 75
Deposit_Transaction_View76
Withdrawal_Transaction_View 77
Customer_Transaction_View 78
High_Value_Transaction_View 79
Balance_Ranking_View 80
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


29.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database
bank database acid property isol...
SQL File 10
Limit to 1000 rows
315 FROM Account
316 GROUP BY Branch
317 HAVING SUM(Balance) > 100000;
318
319 • SELECT * FROM Rich_Branches;
320
321 • CREATE VIEW Deposit_Transaction_View AS
322 SELECT *
323 FROM Bank_Transaction
324 WHERE Transaction_Type = 'DEPOSIT';
325
326 • SELECT * FROM Deposit_Transaction_View;
327
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Loan_ID | Customer_ID | Loan_Type | Loan_Amount | Interest_Rate | Annual_Interest
501 | 101 | Home Loan | 5000000.00 | 7.50 | 375000.00000000
502 | 102 | Education Loan | 1000000.00 | 6.50 | 65000.00000000
503 | 103 | Car Loan | 800000.00 | 8.20 | 65600.00000000
504 | 104 | Personal Loan | 500000.00 | 10.50 | 52500.00000000
505 | 105 | Home Loan | 4000000.00 | 7.20 | 288000.00000000
506 | 106 | Car Loan | 900000.00 | 8.50 | 76500.00000000
507 | 107 | Business Loan | 3000000.00 | 9.00 | 270000.00000000
508 | 109 | Personal Loan | 600000.00 | 10.00 | 60000.00000000
_Account_Branches 74
Rich_Branches 75
Deposit_Transaction_View76
Withdrawal_Transaction_View 77
Customer_Transaction_View 78
High_Value_Transaction_View 79
Balance_Ranking_View 80
Customer_Name_View 81
Read Only
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec


30.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database
bank database acid property isol...
SQL File 10
Limit to 1000 rows
324 WHERE Transaction_Type = 'DEPOSIT';
325
326 • SELECT * FROM Deposit_Transaction_View;
327
328 • CREATE VIEW Withdrawal_Transaction_View AS
329 SELECT *
330 FROM Bank_Transaction
331 WHERE Transaction_Type = 'WITHDRAW';
332
333 • SELECT * FROM Withdrawal_Transaction_View;
334
335 • CREATE VIEW Customer_Transaction_View AS
336 SELECT
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Loan_ID | Customer_ID | Loan_Type | Loan_Amount | Interest_Rate | Total_Amount
501 | 101 | Home Loan | 5000000.00 | 7.50 | 5375000.00000000
502 | 102 | Education Loan | 1000000.00 | 6.50 | 1065000.00000000
503 | 103 | Car Loan | 800000.00 | 8.20 | 865600.00000000
504 | 104 | Personal Loan | 500000.00 | 10.50 | 552500.00000000
505 | 105 | Home Loan | 4000000.00 | 7.20 | 4288000.00000000
506 | 106 | Car Loan | 900000.00 | 8.50 | 976500.00000000
507 | 107 | Business Loan | 3000000.00 | 9.00 | 3270000.00000000
508 | 109 | Personal Loan | 600000.00 | 10.00 | 660000.00000000
ranches 75
Deposit_Transaction_View76
Withdrawal_Transaction_View 77
Customer_Transaction_View 78
High_Value_Transaction_View 79
Balance_Ranking_View 80
Customer_Name_View 81
Output
Action Output
Time Action Message
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Markup and share

31.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where,*
tables physician
triggers and saved procedures
bank database
bank database acid property isol..
SQL File 10
Limit to 1000 rows
WHERE Transaction_Type = 'DEPOSIT';
SELECT * FROM Deposit_Transaction_View;
CREATE VIEW Withdrawal_Transaction_View AS
SELECT *
FROM Bank_Transaction
WHERE Transaction_Type = 'WITHDRAW';
SELECT * FROM Withdrawal_Transaction_View;
CREATE VIEW Customer_Transaction_View AS
SELECT
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_No Customer_ID Account_Type Balance Branch
10005 105 Current 90000.00 Hyderabad
10009 109 Savings 85000.00 Hyderabad
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec

32.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where,*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
WHERE TABLE_TYPE = 'VIEW';
SHOW CREATE VIEW Customer_Account_View;
DESCRIBE Customer_Account_View;
DROP VIEW Customer_View;
DROP VIEW
Customer_Basic_View,
Savings_Account_View,
Current_Account_View;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Field Type Null Key Default Extra
Customer_ID int NO
Customer_Name varchar(100) NO
City varchar(50) YES
Account_No int NO
Account_Type varchar(20) YES
Balance decimal(12,2) YES
Branch varchar(50) YES
Output
Action Output
Time Action Message Duration / Fetch
147 11:54:40 SHOW FULL TABLES WHERE TABLE_TYPE = 'VIEW' 32 row(s) returned 0.000 sec / 0.000 sec
148 11:54:40 SHOW CREATE VIEW Customer_Account_View 1 row(s) returned 0.000 sec / 0.000 sec
149 11:54:40 DESCRIBE Customer_Account_View 7 row(s) returned 0.015 sec / 0.000 sec
150 11:54:40 DROP VIEW Customer_View 0 row(s) affected 0.000 sec
151 11:54:40 DROP VIEW Customer_Basic_View, Savings_Account_View, Current_Account_View 0 row(s) affected 0.015 sec