
1.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
WEEK-1 sql commands ddl,dml,dcl*
Limit to 1000 rows
1
2 CREATE DATABASE IF NOT EXISTS bank_management;
3 USE bank_management;
4
5
6 DROP TABLE IF EXISTS bank_transactions;
7 DROP TABLE IF EXISTS customer_transactions;
8
9
10 CREATE TABLE bank_transactions (
11 txn_id INT PRIMARY KEY,
12 customer_name VARCHAR(50),
13 branch_name VARCHAR(50),
14 transaction_type VARCHAR(20),
15 amount DECIMAL(10,2),
16 transaction_date DATE
17);
18
19
20 ALTER TABLE bank_transactions
21 ADD COLUMN account_no VARCHAR(20);
22
23
24 ALTER TABLE bank_transactions
25 MODIFY customer_name VARCHAR(100);
26
27
28 RENAME TABLE bank_transactions TO customer_transactions;
29
Output
Action Output
Time Action
1 12:16:09 USE bank_management
2 12:16:22 DROP TABLE IF EXISTS customer_transactions
3 12:16:27 CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch


Creating a database,drop table if already exists to avoid error,using ddl commands as bank_transaction,adding column safely,modifying column length,renaming table

2.



MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
WEEK-1 sql commands ddl,dml,dcl*
Limit to 1000 rows
7 DROP TABLE IF EXISTS customer_transactions;
8
9
10 CREATE TABLE bank_transactions (
11 txn_id INT PRIMARY KEY,
12 customer_name VARCHAR(50),
13 branch_name VARCHAR(50),
14 transaction_type VARCHAR(20),
15 amount DECIMAL(10,2),
16 transaction_date DATE
17);
18
19
20 ALTER TABLE bank_transactions
21 ADD COLUMN account_no VARCHAR(20);
22
23
24 ALTER TABLE bank_transactions
25 MODIFY customer_name VARCHAR(100);
26
27
28 RENAME TABLE bank_transactions TO customer_transactions;
29
30
31 INSERT INTO customer_transactions VALUES
32 (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05',NULL),
33 (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06',NULL),
34 (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08',NULL),
35 (104,'Anil','Vizag','Deposit',8000,'2024-01-10',NULL),
Output
Action Output
Time Action
3 12:16:27 CREATE TABLE bank_transactions (txn_id INT PRIMARY KEY, customer_name VARCHAR(50), branch
4 12:16:58 ALTER TABLE bank_transactions ADD COLUMN account_no VARCHAR(20)
5 12:17:17 ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)
6 12:17:23 RENAME TABLE bank_transactions TO customer_transactions


3. DML commands

4.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
WEEK-1 sql commands ddl,dml,dcl*
Limit to 1000 rows
25 MODIFY customer_name VARCHAR(100);
26
27
28 RENAME TABLE bank_transactions TO customer_transactions;
29
30
31 INSERT INTO customer_transactions VALUES
32 (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05',NULL),
33 (102,'Sita','Hyderabad','Withdrawal',2000,'2024-01-06',NULL),
34 (103,'Kiran','Vijayawada','Deposit',12000,'2024-01-08',NULL),
35 (104,'Anil','Vizag','Deposit',8000,'2024-01-10',NULL),
36 (105,'Priya','Hyderabad','Withdrawal',3500,'2024-01-11',NULL),
37 (106,'Ramesh','Vizag','Deposit',15000,'2024-01-12',NULL),
38 (107,'Keerthi','Vijayawada','Withdrawal',1000,'2024-01-13',NULL),
39 (108,'Rahul','Hyderabad','Deposit',9000,'2024-01-14',NULL),
40 (109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15',NULL),
41 (110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16',NULL);
42
43 INSERT INTO customer_transactions
44 VALUES (111,'Venu','Vizag','Deposit',7000,'2024-01-18',NULL);
45
46 UPDATE customer_transactions
47 SET amount = 5000
48 WHERE txn_id = 105;
49
50 DELETE FROM customer_transactions
51 WHERE txn_id = 111;
52
53 SELECT * FROM customer_transactions;
Output
Action Output
Time Action
4 12:16:58 ALTER TABLE bank_transactions ADD COLUMN account_no VARCHAR(20)
5 12:17:17 ALTER TABLE bank_transactions MODIFY customer_name VARCHAR(100)
6 12:17:23 RENAME TABLE bank_transactions TO customer_transactions
7 12:20:27 INSERT INTO customer_transactions VALUES (101,'Ravi','Hyderabad','Deposit',5000,'2024-01-05',NULL), (102,'


5.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
WEEK-1 sql commands ddl,dml,dcl*
Limit to 1000 rows
(109,'Sneha','Vizag','Withdrawal',4000,'2024-01-15',NULL),
(110,'Madhu','Vijayawada','Deposit',11000,'2024-01-16',NULL);
INSERT INTO customer_transactions
VALUES (111,'Venu','Vizag','Deposit',7000,'2024-01-18',NULL);
UPDATE customer_transactions
SET amount = 5000
WHERE txn_id = 105;
DELETE FROM customer_transactions
WHERE txn_id = 111;
SELECT * FROM customer_transactions;
SELECT * FROM customer_transactions
WHERE transaction_type='Deposit';
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
txn_id customer_name branch_name transaction_type amount transaction_date account_no
101 Ravi Hyderabad Deposit 5000.00 2024-01-05 NULL
103 Kiran Vijayawada Deposit 12000.00 2024-01-08 NULL
104 Anil Vizag Deposit 8000.00 2024-01-10 NULL
106 Ramesh Vizag Deposit 15000.00 2024-01-12 NULL
108 Rahul Hyderabad Deposit 9000.00 2024-01-14 NULL
110 Madhu Vijayawada Deposit 11000.00 2024-01-16 NULL
customer_transactions 4
Output
Action Output
Time Action
8 12:21:24 INSERT INTO customer_transactions VALUES (111,'Venu','Vizag','Deposit',7000,'2024-01-18',NULL)
9 12:21:28 UPDATE customer_transactions SET amount = 5000 WHERE txn_id = 105
10 12:21:33 DELETE FROM customer_transactions WHERE txn_id = 111
11 12:21:39 SELECT * FROM customer_transactions WHERE transaction_type='Deposit' LIMIT 0, 1000


6. 

in descending order


7. IN ACSENDING ORDER


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
WEEK-1 sql commands ddl,dml,dcl*
Limit to 1000 rows
46 UPDATE customer_transactions
47 SET amount = 5000
48 WHERE txn_id = 105;
49
50 DELETE FROM customer_transactions
51 WHERE txn_id = 111;
52
53 SELECT * FROM customer_transactions;
54
55 SELECT * FROM customer_transactions
56 WHERE transaction_type='Deposit';
57
58 SELECT * FROM customer_transactions
59
60 ORDER BY amount ASC;
61
62
63 GRANT SELECT ON customer_transactions TO 'Auditor1'@'%';
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
txn_id customer_name branch_name transaction_type amount transaction_date account_no
107 Keerthi Vijayawada Withdrawal 1000.00 2024-01-13 NULL
102 Sita Hyderabad Withdrawal 2000.00 2024-01-06 NULL
109 Sneha Vizag Withdrawal 4000.00 2024-01-15 NULL
101 Ravi Hyderabad Deposit 5000.00 2024-01-05 NULL
105 Priya Hyderabad Withdrawal 5000.00 2024-01-11 NULL
104 Anil Vizag Deposit 8000.00 2024-01-10 NULL
108 Rahul Hyderabad Deposit 9000.00 2024-01-14 NULL
110 Madhu Vijayawada Deposit 11000.00 2024-01-16 NULL
103 Kiran Vijayawada Deposit 12000.00 2024-01-08 NULL
106 Ramesh Vizag Deposit 15000.00 2024-01-12 NULL
customer_transactions 6
Output
Action Output
Time Action
11 12:21:39 SELECT * FROM customer_transactions WHERE transaction_type='Deposit' LIMIT 0, 1000
12 12:22:17 SELECT * FROM customer_transactions ORDER BY amount DESC LIMIT 0, 1000
13 12:23:46 ORDER BY amount ASC
14 12:24:02 SELECT * FROM customer_transactions ORDER BY amount ASC LIMIT 0, 1000

8. TRANSACTION PROCESS


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
WEEK-1 sql commands ddl,dml,dcl*
Limit to 1000 rows
64 GRANT ALL PRIVILEGES ON customer_transactions TO 'BranchManager'@'%';
65 REVOKE SELECT ON customer_transactions FROM 'Auditor1'@'%';
66 REVOKE ALL PRIVILEGES ON customer_transactions FROM 'BranchManager'@'%';
67
68
69 START TRANSACTION;
70
71 UPDATE customer_transactions
72 SET amount=6000
73 WHERE txn_id=101;
74 COMMIT;
75
76 START TRANSACTION;
77 SAVEPOINT Before_Update;
78
79 UPDATE customer_transactions
80 SET amount=99999
81 WHERE txn_id=102;
82 ROLLBACK TO Before_Update;
83 COMMIT;
84
85 START TRANSACTION;
86 UPDATE customer_transactions
87 SET amount=7000
88 WHERE txn_id=101;
89 SAVEPOINT SP1;
90 UPDATE customer_transactions
91 SET amount=9000
92 WHERE txn_id=102;
Output
Action Output
Time Action
22 12:26:46 UPDATE customer_transactions SET amount=6000 WHERE txn_id=101
23 12:26:50 UPDATE customer_transactions SET amount=6000 WHERE txn_id=101
24 12:26:54 UPDATE customer_transactions SET amount=6000 WHERE txn_id=101

10.FINAL OUTPUT:


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
WEEK-1 sql commands ddl,dml,dcl*
Limit to 1000 rows
Execute the selected portion of the script or everything, if there is no selection
79 UPDATE customer_transactions
81 WHERE txn_id=102;
82 ROLLBACK TO Before_Update;
83 COMMIT;
85 START TRANSACTION;
86 UPDATE customer_transactions
87 SET amount=7000
88 WHERE txn_id=101;
89 SAVEPOINT SP1;
90 UPDATE customer_transactions
91 SET amount=9000
92 WHERE txn_id=102;
93 ROLLBACK TO SP1;
94 COMMIT;
Result Grid Filter Rows: Edit: Export/Import: Wrap Cell Content:
txn_id customer_name branch_name transaction_type amount transaction_date account_no
107 Keerthi Vijayawada Withdrawal 1000.00 2024-01-13 NULL
102 Sita Hyderabad Withdrawal 2000.00 2024-01-06 NULL
109 Sneha Vizag Withdrawal 4000.00 2024-01-15 NULL
101 Ravi Hyderabad Deposit 5000.00 2024-01-05 NULL
105 Priya Hyderabad Withdrawal 5000.00 2024-01-11 NULL
104 Anil Vizag Deposit 8000.00 2024-01-10 NULL
108 Rahul Hyderabad Deposit 9000.00 2024-01-14 NULL
110 Madhu Vijayawada Deposit 11000.00 2024-01-16 NULL
103 Kiran Vijayawada Deposit 12000.00 2024-01-08 NULL
106 Ramesh Vizag Deposit 15000.00 2024-01-12 NULL
customer_transactions 8 customer_transactions 9 customer_transactions 10
Output
Action Output
Time Action
55 12:29:07 SELECT * FROM customer_transactions LIMIT 0, 1000
56 12:29:07 SELECT * FROM customer_transactions WHERE transaction_type='Deposit' LIMIT 0, 1000
57 12:29:07 SELECT * FROM customer_transactions ORDER BY amount ASC LIMIT 0, 1000
58 12:29:07 GRANT SELECT ON customer_transactions TO 'Auditor1'@'%'