


NAME:K.VISHNU

SECTION:3


1. 


2. 


3.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
50 FROM physician
51 WHERE position='Surgical Attending Physician';
52
53 -- QUESTION 3
54 SELECT *
55 FROM physician
56 WHERE name LIKE 'John%';
57
58 -- QUESTION 4
59 SELECT COUNT(*) AS Total_Physicians
60 FROM physician;
61
62 -- QUESTION 5
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
employeeid name position ssn
1 John Dorian Staff Internist 111111111
7 John Wen Surgical Attending Physician 777777777
physician 3
Output
Action Output
# Time Action Message Duration / Fetch
3 10:08:44 CREATE TABLE department ( departmentid INT PRIMARY KEY, name VARCHAR(100), head INT ) 0 row(s) affected 0.032 sec
4 10:08:49 INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9) 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.000 sec
5 10:08:54 SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head = p.employeeid... 3 row(s) returned 0.000 sec / 0.000 sec
6 10:10:27 SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
7 10:10:48 SELECT * FROM physician WHERE name LIKE 'John%' LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec


4.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
50 FROM physician
51 WHERE position='Surgical Attending Physician';
52
53 -- QUESTION 3
54 SELECT *
55 FROM physician
56 WHERE name LIKE 'John%';
57
58 -- QUESTION 4
59 SELECT COUNT(*) AS Total_Physicians
60 FROM physician;
61
62 -- QUESTION 5
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Total_Physicians
9
Result 4
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
4 10:08:49 INSERT INTO department VALUES (1,'General Medicine',4), (2,'Surgery',7), (3,'Psychiatry',9) 3 row(s) affected Records: 3 Duplicates: 0 Warnings: 0 0.000 sec
5 10:08:54 SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head = p.employeeid... 3 row(s) returned 0.000 sec / 0.000 sec
6 10:10:27 SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
7 10:10:48 SELECT * FROM physician WHERE name LIKE 'John%' LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec
8 10:11:05 SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000 1 row(s) returned 0.016 sec / 0.000 sec


5.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
FROM physician
WHERE
Execute the statement under the keyboard cursor
-- QUESTION 4
SELECT COUNT(*) AS Total_Physicians
FROM physician;
-- QUESTION 5
SELECT COUNT(DISTINCT position) AS Different_Positions
FROM physician;
-- QUESTION 6
SELECT position,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Different_Positions
7
Result 5
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
5 10:08:54 SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head = p.employeeid... 3 row(s) returned 0.000 sec / 0.000 sec
6 10:10:27 SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
7 10:10:48 SELECT * FROM physician WHERE name LIKE 'John%' LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec
8 10:11:05 SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000 1 row(s) returned 0.016 sec / 0.000 sec
9 10:11:27 SELECT COUNT(DISTINCT position) AS Different_Positions FROM physician LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec


6.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
-- QUESTION 5
SELECT COUNT(DISTINCT position) AS Different_Positions
FROM physician;
-- QUESTION 6
SELECT position,
COUNT(*) AS Total_Employees
FROM physician
GROUP BY position;
-- QUESTION 7
SELECT position,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Different_Positions
7
Result 5
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
5 10:08:54 SELECT d.name AS Department, p.name AS Head_Physician FROM department d JOIN physician p ON d.head = p.employeeid... 3 row(s) returned 0.000 sec / 0.000 sec
6 10:10:27 SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
7 10:10:48 SELECT * FROM physician WHERE name LIKE 'John%' LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec
8 10:11:05 SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000 1 row(s) returned 0.016 sec / 0.000 sec
9 10:11:27 SELECT COUNT(DISTINCT position) AS Different_Positions FROM physician LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec


7.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
67 • SELECT position,
68 COUNT(*) AS Total_Employees
69 FROM physician
70 GROUP BY position;
71
72 -- QUESTION 7
73 • SELECT position,
74 COUNT(*) AS Total_Employees
75 FROM physician
76 GROUP BY position
77 HAVING COUNT(*) > 1;
78
79 -- QUESTION 8
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
position
Total_Employees
Surgical Attending Physician 3
Result 6
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
6 10:10:27 SELECT * FROM physician WHERE position='Surgical Attending Physician' LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
7 10:10:48 SELECT * FROM physician WHERE name LIKE 'John%' LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec
8 10:11:05 SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000 1 row(s) returned 0.016 sec / 0.000 sec
9 10:11:27 SELECT COUNT(DISTINCT position) AS Different_Positions FROM physician LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
10 10:11:57 SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) > 1 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec


8.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
76 GROUP BY position
77 HAVING COUNT(*) > 1;
78
79 -- QUESTION 8
80 • SELECT *
81 FROM physician
82 ORDER BY name ASC;
83
84 -- QUESTION 9
85 • SELECT *
86 FROM physician
87 ORDER BY employeeid DESC;
88
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
employeeid name position ssn
5 Bob Kelso Head Chief of Medicine 555555555
3 Christopher Turk Surgical Attending Physician 333333333
2 Elliot Reid Attending Physician 222222222
1 John Dorian Staff Internist 111111111
7 John Wen Surgical Attending Physician 777777777
8 Keith Dudemeister MD Resident 888888888
9 Molly Clock Attending Psychiatrist 999999999
4 Percival Cox Senior Attending Physician 444444444
6 Todd Quinlan Surgical Attending Physician 666666666
physician 7
Apply
Output
Action Output
# Time Action Message Duration / Fetch
7 10:10:48 SELECT * FROM physician WHERE name LIKE 'John%' LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec
8 10:11:05 SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000 1 row(s) returned 0.016 sec / 0.000 sec
9 10:11:27 SELECT COUNT(DISTINCT position) AS Different_Positions FROM physician LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
10 10:11:57 SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) > 1 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
11 10:12:28 SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec


9.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
76 GROUP BY position
77 HAVING COUNT(*) > 1;
78
79 -- QUESTION 8
80 SELECT *
81 FROM physician
82 ORDER BY name ASC;
83
84 -- QUESTION 9
85 SELECT *
86 FROM physician
87 ORDER BY employeeid DESC;
88
Result Grid
employeeid name position ssn
9 Molly Clock Attending Psychiatrist 999999999
8 Keith Dudemeister MD Resident 888888888
7 John Wen Surgical Attending Physician 777777777
6 Todd Quinlan Surgical Attending Physician 666666666
5 Bob Kelso Head Chief of Medicine 555555555
4 Percival Cox Senior Attending Physician 444444444
3 Christopher Turk Surgical Attending Physician 333333333
2 Elliot Reid Attending Physician 222222222
1 John Dorian Staff Internist 111111111
physician 8
Output
Action Output
# Time Action Message Duration / Fetch
8 10:11:05 SELECT COUNT(*) AS Total_Physicians FROM physician LIMIT 0, 1000 1 row(s) returned 0.016 sec / 0.000 sec
9 10:11:27 SELECT COUNT(DISTINCT position) AS Different_Positions FROM physician LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
10 10:11:57 SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) > 1 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
11 10:12:28 SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec
12 10:12:57 SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec


10.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
88
89 -- QUESTION 10
90 SELECT *
91 FROM physician
92 WHERE employeeid IN
93 (
94 SELECT head
95 FROM department
96 );
97
98 -- QUESTION 11
99 SELECT *
100 FROM physician
Result Grid
employeeid name position ssn
4 Percival Cox Senior Attending Physician 444444444
7 John Wen Surgical Attending Physician 777777777
9 Molly Clock Attending Psychiatrist 999999999
physician 9
Output
Action Output
# Time Action Message Duration / Fetch
9 10:11:27 SELECT COUNT(DISTINCT position) AS Different_Positions FROM physician LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
10 10:11:57 SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) > 1 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
11 10:12:28 SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec
12 10:12:57 SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec
13 10:13:13 SELECT * FROM physician WHERE employeeid IN ( SELECT head FROM department ) LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec


11.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
97
98 -- QUESTION 11
99 • SELECT *
100 FROM physician
101 WHERE employeeid NOT IN
102 (
103 SELECT head
104 FROM department
105 );
106
107 -- QUESTION 12
108 • SELECT position,
109 COUNT(*) AS Total_Employees
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
employeeid name position ssn
1 John Dorian Staff Internist 111111111
2 Elliot Reid Attending Physician 222222222
3 Christopher Turk Surgical Attending Physician 333333333
5 Bob Kelso Head Chief of Medicine 555555555
6 Todd Quinlan Surgical Attending Physician 666666666
8 Keith Dudemeister MD Resident 888888888
physician 10
Output
Action Output
# Time Action Message Duration / Fetch
10 10:11:57 SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position HAVING COUNT(*) > 1 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
11 10:12:28 SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec
12 10:12:57 SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec
13 10:13:13 SELECT * FROM physician WHERE employeeid IN ( SELECT head FROM department ) LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
14 10:13:29 SELECT * FROM physician WHERE employeeid NOT IN ( SELECT head FROM department ) LIMIT 0, 1000 6 row(s) returned 0.015 sec / 0.000 sec


12.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
106
107 -- QUESTION 12
108 • SELECT position,
109 COUNT(*) AS Total_Employees
110 FROM physician
111 GROUP BY position
112 ORDER BY Total_Employees DESC;
113
114 -- QUESTION 13
115 • SELECT *
116 FROM physician
117 WHERE position LIKE '%Attending%';
118
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
position Total_Employees
Surgical Attending Physician 3
Staff Internist 1
Attending Physician 1
Senior Attending Physician 1
Head Chief of Medicine 1
MD Resident 1
Attending Psychiatrist 1
Result 11
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
11 10:12:28 SELECT * FROM physician ORDER BY name ASC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec
12 10:12:57 SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec
13 10:13:13 SELECT * FROM physician WHERE employeeid IN ( SELECT head FROM department ) LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
14 10:13:29 SELECT * FROM physician WHERE employeeid NOT IN ( SELECT head FROM department ) LIMIT 0, 1000 6 row(s) returned 0.015 sec / 0.000 sec
15 10:14:11 SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Employees DESC LI... 7 row(s) returned 0.000 sec / 0.000 sec


13.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
COUNT(*) AS Total_Employees
FROM physician
GROUP BY position
ORDER BY Total_Employees DESC;
-- QUESTION 13
SELECT *
FROM physician
WHERE position LIKE '%Attending%';
-- QUESTION 14
SELECT p.name
FROM physician p
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
employeeid name position ssn
2 Elliot Reid Attending Physician 222222222
3 Christopher Turk Surgical Attending Physician 333333333
4 Percival Cox Senior Attending Physician 444444444
6 Todd Quinlan Surgical Attending Physician 666666666
7 John Wen Surgical Attending Physician 777777777
9 Molly Clock Attending Psychiatrist 999999999
physician 12
Output
Action Output
# Time Action Message Duration / Fetch
12 10:12:57 SELECT * FROM physician ORDER BY employeeid DESC LIMIT 0, 1000 9 row(s) returned 0.000 sec / 0.000 sec
13 10:13:13 SELECT * FROM physician WHERE employeeid IN ( SELECT head FROM department ) LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
14 10:13:29 SELECT * FROM physician WHERE employeeid NOT IN ( SELECT head FROM department ) LIMIT 0, 1000 6 row(s) returned 0.015 sec / 0.000 sec
15 10:14:11 SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Employees DESC LI... 7 row(s) returned 0.000 sec / 0.000 sec
16 10:14:29 SELECT * FROM physician WHERE position LIKE '%Attending%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec


14.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
SELECT *
FROM physician
WHERE position LIKE '%Attending%';
-- QUESTION 14
SELECT p.name
FROM physician p
JOIN department d
ON p.employeeid = d.head
WHERE d.name = 'Surgery';
-- QUESTION 15
SELECT d.name,
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
name
John Wen
Result 14
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
14 10:13:29 SELECT * FROM physician WHERE employeeid NOT IN ( SELECT head FROM department ) LIMIT 0, 1000 6 row(s) returned 0.015 sec / 0.000 sec
15 10:14:11 SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Employees DESC LI... 7 row(s) returned 0.000 sec / 0.000 sec
16 10:14:29 SELECT * FROM physician WHERE position LIKE '%Attending%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
17 10:14:46 SELECT p.name FROM physician p JOIN department d ON p.employeeid = d.head WHERE d.name = 'Surgery' LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
18 10:16:51 SELECT p.name FROM physician p JOIN department d ON p.employeeid = d.head WHERE d.name = 'Surgery' LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec


15.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
124 WHERE d.name = 'Surgery';
125
126 -- QUESTION 15
127 SELECT d.name,
128 p.name
129 FROM department d
130 JOIN physician p
131 ON d.head = p.employeeid
132 ORDER BY d.name;
133
134 -- QUESTION 16
135 SELECT *
136 FROM physician
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
name name
General Medicine Percival Cox
Psychiatry Molly Clock
Surgery John Wen
Result 15
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
15 10:14:11 SELECT position, COUNT(*) AS Total_Employees FROM physician GROUP BY position ORDER BY Total_Employees DESC LI... 7 row(s) returned 0.000 sec / 0.000 sec
16 10:14:29 SELECT * FROM physician WHERE position LIKE '%Attending%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
17 10:14:46 SELECT p.name FROM physician p JOIN department d ON p.employeeid = d.head WHERE d.name = 'Surgery' LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
18 10:16:51 SELECT p.name FROM physician p JOIN department d ON p.employeeid = d.head WHERE d.name = 'Surgery' LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
19 10:18:15 SELECT d.name, p.name FROM department d JOIN physician p ON d.head = p.employeeid ORDER BY d.name LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec


16.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
129 FROM department d
130 JOIN physician p
131 ON d.head = p.employeeid
132 ORDER BY d.name;
133
134 -- QUESTION 16
135 SELECT *
136 FROM physician
137 WHERE position NOT LIKE '%Surgical%';
138
139 -- QUESTION 17
140 SELECT position,
141 COUNT(*) AS Total
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
employeeid name position ssn
1 John Dorian Staff Internist 111111111
2 Elliot Reid Attending Physician 222222222
4 Percival Cox Senior Attending Physician 444444444
5 Bob Kelso Head Chief of Medicine 555555555
8 Keith Dudemeister MD Resident 888888888
9 Molly Clock Attending Psychiatrist 999999999
physician 24
Apply
Output
Action Output
# Time Action Message Duration / Fetch
24 10:19:54 SELECT p.name FROM physician p JOIN department d ON p.employeeid = d.head WHERE d.name = 'Surgery' LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
25 10:19:59 SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
26 10:20:03 SELECT d.name, p.name FROM department d JOIN physician p ON d.head = p.employeeid ORDER BY d.name LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
27 10:20:37 SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
28 10:21:06 SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec


17.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
135 SELECT *
136 FROM physician
137 WHERE position NOT LIKE '%Surgical%';
138
139 -- QUESTION 17
140 SELECT position,
141 COUNT(*) AS Total
142 FROM physician
143 GROUP BY position
144 HAVING COUNT(*) >= 2;
145
146 -- QUESTION 18
147 SELECT *
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
position Total
Surgical Attending Physician 3
Result 25
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
25 10:19:59 SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
26 10:20:03 SELECT d.name, p.name FROM department d JOIN physician p ON d.head = p.employeeid ORDER BY d.name LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
27 10:20:37 SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
28 10:21:06 SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
29 10:21:37 SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec


18.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
144 HAVING COUNT(*) >= 2;
145
Execute the statement under the keyboard cursor
146 -- QUESTION 18
147 SELECT *
148 FROM department d
149 WHERE EXISTS
150 (
151 SELECT 1
152 FROM physician p
153 WHERE p.employeeid = d.head
154 );
155
156 -- QUESTION 19
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
departmentid name head
1 General Medicine 4
2 Surgery 7
3 Psychiatry 9
department 26
Apply
Output
Action Output
# Time Action Message Duration / Fetch
26 10:20:03 SELECT d.name, p.name FROM department d JOIN physician p ON d.head = p.employeeid ORDER BY d.name LIMIT 0, 1000 3 row(s) returned 0.000 sec / 0.000 sec
27 10:20:37 SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
28 10:21:06 SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
29 10:21:37 SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
30 10:22:02 SELECT * FROM department d WHERE EXISTS ( SELECT 1 FROM physician p WHERE p.employeeid = d.head ) LIMIT 0, ... 3 row(s) returned 0.000 sec / 0.000 sec

19.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
FROM department d
WHERE EXISTS
(
SELECT 1
FROM physician p
WHERE p.employeeid = d.head
);
-- QUESTION 19
SELECT MAX(employeeid) AS Highest_Employee_ID
FROM physician;
-- QUESTION 20
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Highest_Employee_ID
9
Result 27
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
27 10:20:37 SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
28 10:21:06 SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
29 10:21:37 SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
30 10:22:02 SELECT * FROM department d WHERE EXISTS ( SELECT 1 FROM physician p WHERE p.employeeid = d.head ) LIMIT 0, ... 3 row(s) returned 0.000 sec / 0.000 sec
31 10:22:18 SELECT MAX(employeeid) AS Highest_Employee_ID FROM physician LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec

20.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
SELECT 1
FROM physician p
WHERE p.employeeid = d.head
);
-- QUESTION 19
SELECT MAX(employeeid) AS Highest_Employee_ID
FROM physician;
-- QUESTION 20
SELECT MIN(employeeid) AS Lowest_Employee_ID
FROM physician;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Lowest_Employee_ID
1
Result 28
Read Only
Output
Action Output
# Time Action Message Duration / Fetch
28 10:21:06 SELECT * FROM physician WHERE position NOT LIKE '%Surgical%' LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec
29 10:21:37 SELECT position, COUNT(*) AS Total FROM physician GROUP BY position HAVING COUNT(*) >= 2 LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
30 10:22:02 SELECT * FROM department d WHERE EXISTS ( SELECT 1 FROM physician p WHERE p.employeeid = d.head ) LIMIT 0, ... 3 row(s) returned 0.000 sec / 0.000 sec
31 10:22:18 SELECT MAX(employeeid) AS Highest_Employee_ID FROM physician LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec
32 10:22:33 SELECT MIN(employeeid) AS Lowest_Employee_ID FROM physician LIMIT 0, 1000 1 row(s) returned 0.000 sec / 0.000 sec