


1. Name:k.vishnu
2.
3.






4.


5.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
223 • CREATE TRIGGER UpdateBalanceAfterTransaction
224 AFTER INSERT ON Bank_Transaction
225 FOR EACH ROW
226 BEGIN
227 IF NEW.Transaction_Type = 'DEPOSIT' THEN
228 UPDATE Account
229 SET Balance = Balance + NEW.Amount
230 WHERE Account_No = NEW.Account_No;
231 ELSEIF NEW.Transaction_Type = 'WITHDRAW' THEN
232 UPDATE Account
233 SET Balance = Balance - NEW.Amount
234 WHERE Account_No = NEW.Account_No;
235 END IF;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
Account_No Customer_ID Account_Type Balance Branch
10001 101 Savings 50000.00 Hyderabad
10002 102 Savings 75000.00 Vijayawada
10003 103 Current 120000.00 Bangalore
10004 104 Savings 45000.00 Chennai
10005 105 Current 90000.00 Hyderabad
Customer 17
Account 18
Bank_Transaction 19
Loan 20
Result 21
Result 22
Result 23
Account 24
Result 25
Result 26
Result 27
Result 28
Result 29
Result 30
Apply
Revert
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


6.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
232 UPDATE Account
233 SET Balance = Balance - NEW.Amount
234 WHERE Account_No = NEW.Account_No;
235 END IF;
236 END //
237
238 DELIMITER ;
239
240 DELIMITER //
241
242 • CREATE TRIGGER PreventInsufficientWithdrawal
243 BEFORE INSERT ON Bank_Transaction
244 FOR EACH ROW
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
Transaction_ID Account_No Transaction_Type Amount Transaction_Date
1 10001 DEPOSIT 10000.00 2026-08-28 11:21:39
2 10002 DEPOSIT 15000.00 2026-08-28 11:21:39
3 10003 WITHDRAW 20000.00 2026-08-28 11:21:39
4 10004 DEPOSIT 5000.00 2026-08-28 11:21:39
5 10005 WITHDRAW 10000.00 2026-08-28 11:21:39
Customer 17
Account 18
Bank_Transaction 19
Loan 20
Result 21
Result 22
Result 23
Account 24
Result 25
Result 26
Result 27
Result 28
Result 29
Result 30
Apply
Revert
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


7.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
244 FOR EACH ROW
245 BEGIN
246 DECLARE CurrentBalance DECIMAL(12,2);
247
248 SELECT Balance
249 INTO CurrentBalance
250 FROM Account
251 WHERE Account_No = NEW.Account_No;
252
253 IF NEW.Transaction_Type = 'WITHDRAW'
254 AND NEW.Amount > CurrentBalance THEN
255 SIGNAL SQLSTATE '45000'
256 SET MESSAGE_TEXT = 'Withdrawal failed: Insufficient balance';
Result Grid
Loan_ID Customer_ID Loan_Type Loan_Amount Interest_Rate
501 101 Home Loan 5000000.00 7.50
502 102 Education Loan 1000000.00 6.50
503 103 Car Loan 800000.00 8.20
504 104 Personal Loan 500000.00 10.50
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


8.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
250 FROM Account
251 WHERE Account_No = NEW.Account_No;
252
253 IF NEW.Transaction_Type = 'WITHDRAW'
254 AND NEW.Amount > CurrentBalance THEN
255 SIGNAL SQLSTATE '45000'
256 SET MESSAGE_TEXT = 'Withdrawal failed: Insufficient balance';
257 END IF;
258 END //
259
260 DELIMITER ;
261
262 DELIMITER //
Result Grid
Customer_ID Customer_Name Phone Email City
101 Vishnu 9876543210 ravi@gmail.com Hyderabad
102 Priya Sharma 9876543211 priya@gmail.com Vijayawada
103 Arjun Reddy 9876543212 arjun@gmail.com Bangalore
104 Sneha Rao 9876543213 sneha@gmail.com Chennai
105 Kiran Kumar 9876543214 kiran@gmail.com Hyderabad
Read Only
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


9.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
256 SET MESSAGE_TEXT = 'Withdrawal failed: Insufficient balance';
257 END IF;
258 END //
259
260 DELIMITER ;
261
262 DELIMITER //
263
264 CREATE PROCEDURE TransferMoney(
265 IN SenderAccount INT,
266 IN ReceiverAccount INT,
267 IN TransferAmount DECIMAL(12,2)
268)
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Account_No Customer_ID Account_Type Balance Branch
10001 101 Savings 50000.00 Hyderabad
Customer 17 Account 18 Bank_Transaction 19 Loan 20 Result 21 Result 22 Result 23 Account 24 Result 25 Result 26 Result 27 Result 28 Result 29 Result 30
Read Only
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


10.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
271
272 SELECT Balance
273 INTO SenderBalance
274 FROM Account
275 WHERE Account_No = SenderAccount;
276
277 IF SenderBalance < TransferAmount THEN
278 SIGNAL SQLSTATE '45000'
279 SET MESSAGE_TEXT = 'Transfer failed: Insufficient balance';
280 ELSE
281 UPDATE Account
282 SET Balance = Balance - TransferAmount
283 WHERE Account_No = SenderAccount;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Customer_ID Customer_Name Account_No Account_Type Balance Branch
101 Vishnu 10001 Savings 50000.00 Hyderabad
Customer 17 Account 18 Bank_Transaction 19 Loan 20 Result 21 Result 22 Result 23 Account 24 Result 25 Result 26 Result 27 Result 28 Result 29 Result 30
Read Only
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


11.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
271
272 SELECT Balance
273 INTO SenderBalance
274 FROM Account
275 WHERE Account_No = SenderAccount;
276
277 IF SenderBalance < TransferAmount THEN
278 SIGNAL SQLSTATE '45000'
279 SET MESSAGE_TEXT = 'Transfer failed: Insufficient balance';
280 ELSE
281 UPDATE Account
282 SET Balance = Balance - TransferAmount
283 WHERE Account No = SenderAccount;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Customer_ID Customer_Name Account_No Account_Type Balance Branch
101 Vishnu 10001 Savings 50000.00 Hyderabad
Customer 17 Account 18 Bank_Transaction 19 Loan 20 Result 21 Result 22 Result 23 Account 24 Result 25 Result 26 Result 27 Result 28 Result 29 Result 30
Read Only
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


12.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
271
272 SELECT Balance
273 INTO SenderBalance
274 FROM Account
275 WHERE Account_No = SenderAccount;
276
277 IF SenderBalance < TransferAmount THEN
278 SIGNAL SQLSTATE '45000'
279 SET MESSAGE_TEXT = 'Transfer failed: Insufficient balance';
280 ELSE
281 UPDATE Account
282 SET Balance = Balance - TransferAmount
283 WHERE Account No = SenderAccount;
Result Grid
Filter Rows:
Edit:
Export/Import:
Wrap Cell Content:
Account_No Customer_ID Account_Type Balance Branch
10001 101 Savings 47000.00 Hyderabad
10002 102 Savings 80000.00 Vijayawada
Customer 17 Account 18 Bank_Transaction 19 Loan 20 Result 21 Result 22 Result 23 Account 24 Result 25 Result 26 Result 27 Result 28 Result 29 Result 30
Apply
Revert
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


13.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where,*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
IF SenderBalance < TransferAmount THEN
SIGNAL SQLSTATE '45000'
SET MESSAGE_TEXT = 'Transfer failed: Insufficient balance';
ELSE
UPDATE Account
SET Balance = Balance - TransferAmount
WHERE Account_No = SenderAccount;
UPDATE Account
SET Balance = Balance + TransferAmount
WHERE Account_No = ReceiverAccount;
END IF;
END //
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Customer_Name Loan_ID Loan_Type Loan_Amount Interest_Rate
Vishnu 501 Home Loan 5000000.00 7.50
Customer 17
Account 18
Bank_Transaction 19
Loan 20
Result 21
Result 22
Result 23
Account 24
Result 25
Result 26
Result 27
Result 28
Result 29
Result 30
Read Only
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


14.


Local instance MySQL80
Edit View Query Database Server Tools Scripting Help
and set Operations
agregate functions*
03 practice for where,*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
SET Balance = Balance + TransferAmount
WHERE Account_No = ReceiverAccount;
END IF;
END //
DELIMITER ;
CALL TransferMoney(10001, 10002, 5000);
SELECT *
FROM Account
WHERE Account_No IN (10001,10002);
Filter Rows:
Export:
Wrap Cell Content:
Account_No Customer_ID Account_Type Balance Branch
10003 103 Current 120000.00 Bangalore
10005 105 Current 90000.00 Hyderabad
10002 102 Savings 80000.00 Vijayawada
Result 25
Result 26
Result 27
Result 28
Result 29
Result 30
Read Only
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec


15.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions"
03 practice for where."
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
286 SET Balance = Balance + TransferAmount
287 WHERE Account_No = ReceiverAccount;
288 END IF;
289 END //
290
291 DELIMITER ;
292
293 • CALL TransferMoney(10001, 10002, 5000);
294
295 • SELECT *
296 FROM Account
297 WHERE Account_No IN (10001,10002);
298
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
@CurrentBalance
47000.00
Customer 17
Account 18
Bank_Transaction 19
Loan 20
Result 21
Result 22
Result 23
Account 24
Result 25
Result 26
Result 27
Result 28
Result 29
Result 30
Output
Action Output
Time Action Message
42 11:21:39 SHOW TRIGGERS 5 row(s) returned
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Markup and share


16.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions"
03 practice for where."
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol..
SQL File 10
Limit to 1000 rows
298
299 DELIMITER //
300
301 • CREATE PROCEDURE GetCustomerLoans(
302 IN p_Customer_ID INT
303)
304 BEGIN
305 SELECT
306 C.Customer_Name,
307 L.Loan_ID,
308 L.Loan_Type,
309 L.Loan_Amount,
310 L.Interest Rate
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Trigger Event Table Statement Timing Created sql_mode Definer character_set_client collation_connection Database Collation
CheckBalance UPDATE account BEGIN IF NEW.Balance < 0 THEN SIGNA... BEFORE 2026-08-28 11:21:39.57 ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE... root@localhost utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
CheckTransactionAmount INSERT bank_transaction BEGIN IF NEW.Amount <= 0 THEN SIGN... BEFORE 2026-08-28 11:21:39.58 ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE... root@localhost utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
PreventInsufficientWithdrawal INSERT bank_transaction BEGIN DECLARE CurrentBalance DECIMAL(12... BEFORE 2026-08-28 11:21:39.62 ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE... root@localhost utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
TransactionAudit INSERT bank_transaction BEGIN INSERT INTO Transaction_Audit (... AFTER 2026-08-28 11:21:39.61 ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE... root@localhost utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
UpdateBalanceAfterTransaction INSERT bank_transaction BEGIN IF NEW.Transaction_Type = 'DEPOSIT... AFTER 2026-08-28 11:21:39.62 ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE... root@localhost utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
Customer 17
Account 18
Bank_Transaction 19
Loan 20
Result 21
Result 22
Result 23
Account 24
Result 25
Result 26
Result 27
Result 28
Result 29
Result 30
Read Only
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec

17.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
353 SELECT @CurrentBalance;
354
355 SHOW TRIGGERS;
356
357 SHOW CREATE TRIGGER CheckBalance;
358
359 DROP TRIGGER CheckBalance;
360
361 SHOW PROCEDURE STATUS
362 WHERE Db = 'BankDB';
363
364 DROP PROCEDURE GetAllCustomers;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Trigger | sql_mode | SQL Original Statement | character_set_client | collation_connection | Database Collation | Created
CheckBalance | ONLY_FULL_GROUP_BY,STRICT_TRANS_TABLE... | CREATE DEFINER=`root`@`localhost` TRIGGE... | utf8mb4 | utf8mb4_0900_ai_ci | utf8mb4_0900_ai_ci | 2026-08-28 11:21:39.57
Customer 17 Account 18 Bank_Transaction 19 Loan 20 Result 21 Result 22 Result 23 Account 24 Result 25 Result 26 Result 27 Result 28 Result 29 Result 30
Read Only
Output
Action Output
Time Action Message Duration / Fetch
42 11:21:39 SHOW TRIGGERS 5 row(s) returned 0.000 sec / 0.000 sec
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned 0.000 sec / 0.000 sec
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected 0.016 sec
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned 0.000 sec / 0.000 sec
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected 0.000 sec

18.


MySQL Workbench
Local instance MySQL80
File Edit View Query Database Server Tools Scripting Help
joins and set Operations
agregate functions*
03 practice for where.*
tables physician
triggers and saved procedures
bank database sql views
bank database acid property isol...
SQL File 10
Limit to 1000 rows
353 SELECT @CurrentBalance;
354
355 SHOW TRIGGERS;
356
357 SHOW CREATE TRIGGER CheckBalance;
358
359 DROP TRIGGER CheckBalance;
360
361 SHOW PROCEDURE STATUS
362 WHERE Db = 'BankDB';
363
364 DROP PROCEDURE GetAllCustomers;
Result Grid
Filter Rows:
Export:
Wrap Cell Content:
Db | Name | Type | Definer | Modified | Created | Security_type | Comment | character_set_client | collation_connection | Database Collation
bankdb DepositMoney PROCEDURE root@localhost 2026-08-28 11:21:39 2026-08-28 11:21:39 DEFINER utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
bankdb GetAccountDetails PROCEDURE root@localhost 2026-08-28 11:21:39 2026-08-28 11:21:39 DEFINER utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
bankdb GetAllCustomers PROCEDURE root@localhost 2026-08-28 11:21:39 2026-08-28 11:21:39 DEFINER utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
bankdb GetBalance PROCEDURE root@localhost 2026-08-28 11:21:39 2026-08-28 11:21:39 DEFINER utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
bankdb GetCustomerAccounts PROCEDURE root@localhost 2026-08-28 11:21:39 2026-08-28 11:21:39 DEFINER utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
bankdb GetCustomerLoans PROCEDURE root@localhost 2026-08-28 11:21:39 2026-08-28 11:21:39 DEFINER utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
bankdb HighBalanceAccounts PROCEDURE root@localhost 2026-08-28 11:21:39 2026-08-28 11:21:39 DEFINER utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
bankdb TransferMoney PROCEDURE root@localhost 2026-08-28 11:21:39 2026-08-28 11:21:39 DEFINER utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
bankdb WithdrawMoney PROCEDURE root@localhost 2026-08-28 11:21:39 2026-08-28 11:21:39 DEFINER utf8mb4 utf8mb4_0900_ai_ci utf8mb4_0900_ai_ci
Customer 17 Account 18 Bank_Transaction 19 Loan 20 Result 21 Result 22 Result 23 Account 24 Result 25 Result 26 Result 27 Result 28 Result 29 Result 30
Output
Action Output
Time Action Message
42 11:21:39 SHOW TRIGGERS 5 row(s) returned
43 11:21:39 SHOW CREATE TRIGGER CheckBalance 1 row(s) returned
44 11:21:39 DROP TRIGGER CheckBalance 0 row(s) affected
45 11:21:39 SHOW PROCEDURE STATUS WHERE Db = 'BankDB' 9 row(s) returned
46 11:21:39 DROP PROCEDURE GetAllCustomers 0 row(s) affected
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Markup and share