



مجموعة روشن
ROSHN GROUP

ROSHN COMMUNITY DEVELOPMENT CHARTERS

VOLUME 03

MEDIUM DENSITY DEVELOPMENT

100% FINAL | 10 OCTOBER 2025



A PIF COMPANY

Quality Information

Document Name	Reference No.	Prepared for	Prepared by	Date	Reviewed by
100% Final Submission for ROSHN Community Development Charters Volume 03: Medium Density Development	60738703-ACM-XX-XX-RP-PM-000004-00-DXB	ROSHN Group	Ashrutha Rajagopal, Shaheer Mansour, Sarah Hasan, Shivam Pandey, Noha Refaat, Shamy Darne	10/10/2025	Kunal Agarwal

Revision History

Revision	Revision Date	Details	Authorised	Name	Position
00	28/03/2025	60% Submission for ROSHN Community Development Charters Volume 03: Medium Density Development		Raj Suresh	Associate Director
01	25/04/2025	90% Draft Submission for ROSHN Community Development Charters Volume 03: Medium Density Development		Raj Suresh	Associate Director
02	30/05/2025	90% Final Submission for ROSHN Community Development Charters Volume 03: Medium Density Development		Raj Suresh	Associate Director
03	29/08/2025	100% Draft Submission for ROSHN Community Development Charters Volume 03: Medium Density Development		Raj Suresh	Associate Director
04	10/10/2025	100% Final Submission for ROSHN Community Development Charters Volume 03: Medium Density Development		Raj Suresh	Associate Director

This document has been prepared by AECOM as part of the ROSHN Community Development Charters for the sole use of ROSHN (the “Client”) and in accordance with generally accepted consultancy principles, the budget for fees and the terms of reference agreed between AECOM and the Client. Any information provided by third parties and referred to herein has not been checked or verified by AECOM, unless otherwise expressly stated in the document. No third party may rely upon this document without the prior and express written agreement of AECOM.

VOLUME 03

MEDIUM DENSITY DEVELOPMENT

**100% Submission Final
10 October 2025**

Volume 03

Medium Density Development

ROSHN's commitment to walkable, well-connected communities extends to a range of urban living typologies that promote mixed-use vitality and compact form. Through a balanced integration of density, mobility, and human-scale design, ROSHN's medium density developments offer a dynamic lifestyle suited to both individuals and families.

The Medium Density Volume sets out the planning principles, design guidelines, and spatial strategies for apartment communities, courtyard housing, and low-rise mixed-use blocks. These neighborhoods support walkability, transit accessibility, and community interaction. In the RCDC, medium density typically includes 19 to 40 du/ha, with population densities ranging from 70 to 150 pop/ha. The volume addresses building placement, public realm, sustainability, and infrastructure considerations within medium-scale urban contexts.

Contents

01 Introduction.....	07	04 Public Realm and Landscape.....	133
1.1 ROSHN Group.....	08	4.2 Site-Wide Guidelines and Standards.....	136
1.2 The RCDC.....	10	4.3 Typologies Guidelines and Standards.....	157
Structure.....	12	Parks and Open Spaces.....	160
This Volume.....	12	Application of the Toolkit.....	162
1.3 RCDC Framework.....	14	Streetscapes.....	192
1.4 Project Delivery Stages.....	16	Application of the Toolkit.....	194
1.5 User Guide.....	18	4.4 Waterfront Guidelines and Standards.....	226
How to Read the RCDC.....	18	Waterfront Parks and Open Spaces.....	234
Meeting the KPIs.....	18	4.5 TOD Guidelines and Standards.....	248
02 General Considerations.....	21	TOD Open Spaces.....	250
2.1 Medium Density.....	22	4.6 Public Realm Lighting.....	258
Defining Medium Density.....	22	Application of the Toolkit.....	256
2.2 Site Studies and Considerations.....	24	4.7 Summary.....	278
2.3 Planning Approach.....	26	KPI Checklist.....	278
Centers Hierarchy.....	26	05 Sustainability.....	290
2.4 Public Realm.....	28	5.1 Introduction.....	291
Parks.....	28	5.2 Sustainability Guidelines and Standards...	292
Streetscape.....	30	5.3 Overlays.....	320
2.5 Sustainability Design Elements.....	32	5.4 Summary.....	322
2.6 Sustainability Studies.....	34	KPI Checklist.....	322
2.7 Sustainability Considerations.....	36	06 Appendix.....	341
2.8 Design to Cost Strategies.....	38	6.1 Glossary.....	342
Three Price Point Strategies.....	40	6.2 Abbreviations.....	352
03 Masterplanning and Urban Design.....	41	6.3 Planning and Approval Processes.....	354
3.1 Introduction.....	42	Governance and Authorities.....	354
3.2 Site-Wide Guidelines and Standards.....	46	Planning & Building Permit Application Processes.....	356
3.3 Overlays.....	82	6.4 Standards of Measurement.....	366
3.4 Typologies Guidelines and Plot Standards.....	104	6.5 Land Use Categories.....	374
3.5 Summary.....	130		
KPI Checklist.....	130		

01

INTRODUCTION

This chapter offers an overview of ROSHN Group as Saudi Arabia's leading mixed-use community developer and emphasizes the importance of the RCDC in aligning with the Group's aspirations. It also presents a user guide and summary of the RCDC framework, to support its effective use.

1.1 ROSHN Group

Overview

ROSHN, a national real estate developer funded by Public Investment Fund (PIF), is the Kingdom's leading real estate developer, focusing specifically on housing and residential community development. ROSHN has recently re-branded as ROSHN Group; aiming to connect people through the spaces they create and redefine the real estate market in KSA. ROSHN 3.0 is the next evolution in the Group's journey to become one of the world's most valuable real estate platforms. As part of this, ROSHN aims to become a leading mixed-use developer, expanding its service offering beyond residential to include retail, commercial, hospitality, leisure and entertainment, knowledge hubs, and warehousing and logistics. ROSHN 3.0 is built on six key aspirations driven by expansion, innovation and sustainability detailed below.

ROSHN's remit is Kingdom-wide which requires a review and adherence to a plethora of regulations, standards, guidelines, policies and documents that create a complex regulatory ecosystem. Some of these are unclear, out of date, onerous and/or sometimes contradicting. Furthermore, as ROSHN continues to grow, it is looking to improve and standardize the general quality and delivery of its horizontal (master plan) and vertical (building) assets in alignment with ROSHN's identity.

ROSHN 3.0 Aspirations



Expansion

01 ROSHN wants to be a leading mixed-use developer in KSA, offering diverse asset classes with multiple options tailored to identified needs and opportunities.

02 ROSHN will own and manage assets based on market trends, aiming to grow their portfolio and enhance the customer experience.



Innovation

03 ROSHN will adopt state-of-the-art construction methods and standards to deliver projects efficiently. This will be achieved by improving their processes and creating a resilient supply chain.

04 ROSHN will be a leader in real estate innovation, using digital tools, AI, and other new tech to improve everything they do.



Sustainability

05 ROSHN will help unlock sustainable investment opportunities for both government and private companies across all value chain elements of the Real Estate Sector.

06 ROSHN will be a champion for sustainable development, building in ways that are environmentally friendly. ROSHN is also committed to making a positive social impact.

ROSHN 3.0 Assets

ROSHN's diversified portfolio under ROSHN 3.0 includes seven asset classes, ranging from core residential, commercial and retail to emerging opportunities in logistics, knowledge, and entertainment.

1. Residential

Core of build-to-sell units, in addition to launching multi-family, single-family, and employer housing build-to-rent offering.

2. Retail

Community retail: district and neighborhood retail units in ROSHN communities.

Lifestyle retail: in addition to Riyadh Front, ROSHN will build destinations, outlet malls, and big box retail.

3. Commercial

Commercial asset class starting with Business Front and additional office destinations and typologies.

7. Warehousing and Logistics

Build on opportunities in warehousing, logistics and transport

6. Knowledge Hubs

Opportunities in building schools of the future, education cities, industry and knowledge hubs.

5. Leisure and Entertainment

offering a diverse range of leisure and entertainment options, creating vibrant destinations where residents and visitors can enjoy world-class amenities, cultural experiences, and recreational activities.

4. Hospitality

Multiple hospitality destinations.



Figure 1.1 ROSHN 3.0 Diversified Assets

1.2 The RCDC

Purpose and Aim

The ROSHN Community Development Charters (RCDC) emerges from the need to create a set of documents that address the various complexities within ROSHN's spatial remit and enables ROSHN 3.0's ambitions in consistently delivering successful developments with new asset typologies to the sought quality.

The RCDC establishes the foundation for all future ROSHN projects across KSA through a comprehensive set of principles, guidelines and standards. It is informed by research on global best practices and the targets outlined at the national and regional levels in KSA, filling gaps in existing guidelines and ultimately shaping ROSHN's developments.

The RCDC aims to standardize processes, synchronize efforts, optimize resources, provide clear authorization frameworks, and ultimately enhance quality of ROSHN projects.

Users

The RCDC has been prepared for a variety of users as listed below.

Development Professionals: Internal ROSHN teams (including members of development, design, technical, project management), sub-developers and appointed consultants in their preparation of ROSHN horizontal (master plan) and vertical (building) asset designs.

Decision Makers: ROSHN departments in their review and approval of horizontal (master plan) and vertical (building) asset designs.

Public Authorities: As an aspiration, and once the RCDC is approved by external entities, relevant government authorities may use the RCDC in their review and approval of ROSHN's horizontal (master plan) and vertical (building) asset designs.

Standardize


Develop effective standards for ROSHN projects: masterplanning, landscaping, infrastructure, transportation, architecture, and sustainability.

Synchronize

Create a common character across ROSHN developments while reflecting the contextual fabric.

Optimize

Promote efficiency in project delivery through unified and holistic design guidance captured in the charters.



Application

The RCDC adopts a performance-based approach which aims to strike a balance between prescription and creative freedom, providing users with a structured framework in alignment with ROSHN's vision, while allowing flexibility for innovation and a changing environment.

As a baseline, all ROSHN projects must align with the guidance defined in the RCDC. It supports and builds on existing guidance from regulatory authorities but does not replace them. Compliance with the RCDC does not substitute or override the obligation for developments to comply with all applicable and mandatory KSA laws, regulations, codes, standards, guidelines, etc. It also does not remove the need for users to obtain approvals required in accordance with guidance by relevant authorities. Detailed lists of the relevant documents which must be read in conjunction with the RCDC are provided in the Appendix, with links to their online versions, where applicable.

It is the responsibility of the user to:

- 01 Ensure that projects are planned and designed in response to current and applicable codes, regulations, standards and guidelines.
- 02 Ensure that knowledge of such legislation is up to date, through the review of existing and new information issued by authorities.
- 03 Understand and demonstrate that there are no conflicts with existing legislation applicable to the project.

Authorize

Obtain Regulatory Approval to adopt RCDC across all ROSHN projects.

Terminology

The necessity or mandate of the guidelines and standards is divided into two categories:


“Shall” is used to denote when a guideline is mandatory and required. Deviations from these guidelines shall only be permitted following advice from ROSHN.

“Should” is used when the guideline is encouraged and recommended but not mandatory. Developments are encouraged to incorporate them as appropriate to enhance and complement the built and natural environment.

In addition to this, technical terms used within the RCDC are defined in the Glossary of Terms included in the Appendix.

Create Value

Create enhanced ROSHN products that provide benefits to ROSHN, its customers, and the broader local and national economies.



Structure

The RCDC encompasses fourteen volumes as defined below and in adjacent diagram. While each volume can be read independently, it is strongly recommended that all applicable volumes be thoroughly reviewed by users to ensure alignment and understanding. Users should first consult the relevant master plan typology (Volumes 02–04), then reference the applicable asset volumes (Volumes 05–07), with cross-cutting guidance provided in Volume 1 (ROSHN Development Guide), Volume A (Regional Variations), Volume B (Mobility and Infrastructure), and Volume C (Building Engineering).

Volume 01: ROSHN Development Guide

This volume of work aims to provide the user with an understanding of ROSHN’s real estate ambitions, the need for the RCDC, its role in the planning context, and how its framework was developed.

Volume A: Regional Variations

Regional Variations are provided for all regions across KSA and will be applicable for all masterplanning and asset typologies. To be read alongside Volumes 02–07.

Volumes 02–04: Low, Medium and High Development

Each master plan typology (low, medium and high density) has a separate volume that provides a set of principles, guidelines and standards for all the related disciplines. Waterfront developments and TODs will be treated as overlays within the three typologies.

Volume B: Mobility and Infrastructure

This volume encompasses guidelines and standards for mobility and infrastructure for each master plan typology (low, medium and high density), as well as specific guidance for TOD and waterfront developments.

Volumes 05–07: Residential, Commercial and Retail Assets

The assets will each have dedicated volumes that provide related principles, guidelines and standards for architecture, interior design, and sustainability.

Volume C: Building Engineering

This volume provides principles, guidelines and standards for building engineering for the assets.

This Volume

This Volume (03), **Medium Density Development**, is comprised of six chapters as outlined below. Chapters 03 and 04 have been divided into site-wide and typology specific sections, providing requirements at different scales and ensuring clarity in application.

- 01 Introduction:** Overview of the volume, its purpose, and guidance on usage (this chapter).
- 02 General Considerations:** Definition and general considerations for low density development.
- 03 Masterplanning and Urban Design:** Guidance for urban layout and spatial planning at the site and plot levels. This chapter also addresses additional special considerations for waterfront or transit oriented developments.
- 04 Public Realm and Landscape:** Guidance for site-wide public realm, and parks and streetscape typologies.
- 05 Sustainability:** Guidance for sustainable development.
- 06 Appendix:** Additional relevant material including glossary of terms, measurement standards, land use classifications, relevant reference documents etc.



Vol 01 Roshn Development Guide

- Need for the RCDC
- RCDC Application
- RCDC Framework
- Integrating Sustainability
- Development Typologies



Vol A Regional Variations

- Design Considerations for Masterplanning, Public Realm, Sustainability, Architecture.
- Architecture and Interior Application
- Guidelines and Standards for Residential, Commercial and Retail Assets.



This Volume (3)
Medium Density Development

Vol 02-04 Low, Medium and High Development

- Masterplanning and Urban Design
- Public Realm and Landscape
- Sustainability



Vol B Mobility and Infrastructure

- Mobility
- Infrastructure and Utilities



Vol 05-07 Residential, Commercial and Retail Assets

- Architecture and Interior Design
- Sustainability



Vol C Building Engineering

- Structures
- Mechanical
- Electrical
- Plumbing

1.3 RCDC Framework

The RCDC Framework was designed to align with ROSHN's strategic and corporate vision, mission and values; as well as the Group's commitment to KSA's Vision 2030 and the Quality of Life Program. It forms the foundation of successful developments and establishes a hierarchical structure with increasing levels of detail; translating the overarching pillars, principles and design elements of the RCDC into guidelines and standards for the various disciplines.

The Framework is organized into three tiers as illustrated in Figure 1.2. Developments will be scored and evaluated based on their ability to achieve these pillars, principles and design elements, ensuring that all ROSHN projects align with the overarching goals of the Group and deliver consistent, sustainable, and high quality developments.

Figure 1.2 serves as a summary to illustrate the RCDC Framework tiers. The full list of design elements and their relationship to the different principles and pillars is captured within Chapters 03, 04 and 05 of this volume, as applicable, as well as Volumes 02-07, A, B and C.

These sources inform the RCDC Framework




Figure 1.2 Summary of the RCDC Framework Hierarchy

Note: Architecture, Mobility and Infrastructure, and Building Engineering are covered within respective volumes.

Tier 2

Principles

Fundamental characteristics derived from each pillar to ensure the delivery of successful developments. Principles will be used as key indicators to evaluate developments.

Tier 3

Design Elements

Specific, actionable elements that can actualize principles and pillars. Each design element is translated into a set of guidelines and standards within the RCDC.

