02-1 Data models

Monday, March 13, 2023 17:33

2-1 Data models -...

Data Models

Sungahn Ko

1

Outline

- Foundational topics for course
- Data types
- Data representations
- Data models
- Tables

2

Data

- So far we have looked at many examples of visualization
- Ignored the fundamentals
- It all starts with **data**
- Good definition?
  - Collected from the world
  - Represents the world (somehow)
  - Models something that is interesting (?)

3

Data

- Data is just an abstraction of a real phenomenon

- Corollaries:
  - Visualization is only as good as the data
  - Visualizations can be misleading
  - Good data is important!

4

Data and Datasets

- Data is everywhere!
- Almost all of it is unstructured (95%)
  - Images
  - Video
  - Sound
  - Log files
  - Text
  - Web pages
- Need regular and structured **datasets** to analyze and visualize this data
- Often we must do this ourselves!

5

Existing Structured Data

- Resources exist that collect data on the Web
- Data.gov
  - US Federal government dataset collection
- UCB data:
  - http://vis.berkeley.edu/courses/cs294-10-fa14/wiki/index.php/Online_Datasets
- Public Data Portal Korea: https://www.data.go.kr/

6

Deriving Structured Data: Wrangler (CHI 2011)

- http://vis.stanford.edu/wrangler/ Check it !!!!!
- Demo!
  - https://vimeo.com/19185801

7

Data Models

- How to capture and structure our data?
- Often use three types of entities:
  - Objects
    - Actual items of interest
    - Different types possible
    - **Example**: people on Facebook
  - Relations
    - Connections between objects
    - **Examples**: friend relationships between people
  - Attributes
    - Characteristics of objects and relations
    - Property of an entity
    - **Example**: age, gender, color of object

8

Relational Data Model

- Records in a **data table**
- Structured from amenable to analysis and visualization
- Fixed-length tuples (attributes)
- Each column (attribute) has a domain (type)
- Relational databases also allow relations between cases (often through related tables) – not our focus today

Relational Algebra

- Manipulating relation data models
- Formalized in the standardized SQL language
  - Standard Query Language
- Selection (SELECT)
- Projection (WHERE)
- Sorting (ORDER BY)
- Aggregation (GROUP BY, SUM, MIN, …)
- Set operations (UNION, INTERSECT…)
- Join (INNER JOIN, …)

Example: Relational Data



Students

ID#	Name	Phone	DOB
500	Matt	555-4141	06/03/70
501	Jenny	867-5309	3/15/81
502	Sean	876-9123	10/31/82

Takes_Course

ID#	ClassID	Sem
500	1001	Fall02
501	1002	Fall02
501	1002	Spr03
502	1003	S203

Courses

ClassID	Title	ClassNum
1001	Intro to Informatics	I101
1002	Data Mining	I400
1003	Internet and Society	I400

Variable Types

Nominal
- ?? data (labels) *[Category data]*
  - Supports only equality (same or different)
  - Examples: gender, car brand, fruit, bus number

Ordinal
- ?? data (ordered) *[Integer data]*
  - Obeys the < relation, ordered set
  - Examples: days of week, Fresh/Soph./Junior/Senior

Quantitative
- ?? data *[Real-number data]*
  - Supports arithmetic operations
  - Interval (zero arbitrary)
    - Example: Dates, location
  - Ratio (zero fixed)
    - Example: age, temperature, stock value

S. S. Stevens, On the theory of scales of measurements, 1946

Mathematical Operations

- N - Nominal (labels)
  - Operations: =, ≠
- O – Ordered
  - Operations: =, ≠, <, >
- Q - Interval (Location of zero arbitrary)
  - Operations: =, ≠, <, >, -
  - Can measure distances or spans
- Q - Ratio (zero fixed)
  - Operations: =, ≠, <, >, -, ÷
  - Can measure ratios or proportions

13

Metadata

- Data about data (derived data)
- Describes:
  - Definition
  - Structure
  - Administration
- Examples:
  - Types of variables in data table
  - Language of a particular text
  - Dimensions, bit depth, timestamp for a photograph
- Metadata is often useful when treating data, and sometimes also for visualization!

14

Data Dimensions

- Common dimensions: 1, 2, 3
  - 1 dimension – univariate
    - Temperature readings
  - 2 dimensions – bivariate
    - Positions on map (lat/long)
  - 3 dimensions – trivariate
    - Positions in space (3D)
- For more than 3 dimensions
  - Multivariate
  - Hypervariate

15

Example: US Census Data

- People: # of people in group
- Year: 1850 – 2000 (every decade)
- Age: 0 – 90+
- Sex: Male, Female
- Marital Status: Single, Married, Divorced, …



	A	B	C	D	E
1	year	age	marst	sex	people
2	1850	0	0	1	1483789
3	1850	0	0	2	1450376
4	1850	5	0	1	1411067
5	1850	5	0	2	1359668
6	1850	10	0	1	1260099
7	1850	10	0	2	1216114
8	1850	15	0	1	1077133
9	1850	15	0	2	1110619
10	1850	20	0	1	1017281
11	1850	20	0	2	1003841
12	1850	25	0	1	862547
13	1850	25	0	2	844643
14	1850	30	0	1	730838
15	1850	30	0	2	699838
16	1850	35	0	1	588987
17	1850	35	0	2	595012
18	1850	40	0	1	475911
19	1850	40	0	2	428185
20	1850	45	0	1	284211
21	1850	45	0	2	341254
22	1850	50	0	1	321343
23	1850	50	0	2	286980
24	1850	55	0	1	194080
25	1850	55	0	2	187208
26	1850	60	0	1	174976
27	1850	60	0	2	161556
28	1850	65	0	1	106827
29	1850	65	0	2	105554
30	1850	70	0	1	75677
31	1850	70	0	2	71743
32	1850	75	0	1	40834
33	1850	75	0	2	40229
34	1850	80	0	1	23649
35	1850	80	0	2	22949
36	1850	85	0	1	8186
37	1850	85	0	2	10511
38	1850	90	0	1	5159
39	1850	90	0	2	9389
40	1860	0	0	1	2120846
41	1860	0	0	2	2092162

- 2348 data points

16

How to Represent Tabular Data?

- Standard answer in this course: **graphs**!
  - Statistical data graphics
  - Bar charts, line charts, pie charts, etc.
- There is a simpler way: **tables**
  - Also a graphical representation!
  - Textual representation
  - Useful for direct lookups
- When to use which format?
  - Tables: looking up individual values, precise data
  - Graphs: relationships, comparisons

18

Side Note

A: Which number is larger?

284 912

B: Which number is larger?

284 312



⇒ People answer A faster than B. Why?

"The form of representation most appropriate for an artifact depends on the task to be performed" – D. A. Norman, 1993

19

Example: Tables and Graphs

Cancer site	Relative survival rate, % (SE) 5 years	10 years	15 years	20 years
Oral cavity and pharynx	56·7 (1·3)	44·2 (1·4)	37·5 (1·6)	33·0 (1·8)
Oesophagus	14·2 (1·4)	7·9 (1·3)	7·7 (1·6)	5·4 (2·0)
Stomach	23·8 (1·3)	19·4 (1·4)	19·0 (1·7)	14·9 (1·9)
Colon	61·7 (0·8)	55·4 (1·0)	53·9 (1·2)	52·3 (1·6)
Rectum	62·6 (1·2)	55·2 (1·4)	51·8 (1·8)	49·2 (2·3)
Liver and intrahepatic bile duct	7·5 (1·1)	5·8 (1·2)	6·3 (1·5)	7·6 (2·0)
Pancreas	4·0 (0·5)	3·0 (0·5)	2·7 (0·6)	2·7 (0·8)
Larynx	68·8 (2·1)	56·7 (2·5)	45·8 (2·8)	37·8 (3·1)
Lung and bronchus	15·0 (0·4)	10·6 (0·4)	8·1 (0·4)	6·5 (0·4)
Melanomas	89·0 (0·8)	86·7 (1·1)	83·5 (1·5)	82·8 (1·9)
Breast	86·4 (0·4)	78·3 (0·6)	71·3 (0·7)	65·0 (1·0)
Cervix uteri	70·5 (1·6)	64·1 (1·8)	62·8 (2·1)	60·0 (2·4)
Corpus uteri and uterus, NOS	84·3 (1·0)	83·2 (1·3)	80·8 (1·7)	79·2 (2·0)
Ovary	55·0 (1·3)	49·3 (1·6)	49·9 (1·9)	49·6 (2·4)
Prostate	98·8 (0·4)	95·2 (0·9)	87·1 (1·7)	81·1 (3·0)
Testis	94·7 (1·1)	94·0 (1·3)	91·1 (1·8)	88·2 (2·3)
Urinary bladder	82·1 (1·0)	76·2 (1·4)	70·3 (1·9)	67·9 (2·4)
Kidney and renal pelvis	61·8 (1·3)	54·4 (1·6)	49·8 (2·0)	47·3 (2·6)
Brain and other nervous system	32·0 (1·4)	29·2 (1·5)	27·6 (1·6)	26·1 (1·9)
Thyroid	96·0 (0·8)	95·8 (1·2)	94·0 (1·6)	95·4 (2·1)
Hodgkin's disease	85·1 (1·7)	79·8 (2·0)	73·8 (2·4)	67·1 (2·8)
Non-Hodgkin lymphomas	57·8 (1·0)	46·3 (1·2)	38·3 (1·4)	34·3 (1·7)
Multiple myeloma	29·5 (1·6)	12·7 (1·5)	7·0 (1·3)	4·8 (1·5)
Leukaemias	42·5 (1·2)	32·4 (1·3)	29·7 (1·5)	26·2 (1·7)

Rates derived from SEER 1973–98 database (both sexes, all ethnic groups).[1] NOS=not otherwise specified.

Table 4: **Most recent period estimates of relative survival rates, by cancer site**

Estimates of relative survival rates, by cancer site

	% survival rates and standard errors 5 year	10 year	15 year	20 year
Prostate	98.8 0.4	95.2 0.9	87.1 1.7	81.1 3.0
Thyroid	96.0 0.8	95.8 1.2	94.0 1.6	95.4 2.1
Testis	94.7 1.1	94.0 1.3	91.1 1.8	88.2 2.3
Melanomas	89.0 0.8	86.7 1.1	83.5 1.5	82.8 1.9
Breast	86.4 0.4	78.3 0.6	71.3 0.7	65.0 1.0
Hodgkin's disease	85.1 1.7	79.8 2.0	73.8 2.4	67.1 2.8
Corpus uteri, uterus	84.3 1.0	83.2 1.3	80.8 1.7	79.2 2.0
Urinary, bladder	82.1 1.0	76.2 1.4	70.3 1.9	67.9 2.4
Cervix, uteri	70.5 1.6	64.1 1.8	62.8 2.1	60.0 2.4
Larynx	68.8 2.1	56.7 2.5	45.8 2.8	37.8 3.1
Rectum	62.6 1.2	55.2 1.4	51.8 1.8	49.2 2.3
Kidney, renal pelvis	61.8 1.3	54.4 1.6	49.8 2.0	47.3 2.6
Colon	61.7 0.8	55.4 1.0	53.9 1.2	52.3 1.6
Non-Hodgkin's	57.8 1.0	46.3 1.2	38.3 1.4	34.3 1.7
Oral cavity, pharynx	56.7 1.3	44.2 1.4	37.5 1.6	33.0 1.8
Ovary	55.0 1.3	49.3 1.6	49.9 1.9	49.6 2.4
Leukemia	42.5 1.2	32.4 1.3	29.7 1.5	26.2 1.7
Brain, nervous system	32.0 1.4	29.2 1.5	27.6 1.6	26.1 1.9
Multiple myeloma	29.5 1.6	12.7 1.5	7.0 1.3	4.8 1.5
Stomach	23.8 1.3	19.4 1.4	19.0 1.7	14.9 1.9
Lung and bronchus	15.0 0.4	10.6 0.4	8.1 0.4	6.5 0.4
Esophagus	14.2 1.4	7.9 1.3	7.7 1.6	5.4 2.0
Liver, bile duct	7.5 1.1	5.8 1.2	6.3 1.5	7.6 2.0
Pancreas	4.0 0.5	3.0 1.5	2.7 0.6	2.7 0.8



"For […] small data sets, usually a simple table shows the data more effectively than a graph, let alone a chartjunk graph." – E. R. Tufte, 2003

Acknowledgments

- Dr. Niklas Elmqvist, University of Maryland
- John Stasko, Georgia Tech
- Jeff Heer, University of Washington
- S. S. Stevens, On the theory of scales of measurements, *Science*, 103(2684):677-680, 1946.