Practical-7
Deployment of ML project using Streamlit.

Task 1: Ensure that the required libraries are installed
streamlit==1.10.0 pandas==1.2.3 scikit-learn==0.24.1

Task 2: Create the docker file using the steps described in theory material.

a) Create a Dockerfile :

```
FROM python:3.8-slim
WORKDIR /app
COPY . /app
RUN pip install --no-cache-dir -r requirements.txt
EXPOSE 80
ENV NAME World
CMD ["gunicorn", "--bind", "0.0.0.0:80", "app:app"]
```

b) Create a requirement.txt file :

```
scikit-learn==0.24.2 pandas==1.3.3
numpy==1.21.2 flask==2.1.0
gunicorn==20.1.0
```

c) Create a Streamlit file :

d) Create a Docker Image :

```
PS D:\Desktop\stream> docker build -t stream .
[+] Building 3.1s (10/10) FINISHED
 => [internal] load build definition from Dockerfile
 => => transferring dockerfile: 577B
 => [internal] load .dockerignore
 => => transferring context: 2B
 => [internal] load metadata for docker.io/library/python:3.8-slim
 => [auth] library/python:pull token for registry-1.docker.io
 => [1/4] FROM docker.io/library/python:3.8-slim@sha256:19e07fa24813e88b04e606772213bd03ba044637cc939a211e28ccf997a9162a
 => => transferring context: 93B
 => CACHED [2/4] WORKDIR /app
 => CACHED [4/4] RUN pip install --no-cache-dir -r requirements.txt
 => exporting to image
 => => exporting layers
 => => writing image sha256:e56ed293e3b764515644f7bb676072f8e666754267516a1758d42045027a5b2f
```

Check the image is created or not :

```
PS D:\Desktop\stream> docker images
REPOSITORY    TAG       IMAGE ID       CREATED             SIZE
stream        latest    e56ed293e3b7   16 minutes ago      495MB
```

Task 4: Run the docker container to execute the docker image and host the machine learning model using streamlit app server.

```
PS D:\Desktop\stream> docker run -p 8080:8501 stream

Collecting usage statistics. To deactivate, set browser.gatherUsageStats to False.


  You can now view your Streamlit app in your browser.

  Network URL: http://172.17.0.4:8501
  External URL: http://103.238.106.204:8501
```