Practical-10

Orchestration of ML project containers using Kuberenetes

The objective of this lab is to introduce you to the fundamentals of orchestrating applications with Kubernetes. You will learn how to define, deploy, and manage containerized applications using Kubernetes manifests.

Lab Steps:

Step 1: Verify Kubernetes Cluster Ensure your Kubernetes cluster is up and running by checking the cluster nodes

```
PS D:\Desktop\stream> kubectl get nodes

NAME STATUS ROLES AGE VERSION
docker-desktop Ready_ control-plane 22m v1.27.2
```

Step 2: Define a Deployment using YAML manifest and apply the deployment to your cluster

```
deployment.yml
      # deployment.yaml
      apiVersion: apps/v1
      kind: Deployment
      metadata:
      name: ml-deployment
        replicas: 3
        selector:
          matchLabels:
             app: ml-app
        template:
          metadata:
             labels:
              app: ml-app
          spec:
             containers:
             - name: ml-container
               image: your-ml-image:tag
 19
               ports:A
               - containerPort: 8080
```

Apply the deployment:

```
PS D:\Desktop\stream> kubectl apply -f deployment.yaml deployment.apps/ml-deployment created
```

Step 3: Describe Deployment

```
PS D:\Desktop\stream> kubectl describe deployment ml-deployment
Name:
                       ml-deployment
Namespace:
                       default
                       Thu, 23 Nov 2023 18:58:29 +0530
CreationTimestamp:
Labels:
                       <none>
Annotations:
                       deployment.kubernetes.io/revision: 1
                       app=ml-app
3 desired | 3 updated | 3 total | 0 available | 3 unavailable
Selector:
Replicas:
StrategyType:
                       RollingUpdate
MinReadySeconds:
RollingUpdateStrategy: 25% max unavailable, 25% max surge
Pod Template:
  Labels: app=ml-app
  Containers:
  ml-container:
   Image:
                 your-ml-image:tag
   Port:
                 8080/TCP
   Host Port:
                 0/TCP
   Environment: <none>
   Mounts:
                 <none>
  Volumes:
                 <none>
Conditions:
                Status Reason
  Type
 Available
                False MinimumReplicasUnavailable
                True ReplicaSetUpdated
 Progressing
OldReplicaSets: <none>
NewReplicaSet: ml-deployment-5fcc5656fc (3/3 replicas created)
Events:
  Type
         Reason
                            Age
                                  From
                                                         Message
 Normal ScalingReplicaSet 24s
                                  deployment-controller Scaled up replica set ml-deployment-5fcc5656fc to 3
```

Step 4: Expose Service

```
# service.yaml

1  # service.yaml

2  apiVersion: v1

3  kind: Service

4  metadata:
5  name: ml-service
6  spec:
7  selector:
8  app: ml-app
9  ports:
10  - protocol: TCP
11  port: 80
12  targetPort: 8080
13  type: LoadBalancer
```

Step 5: Access the Service

```
PS D:\Desktop\stream> kubectl apply -f service.yaml service/ml-service created
```

Step 6: Scale Deployment

PS D:\Desktop\stream> kubectl scale deployment ml-deployment --replicas=5 deployment.apps/ml-deployment scaled

Step 7: Update Deployment

```
deployment-updated.yaml
   apiVersion: apps/v1
    kind: Deployment
   metadata:
    name: ml-deployment
    spec:
      replicas: 3
      selector:
8
      matchLabels:
        app: ml-app
      template:
       metadata:
         labels:
           app: ml-app
        spec:
         containers:
          - name: ml-container
           image: your-updated-ml-image:tag
           ports:
            - containerPort: 8080
```

Step 8: Rollout Status

```
PS D:\Desktop\stream> kubectl rollout status deployment ml-deployment
Waiting for deployment "ml-deployment" rollout to finish: 1 out of 3 new replicas have been updated...
```

Step 9: Rollback Deployment

PS D:\Desktop\stream> kubectl rollout undo deployment ml-deployment deployment.apps/ml-deployment rolled back

Step 10: Delete Resources

PS D:\Desktop\stream> kubectl delete deployment ml-deployment deployment.apps "ml-deployment" deleted
PS D:\Desktop\stream> kubectl delete service ml-service service "ml-service" deleted