

			Brief Descriptions
Attribute	DataType	k { C	- Silet possity
			- Stores basic Coach
Coach-id	In+	PK	
name	varchar	Not Null	into including
email	Varchar	lana' a	name & unique
Cyreac	1 varana	Unique	email)
Attribute	DataType	k t C	- Represents different
team-id	Int	PK	teams, each mangel
team-name	Varchor	NOT WULL	by low move couch
Coach-id	Int	PK	ĺ
		<u> </u>	
Attribute	DataType	k f C	-T 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		PK	- Individual athletes
athlete-id	int		w) information (account)
nume Sender	varchar	NOTHULL	and a link to team
email	varchar	unique	
team-id	int		
Team-12		FK	
A 1 () 1	$\Omega \setminus T$	1116	0 0 0
Attribute	DataType	k { C	- Personts a recorded
Session-id	4~;	PK	sussion for an athlete
athlete-id	i~t	FK	
scssion-time	time-stoup	Cullet - Hesturgs	
		•	
Attribute	DataType	k { C	- Spits recorde
split-id	int	PK	during a
session-id	Pot .	FK	"Session"
Split-order	Int	194 NOLL	
split-time	FLOAT	NOT NULL	
21 of 21			

Documentation: Used class slides and examples of sql code AND ERs and Schemas.