Submission Worksheet

Submission Data

Course: IT202-008-S2026
Assignment: IT202 Module 3 HTML, CSS, JS Challenges
Student: Kurt C. (kc784)
Status: Submitted | **Worksheet Progress:** 100%
Potential Grade: 10.00/10.00 (100.00%)
Received Grade: 0.00/10.00 (0.00%)
Started: 3/8/2026 12:00:15 PM
Updated: 3/8/2026 1:50:59 PM
Grading Link: https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-module-3-html-css-js-challenges/grading/kc784
View Link: https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-module-3-html-css-js-challenges/view/kc784

Instructions

- Overview Link: https://youtu.be/Dyl6dg1Xybo (older but should still help)

1. Ensure you read all instructions and objectives before starting.
2. Create a new branch from qa called M3-Homework
    1. `git checkout qa` (ensure proper starting branch)
    2. `git pull origin qa` (ensure history is up to date)
    3. `git checkout -b M3-Homework` (create and switch to branch)
3. Copy the template code from here: GitHub Repository - M3 Homework
    - It includes Challenges 1-3, `util.js`, and `styles.css`. Put all into an M3 folder or similar inside your `public_html`
    - Immediately record to history
        - [ ] `git add public_html`
        - [ ] `git commit -m "adding M3 HW baseline files"`
        - [ ] `git push origin M3-Homework`
        - [ ] Create a Pull Request from M3-Homework to qa and keep it open
4. Fill out the below worksheet
    - Each Problem requires the following as you work
        - [ ] Ensure there's a comment with your UCID, date, and brief summary of how the problem was solved
        - [ ] Update ucid in header tag
        - [ ] Code solution (add/commit periodically as needed) (style and/or script tags)
5. Once finished, click "Submit and Export"
6. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
    1. `git add .`
    2. `git commit -m "adding PDF"`
    3. `git push origin M3-Homework`
    4. On Github merge the pull request from M3-Homework to qa
    5. On Github create a pull request from qa to prod and immediately merge. (This will trigger the prod

deploy to make the render prod links work)

7. Upload the same PDF to Canvas
8. Sync Local
    1. `git checkout qa`
    2. `git pull origin qa`

Section #1: (3 pts.) Challenge 1 - Fixed Header, Content, Footer

Progress: 100%

☰ Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:

- Only make edits where noted via provided comments
- Update your ucid in the header tag
- #1 The header and footer should remain FIXED in place (top and bottom of page respectively)
- #2 The content area should SCROLL independently (nothing should be pushed off screen and the browser WINDOW scrollbar shouldn't appear)
- #3 The entire page should always take up the full viewport height
- #4 The borders around header,main,footer should remain intact and visible, this will help show that the challenges were solved correctly
- Add code to solve the problem (add/commit as needed)

🖼 Part 1:

Progress: 100%

Details:
Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on render.com qa after a manual deploy) 1. Ensure url is visible in the browser's address bar

```
<style>
    /* You're free to make whatever edits you need here, just don't override anything in the styles.css */
    /* See the requirements at the top. If easier, you may copy/paste them here*/

    /* kc784 | March 7
       make the page fill the entire screen
       keep header + footer visible
       only main scroll
       hide scroll bar
    */

    body.challenge1 {
        height: 100vh; /* fills screen height */
        display: grid; /* uses a grid for the page layout */
        grid-template-rows: auto auto 1fr auto; /* navigation / header / main / footer */
        overflow: hidden; /* stops browser page scrolling */
    } <-- #80-74 body.challenge1
    body.challenge1 main {
        min-height: 0; /* main resizes inside the grid layout */
        overflow-y: auto; /* only main scrolls */
    }
</style> 🚫 <-- #6-79 #2 The content area should SCROLL independently
```

relevant code



output of program

Saved: 3/8/2026 12:06:58 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework related branch from Github (should end in `.html`, , zero credit if it does not)
- Direct link to the file on Render.com Prod (Grab the qa url you're testing, paste it, change "-qa" to "-prod"), zero credit if

URL #1
https://github.com/kurtjcastro/kc784-

it202-008-2026/public_html/M3/challenge1.html

URL
https://github.com/kurtjcastro/kc

URL #2
https://kc784-it202-008-prod.onrender.com/M3/challenge1.html

URL
https://kc784-it202-008-prod.onre

Saved: 3/8/2026 12:06:58 PM

Part 3:

Progress: 100%

Details:
Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

I used a grid layout to divide the page into 4 different rows which included the navigation, header, footer, section, and main. The height was set to 100vh to fill the browser height and used overflow:hidden to prevent the entire page from scrolling. The main section was made to scroll only in that section with overflow-y to prevent the layout from getting larger, and I used 1fr for the main row so that it took up remaining space between the top and bottom sections.

Saved: 3/8/2026 12:06:58 PM

Section #2: (3 pts.) Challenge 2 - Header, Content, And Sidebars

Progress: 100%

Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:


- Only make edits where noted via provided comments
- Update your ucid in the header tag
- Using CSS, adjust the layout per the following
  - #1: Header is at the top
  - #2: Content takes up the rest of the height
  - #3: Both sidebars docked to the respective side and take up 15% width; Content area should utilize the remaining width
- Using JavaScript complete the following
  - #4: Attach the appropriate event listener to the buttons
  - #5: Individual toggle the respective panel between collapsed and uncollapsed (Don't lose the button in the process)
  - #6: The content should adjust based on the status of the respective sidebars (i.e., take up more left, right, or both space)
- Add code to solve the problem (add/commit as needed)

Part 1:

Progress: 100%

Details:
Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on render.com qa after a manual deploy) 1. Ensure url is visible in the browser's address bar



relevant code



output of program

Saved: 3/8/2026 12:34:13 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework related branch from Github (should end in `.html`, , zero credit if it does not)
- Direct link to the file on Render.com Prod (Grab the qa url you're testing, paste it, change "-qa" to "-prod"), zero credit if

URL #1
https://github.com/kurtjcastro/kc784-

it202-[redacted]/public_html/M3/challenge2.html

URL
https://github.com/kurtjcastro/kc

URL #2
https://kc784-it202-008-prod.onrender.com/M3/challenge2.html

URL
https://kc784-it202-008-prod.onre

Saved: 3/8/2026 12:34:13 PM

Part 3:

Progress: 100%

Details:
Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

As I mentioned before, I used a grid layout so the top navigation and header stayed fixed and the container filled the remaining space. I also used a flex to keep the left and right side bar, and the main content in a single horizontal row. Both side bars were fixed at 15% width, whereas the main section grew according to the space that was available through flex: 1. I had each side bar with their own buttons so each click would toggle a collapsed class which changed the width and hid the list. The button text is also updated each time to match whether the panel was open or collapsed.

Saved: 3/8/2026 12:34:13 PM

Section #3: (3 pts.) Challenge 3 - Carousel Layout With Swiping

Progress: 50%

Task #1 (3 pts.) - Edit the `style` and `script` tags to solve the challenge requirements

Progress: 100%

Details:


- Only make edits where noted via provided comments
- Update your ucid in the header tag
- Using CSS, adjust the layout per the following
  - #1 Header should be at the top
  - #2 Carousel should take up full width
  - #3 Buttons should be centered
  - #4 Carousel panels should fill the full height of the carousel
  - #5 Carousel content should be centered (vertical and horizontal)
- Using JavaScript complete the following
  - #4 Attach appropriate event listeners to each button
  - #5 Cycle through each panel, showing only 1 at a time
  - #6 Ensure that the panels loop when reaching the last or first one
- Add code to solve the problem (add/commit as needed)

Part 1:

Progress: 100%


Details:
Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment)
2. Full output of executing the program (visit the proper file on render.com qa after a manual deploy) 1. Ensure url is visible in the browser's address bar





relevant code



output of program

Saved: 3/8/2026 1:35:40 PM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework related branch from Github (should end in `.html`, , zero credit if it does not)
- Direct link to the file on Render.com Prod (Grab the qa url you're testing, paste it, change "-qa" to "-prod"), zero credit if

URL #1
https://github.com/kurtjcastro/kc784-

it202-008-2026/public_html/M3/challenge3.html

URL
https://github.com/kurtjcastro/kc

URL #2
https://kc784-it202-008-prod.onrender.com/M3/challenge3.html

URL
https://kc784-it202-008-prod.onre

Saved: 3/8/2026 1:35:40 PM

Part 3:

Progress: 100%

Details:
Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

Using a grid layout, I oriented the navigation, header, button row, and the carousel panel to stay in their own sections. The carousel uses a flex container to place all the panels and each has a full-width size for full view one at a time. I stored the current panel position and updated it when either the next or previous button is clicked. I tried fixing the formatting for the buttons and the carousel panel, but I couldn't figure out how to center them correctly on the screen.

Saved: 3/8/2026 1:35:40 PM

Task #2 (+ 0.99 pts.) - Extra Credit - Challenge 7

Progress: 0%

Details:

- Allow mouse swipe on the carousel to cycle through the panels, similar to how the buttons would work

Part 1:

Progress: 0%

Details:

1. Snippet of relevant code showing solution (with ucid/date comment)



Missing Caption

Saved: 3/4/2026 11:48:10 AM

Part 2:

Progress: 0%

Details:
Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

Missing Response

Saved: 3/4/2026 11:48:10 AM

Section #4: (1 pt.) Misc

Progress: 100%

Task #1 (0.33 pts.) - Github Details

Progress: 100%

Part 1:

Progress: 100%

Details:
From the Commits tab of the Pull Request screenshot the commit history



commit history

Saved: 3/8/2026 1:43:54 PM

Part 2:

Progress: 100%

Details:
Include the link to the Pull Request (should end in `/pull/#`)

URL #1
https://github.com/kurtjcastro/kc784-it202-008-[illegible]

URL
https://github.com/kurtjcastro/kc

Saved: 3/8/2026 1:43:54 PM

Task #2 (0.33 pts.) - WakaTime - Activity

Progress: 100%

Details:

- Visit the WakaTime.com Dashboard
- Click `Projects` and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary



overall time



Files		Branches	
2 hrs 23 mins	M3/challenge3.html	4 hrs 12 mins	M3-Homework
1 hr	M3/challenge2.html	6 mins	qa
44 mins	M3/challenge1.html		
6 mins	M2/scenario1.php		
2 mins	M3/util.js		
50 secs	kc784-it202-008-2026.code-workspace		
35 secs	M3/styles.css		
19 secs	M3		

file times

Saved: 3/8/2026 1:44:42 PM

Task #3 (0.33 pts.) - Reflection

Progress: 100%

Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

I learned how to better control layouts through the use of CSS grids, flex boxes, and javascript. I have a better understanding on how to structure pages and resize

to get panels to display correctly as their sizes change. It also taught me how invalid spacing can completely change the layout and how to stop a certain section from scrolling or moving while keeping everything else fixed.

Saved: 3/8/2026 1:49:08 PM

Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part was Challenge 1 because the layout was a straightforward issue to fix and only need the sections to be resized correctly. Once I found out how to set the body and the main area, it was a simple issue to solve.

Saved: 3/8/2026 1:50:03 PM

Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part was the last challenge because I could not get the formatting for the buttons and carousel correctly. I managed to get the panel and button appearances and their functionality to work properly, but the overall positioning was something that I didn't understand enough to complete.

Saved: 3/8/2026 1:50:59 PM