Submission Worksheet

Submission Data

Course: IT202-008-S2026
Assignment: IT202 - Milestone 3
Student: Kurt C. (kc784)
Status: Submitted | **Worksheet Progress:** 100%
Potential Grade: 10.00/10.00 (100.00%)
Received Grade: 0.00/10.00 (0.00%)
Started: 5/3/2026 1:01:17 AM
Updated: 5/4/2026 12:04:57 AM
Grading Link: https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-3/grading/kc784
View Link: https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/it202-milestone-3/view/kc784

Instructions

1. Refer to Milestone3 of this doc: https://docs.google.com/document/d/1XE96a8DQ52Vp49XACBDTNCq0xYDt3kF29cO88EWVwfo/view
2. Ensure you read all instructions and objectives before starting.
3. Ensure you've gone through each lesson related to this Milestone
4. Switch to the Milestone3 branch
    1. `git checkout Milestone3` (ensure proper starting branch)
    2. `git pull origin Milestone3` (ensure history is up to date)
5. Fill out the worksheet below
    - Ensure there's a comment with your UCID, date, and brief summary of the snippet in each screenshot
    - Ensure proper styling is applied to each page
    - Ensure there are no visible technical errors; only user-friendly messages are allowed
6. Once finished, click "Submit and Export"
7. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to GitHub
    1. `git add .`
    2. `git commit -m "adding PDF"`
    3. `git push origin Milestone3`
    4. On GitHub merge the pull request from `Milestone3` to `qa`
    5. On GitHub create a pull request from `qa` to `prod` and immediately merge. (This will trigger the `prod` deploy to make the Render.com prod links work)
8. Upload the same PDF to Canvas
9. Sync Local
10. `git checkout qa`
11. `git pull origin qa`

Section #1: (3 pts.) Api Data

Progress: 100%

Task #1 (1 pt.) - Concept of Data Association

Progress: 100%

Details:

- What is the concept of your data association to users? (examples: favorites, wish list, purchases, assignment, etc)
- Describe with a few sentences

Your Response:

The data association between the users and movies functions as a watchlist. Only logged-in users can brose the movie catalog and add movies to their list, which saves a collection that they can view and manage from their movies page. Users can also add movies from the detail page and remove them individually or all at once.

Saved: 5/3/2026 10:29:51 PM

Task #2 (1 pt.) - Data Updates

Progress: 100%

Details:

- When an associated entity is updated (manually or via API), how is the association affected?
  - Does the user see the old version of the data?
  - Does the user see the new version of the data?
  - Does the user need to have data re-associated or remapped?
- Explain why.

Your Response:

When a movie is updated the user automatically sees the new version of the data. The associtation table only stores the user_id and the movie_id, so when a users sees their list, the query joins the UserMovies with the Movies table and pulls the current data directly. Re-associating or remapping is not necessary in this case because the foreign key relationship remains the same and only the movie content changes not the id. This avoids storing duplicate information across tables.

Saved: 5/3/2026 10:31:52 PM

Task #3 (1 pt.) - Handling Association


Progress: 100%

Part 1:


Progress: 100%

Details:

- Show an example page of where a user can get data associated with them
- Ensure the Render.com qa URL is visible
- Caption if this is a user-facing page or admin page
- Include screenshots of code related to this logic including the database query



user facing page (add to my list)



movie added to list + remove from list



POST handler

```php
<?php
// kc784 | 5/2
// check if user has movie in list
$user_id = get_user_id();
$stmt = $db->prepare("SELECT id FROM UserMovies WHERE user_id = :user_id AND movie_id = :movie_id AND is_active = 1");
$stmt->execute([":user_id" => $user_id, ":movie_id" => $id]);
$isFavorite = $stmt->fetch();
?>
```

favorite check



buttons + links

Saved: 5/3/2026 11:03:23 PM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page that triggers and handles this logic

URL #1
https://github.com/kurtjcastro/kc784-it202-008-2026649

URL
https://github.com/kurtjcastro/kc

URL #2
https://kc784-it202-008-qa.onrender.com/project/view_movie.php?id=44

URL
https://kc784-it202-008-qa.onrenc

Saved: 5/3/2026 11:03:23 PM

Part 3:

Progress: 100%

Details:

- Describe the process of associating data with the user.
- Can it be toggled, or is it applied once?

Your Response:

A user can associate a movie with their account by going to a movie's detail page and adding that movie to their list. This creates a record in the UserMovies table which links their user_id to the movie_id. They can also remove the movie from the list which sets is_active = 0 instead of deleting it. The association can be toggled as it uses a soft delete. When a users removes a movie, the record stays in the database with is_active = 0 instead of permanently deleting it. If the movie is added again, it is considered an existing record that was inactive and is reactivated by setting is_active to 1 instead of making a duplicate.

Saved: 5/3/2026 11:03:23 PM

Section #2: (6 pts.) Associations

Progress: 100%

Task #1 (1.50 pts.) - Logged-in User's Associated Entities

Progress: 100%

Details:

- Each line item should have a logical summary
- Each line item should have a link/button to a single view page of the entity
- Each line item should have a link/button to a delete action of the relationship (doesn't delete the entity or user, just the relationship)
- The page should have a link/button to remove all associations for the particular user
- The page should have a section for stats (number of results and total number possible based on the query filters)
- The page should have logical options for filtering/sorting
    - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
    - A filter with no matching records should show "no results available" or equivalent

Part 1:

Progress: 100%

Details:

- Show a few examples of this page from Render.com qa with various filters applied
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible
- Include the code screenshots related to this page



default view





title filter



type filter (all are movies)



descending order (by release year)



limit to 3



no results available




remove single confirmation



movie removed (single)



all movies removed



filter/sort logic

```php
if ($limit < 1 || $limit > 100) {
    $limit = 10;
}
```

```
// kc784 | 5/2
```

limit validation

```
<!-- kc784 | 5/2 result stats -->
<p>Total movies in your list: <?php echo $totalCount; ?> | Showing: <?php echo $shownCount; ?></p>
```

stats

```
<?php
// kc784 | 5/2
// handles remove all
if ($_SERVER["REQUEST_METHOD"] === "POST" && isset($_POST["remove_all"])) {
    $stmt = $db->prepare("UPDATE UserMovies SET is_active = 0 WHERE user_id = :user_id AND is_active = 1");
    $stmt->execute([":user_id" => $user_id]);
    flash("All movies removed from your list.", "success");
} <- #59-63 if ($_SERVER["REQUEST_METHOD"] === "POST" && isset($_POST["re...

// single remove
if ($_SERVER["REQUEST_METHOD"] === "POST" && isset($_POST["remove_movie_id"])) {
    $remove_id = (int)$_POST["remove_movie_id"];
    $stmt = $db->prepare("UPDATE UserMovies SET is_active = 0 WHERE user_id = :user_id AND movie_id = :movie_id");
    $stmt->execute([":user_id" => $user_id, ":movie_id" => $remove_id]);
    flash("Movie removed from your list.", "success");
} <- #66-71 if ($_SERVER["REQUEST_METHOD"] === "POST" && isset($_POST["re...
```

remove all + single remove

```
<a href="view_movie.php?id=<?php se($row, 'id'); ?>">View</a> |
<form method="POST" style="display:inline;">
    <input type="hidden" name="remove_movie_id" value="<?php se($row, 'id'); ?>" />
    <input type="submit" value="Remove" onclick="return confirm('Remove this movie?')" />
</form>
```

table output + links

Saved: 5/3/2026 11:08:28 PM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1
https://kc784-it202-008-

URL
https://kc784-it202-008-prod.onre

prod.onrender.com/project/my_movies.php

URL #2
https://github.com/kurtjcastro/kc784-it202-008-20[illegible]649

URL
https://github.com/kurtjcastro/kc

Saved: 5/3/2026 11:08:28 PM

Part 3:

Progress: 100%

Details:

- Describe how you implemented the association output
- Describe how you solved the various items required for this page (i.e., line item requirements, stats, filter/sort, etc)

Your Response:

The page queries the Movies table that is joined with UserMovies to only fetch the movies linked to the user. Through JOIN UserMovies ON Movies.id = UserMovies.movie_id and is_active = 1. The results are then looped through and displayed where each row is the title, release year, type, and source

Each line shows a summary of the movie and includes a view link to the detail page and a remove button for a soft delete through is_active = 0. The remove all button does the same thing but for all active associations that the user has The stats section shows the total count of all movies in the list and the number currently being shown on the page based on any filters.

Filtering and sorting uses GET params and users can search by title with partial matching through LIKE, filter by type, sort by title, etc. The limit is validated on the server side and defaults to 10 if the number is out of range of 1 to 100.

Saved: 5/3/2026 11:08:28 PM

Task #2 (1.50 pts.) - All Users Association Page

Progress: 100%

Details:

- Each line item should have a logical summary
- Each line item should include the username this entity is associated with
    - Clicking the username should redirect to that user's public profile
- Each line item should include a column that shows the total number of users the entity is associated with
- Each line item should have a link/button to a single view page of the entity
- Each line item should have a link/button to a delete action of the relationship (doesn't delete the entity or user, just the relationship)
- The page should have a section for stats (number of results and total number possible based on the query filters)

- The page should have logical options for filtering/sorting
    - Include a filter for partial username match to show only matching users' associated entities
    - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
    - A filter with no matching records should show "no results available" or equivalent
- When a filter is applied, the page should have a link/button to remove all associations for the matching user(s)

Part 1:

Progress: 100%

Details:

- Show a few examples of this page from Render.com qa with various filters applied
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible
- Include screenshots of code related to this logic including the database query



default all associtations



filtered bob1



sorted by title



limit 1



no results for that username



single association removed



all associations removed bob1

```php
// kc784 | 5/2
// main query for joining UserMovies, Users, Movies
$query = "SELECT UserMovies.id as assoc_id, Users.username, Users.id as uid,
          Movies.id as movie_id, Movies.title, Movies.release_year, Movies.title_type,
          (SELECT COUNT(*) FROM UserMovies um2 WHERE um2.movie_id = Movies.id AND um2.is_active = 1) as user_count
          FROM UserMovies
```

```
        JOIN Users ON UserMovies.user_id = Users.id
        JOIN Movies ON UserMovies.movie_id = Movies.id
        WHERE UserMovies.is_active = 1";
$params = [];
```

query with 3 tables

```
// kc784 | 5/2
// filter by username
if (!empty($username)) {
    $query .= " AND Users.username LIKE :username";
    $params[":username"] = "%$username%";
}
```

filter by username



single remove + remove all

Saved: 5/3/2026 11:28:06 PM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1
https://github.com/kurtjcastro/kc784-it202-008-[illegible]649

https://github.com/kurtjcastro/kc

URL #2
https://kc784-it202-008-prod.onrender.com/project/admin/all_associations.php

https://kc784-it202-008-prod.onre

Saved: 5/3/2026 11:28:06 PM

Part 3:

Progress: 100%

Progress: 100%

Details:

- Describe how you implemented the association output
- Describe how you solved the various items required for this page (i.e., line item requirements, stats, filter/sort, etc)

Your Response:

A 3 table JOIN query is used to connect UserMovies, Users, and Movies to get all active associations. Every row shows the username, movie details, and subquery counts that show how many users have that movie associated.

Each line iteks shows a summary including the title, release year, type, and username it's associated to. The username is a clickable link to that user's profiel and also displays how many users each movie is associated with in the Total Users column. Each row also has a view link to the movie's detail page with a remove button that soft deletes the association and not the movie or user data. The stats shows the total number of associations matching the current filter and the number displayed. The username filter uses LIKE for partial matching and sort includes username and title with ascending or descending. Also, when a username filter is applied, a remove all button for the user appears that deactivates all associations for users matching that filter. Otherwise, the page shows no results available.

Saved: 5/3/2026 11:28:06 PM

Task #3 (1.50 pts.) - Unassociated Page

Progress: 100%

Details:

- Each line item should have a logical summary
- Each line item should have a link/button to a single view page of the entity
- The page should have a section for stats (number of results and total number possible based on the query filters)
- The page should have logical options for filtering/sorting
  - A limit should be applied between 1 and 100 and controlled by the user (server-side enforces rules)
  - A filter with no matching records should show "no results available" or equivalent


Part 1:

Progress: 100%

Details:

- Show a few examples of this page from Render.com qa with various filters applied
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible
- Include screenshots of code related to this logic including the database query


include screenshots of code related to this logic including the database query



default view



title filter



sort by release year + descending order



limit 7





no results available

```php
// kc784 | 5/2
// main query for left join to find movies with no associations
$query = "SELECT Movies.id, Movies.title, Movies.release_year, Movies.title_type, Movies.is_api
          FROM Movies
          LEFT JOIN UserMovies ON Movies.id = UserMovies.movie_id AND UserMovies.is_active = 1
          WHERE UserMovies.id IS NULL";
$params = [];
```

main query LEFT JOIN

```php
// kc784 | 5/2
// count of unassociated movies
$countQuery = "SELECT COUNT(*) as total FROM Movies
               LEFT JOIN UserMovies ON Movies.id = UserMovies.movie_id AND UserMovies.is_active = 1
               WHERE UserMovies.id IS NULL";
$countParams = [];
if (!empty($title)) {
    $countQuery .= " AND Movies.title LIKE :title";
    $countParams[":title"] = "%$title%";
}
$stmt = $db->prepare($countQuery);
$stmt->execute($countParams);
$totalCount = $stmt->fetch()["total"];
```

count query

```php
// kc784 | 5/2
if ($limit < 1 || $limit > 100) {
    $limit = 10;
}
```

limit validation

```php
<!-- kc784 | 5/2 result stats -->
<p>Total Unassociated Movies: <?php echo $totalCount; ?> | Showing: <?php echo $shownCount; ?></p>
```

stats

```
<td>
```

```
    <a href="../view_movie.php?id=<?php se($row, 'id'); ?>">View</a>
</td>
```

table with view link

Saved: 5/3/2026 11:39:40 PM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1
https://github.com/kurtjcastro/kc784-it202-008-20[illegible]49

URL
https://github.com/kurtjcastro/kc

URL #2
https://kc784-it202-008-prod.onrender.com/project/admin/unassociated_movies.php

URL
https://kc784-it202-008-prod.onre

Saved: 5/3/2026 11:39:40 PM

Part 3:

Progress: 100%

Details:

- Describe how you implemented the association output
- Describe how you solved the various items required for this page (i.e., line item requirements, stats, filter/sort, etc)

Your Response:

The page uses a LEFT JOIN between the Movies and UserMovies table to find movies that don't have an active association with any user. LEFT JOIN UserMovies ON Movies.id = UserMovies.movie_id AND UserMovies.is_active =1 and WHERE UserMovies.id IS NULL only returns movies that don't have any associations and is restricted to admings through has_role("Admin").

Each line shows a summary of the movie including title, release year, type, and whether it was manually created or fetched from the API. A view link is also included for the full detail page and the stats shows the total count of unassociated movies matching the filter and the number

currently shown on the page. Filtering uses LIKE for partial matches and sorting supports title or release year in ascending or descending order like before. As always, the limit is validated server side between 1 and 100 and defaults to 10 if the value is out of range, otherwise no results available shows instead of an empty table.

Saved: 5/3/2026 11:39:40 PM

Task #4 (1.50 pts.) - Admin Association Page (Like User Roles)

Progress: 100%

Details:

- The page should have a form with two fields
  - Partial match for username
  - Partial match for entity reference (name or something user-friendly)
- Submitting the form should give up to 25 matches of each
  - Likely best to show as two separate columns
- Each entity and user will have a checkbox next to them
- Submitting the checked associations should apply the association if it doesn't exist; otherwise it should remove the association
  - A filter with no matching records should show "no results available" or equivalent

Part 1:

Progress: 100%

Details:

- Show a few examples of this page from Render.com qa with various selections having been submitted
- Ensure the Render.com qa URL is visible
- Ensure each requirement is visible
- Include screenshots of code related to this logic including the database query



default search





search results for star wars kurtjcastro



association toggled (added)



association toggled (removed)



no movies found




no users found




search queries



toggle logic



checkbox columns



current associations

Saved: 5/3/2026 11:53:59 PM

Part 2:

Progress: 100%

Details:

- Include the pull request link for this feature
- Include the Render.com prod link to this page

URL #1
https://github.com/kurtjcastro/kc784-it202-008-2026649

URL
https://github.com/kurtjcastro/kc

URL #2
https://kc784-it202-008-prod.onrender.com/project/admin/assign_movies.php

URL
https://kc784-it202-008-prod.onre

Saved: 5/3/2026 11:53:59 PM

Part 3:

Progress: 100%

Details:

- Describe how your code solves the requirements; be clear

Your Response:

The page is a search form with 2 text fields for a partial movie title match and a partial username match. When both fields are filled, it queries the Movies and Users table separately and capped at 25 results to limit results shown on the page. The results are displayed in 2 columns with a flex layout and each movie shows the title and release year, and each user has their username. The admin checks whichever movies and users they want to associate with one another and can select apply associations. The apply logic loops through every combination of checked movies and users and for each pair, it checks if the association already exists in the UserMovies table. If it exists, is_active is set to either 0 or 1 depending on whatever the value was prior to the toggle. Under the checkboxes is a current associations table that shows which movies are already linked to specific users. It take all active associations and builds an array through user_id_movie_id as the checkmark. If either search returns no matches, the page either shows no movies found or no users found.

Saved: 5/3/2026 11:53:59 PM

Section #3: (1 pt.) Misc

Progress: 100%

Task #1 (0.33 pts.) - GitHub Details

Progress: 100%

Part 1:

Progress: 100%

Details:
From the Commits tab of the Pull Request screenshot the commit history



commit history

Saved: 5/3/2026 11:55:29 PM

Part 2:

Progress: 100%

Details:
Include the link to the pull request for Milestone3 to qa (should end in `/pull/#`)

URL #1
https://github.com/kurtjcastro/kc784-it202-008-2026

URL
https://github.com/kurtjcastro/kc


Saved: 5/3/2026 11:55:29 PM

Task #2 (0.33 pts.) - WakaTime - Activity

Progress: 100%

Details:

- Visit the WakaTime.com Dashboard
- Click `Projects` and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary



7 hrs over the Last 7 Days in kc784-it202-008-2026 under all branches.

overall time



file time

Saved: 5/3/2026 11:56:08 PM

Task #3 (0.33 pts.) - Reflection

Progress: 100%

Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

I learned how to build a movie data association system between users and API fetched movie records through tables. I understood how tables worked conceptually, but working with them like LEFT JOIN to find unassociated records was something I had to play with to completely understand. I also learned how to impement toggle systems for associations where clicking aply either creates or removes a relationship, as well as understanding the difference between a soft delete and hard delete through is_active.

Saved: 5/3/2026 11:59:26 PM

Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:

Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part of the assignment was the unassociated page because it was mostly the same pattern that I was creating, only with a different query with LEFT JOIN. After I figured that out, most of the process was copying and adjusting from the list page.

Saved: 5/4/2026 12:00:48 AM

Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part was the admin association page because the two column search and building the nested foreach loop to toggle each combination of movies and users, and showing the current associations table was already conceptually difficult for me to understand at first. Getting the existing associations array to function as intended proved to be a bit of a challenge and making sure that each search value persisted only added to it. Overall, the integration wasn't as mind numbing as I thought it would be, but it definitely caused a headache to try to understand how each would have to be structured to create this search form.

Saved: 5/4/2026 12:04:57 AM