Submission Worksheet

Submission Data

Course: IT202-008-S2026
Assignment: Milestone 2 API Testing
Student: Kurt C. (kc784)
Status: Submitted | **Worksheet Progress:** 100%
Potential Grade: 10.00/10.00 (100.00%)
Received Grade: 0.00/10.00 (0.00%)
Started: 4/13/2026 10:26:05 AM
Updated: 4/14/2026 1:17:27 AM
Grading Link: https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/milestone-2-api-testing/grading/kc784
View Link: https://learn.ethereallab.app/assignment/v3/IT202-008-S2026/milestone-2-api-testing/view/kc784

Instructions

- Overview Link: https://youtu.be/86v8Ak0E3XE

1. Ensure you read all instructions and objectives before starting.
2. Ensure you added your API choice to the Google doc shared on Canvas (selections must be unique, no two students can use the same exact API)
3. Create a new branch from `Milestone2` called `M7-Homework`
    1. `git checkout Milestone2` (ensure proper starting branch)
    2. If you don't have `Milestone2` yet, create it from `Milestone1`
    3. `git pull origin Milestone2` (ensure history is up to date)
    4. `git checkout -b M7-Homework` (create and switch to branch)
4. Follow the lesson from
    - Add `testApi.php` to your `project` folder
    - Immediately record to history
        - [ ] `git add public_html`
        - [ ] `git commit -m "adding M7 HW baseline files"`
        - [ ] `git push origin M7-Homework`
        - [ ] Create a Pull Request from `M7-Homework` to `Milestone2` and keep it open
5. Fill out the below worksheet
    - Ensure you add the UCID/Date and details comments as you work
    - Get the example working with your chosen API
6. Once finished, click "Submit and Export"
7. Locally add the generated PDF to a folder of your choosing inside your repository folder and move it to Github
    1. `git add .`
    2. `git commit -m "adding PDF"`
    3. `git push origin M7-Homework`
    4. On Github merge the pull request from `M7-Homework` to `Milestone2`
    5. On Github create and merge the pull request from `Milestone2` to `qa`
    6. On Github create a pull request from `qa` to `prod` and immediately merge. (This will trigger the `prod` deploy to make the Render.com prod links work)

8. Upload the same PDF to Canvas
9. Sync Local
    1. `git checkout qa`
    2. `git pull origin qa`
    3. `git checkout Milestone2`
    4. `git pull origin Milestone2`

Section #1: (2 pts.) Analyze Api Choice

Progress: 100%

Task #1 (0.40 pts.) - API Link

Progress: 100%

URL #1
https://rapidapi.com/SAdrian/api/MoviesDatabase

URL
https://rapidapi.com/SAdrian

Saved: 4/13/2026 10:26:05 AM

Task #2 (0.80 pts.) - Quota and Limitations

Progress: 100%

Details:

- Note: Hard limits stop when reached, soft limits incur costs when reached (and need a valid credit card associated
- It's recommend to use a free API with hard limits over one with soft limits, but be mindful of the quota value as it's easy to waste it (through the site's dashboard and/or your own code)

Your Response:

Basic (Free tier) 500,000 requests/month (Hard Limit) 1,000 requests/hour 10240 MB/month

Saved: 4/13/2026 1:17:59 PM

Task #3 (0.80 pts.) - Goal Data

Progress: 100%

Details:

- Clearly note what type of data you'll be using
- Clearly note the specific properties you intend to use (it's likely not all of them)

Your Response:

The data that I will be using includes movie and TV show titles directly from MoviesDatabase API, more specifically, the details about individual titles with their primary details.

The properties I'm planning on using are the API's titleText (title name), titleType (movie or show), and releaseYear.

Saved: 4/13/2026 11:00:08 PM

Section #2: (6 pts.) Verify Api Choice

Progress: 100%

≡ Task #1 (6 pts.) - Edit the `testApi.php` file (and related `.env` content) to test your chosen API

Progress: 100%

Details:

- The code will need to be adjusted since your API differs from the one I chose
- You'll need to apply the API `.env` items to Render.com's Environment variables both on `qa` and `prod`
- Be mindful of your API quota (may need to initially use a cached response until you get it working, refer to the lessons for this)

Part 1:

Progress: 100%

Details:
Two screenshots are expected

1. Snippet of relevant code showing solution (with ucid/date comment) 2. Don't show any private details like the API key
2. Full output of executing the `testApi.php` (visit the proper file on Render.com qa after a manual deploy)



relevant code



testApi.php qa

Saved: 4/14/2026 1:10:01 AM

Part 2:

Progress: 100%

Details:

- Direct link to the file in the homework related branch from Github (should end in .php, , zero credit if it does not)
- Direct link to the file on Render.com Prod (Just grab the base prod url and manually enter the path to the file)

URL #1
https://github.com/kurtjcastro/kc784-it202-008-2026/M7-Homework/public_html/project/testApi.php

URL
https://github.com/kurtjcastro/kc

URL #2
https://kc784-it202-008-prod.onrender.com/project/testApi.php

URL
https://kc784-it202-008-prod.onre

Saved: 4/14/2026 1:10:01 AM

Part 3:

Progress: 100%

Details:
Briefly explain how your solution works. Describe the logic, steps, or decisions your code makes to reach the result. Do not restate the problem or list requirements.

Your Response:

The file loads the nav and checks whether the user is logged in before moving into the API. When the user is logged in, the API key is loaded by attempting to read the .env file with parse_ini_file. If the file isn't found (because it's local), it falls back on getenv() to read the key from the server's environment variables. Once the key is loaded, a cURL request is initialized to the MoviesDatabase API, where the key and host is passed in the headers. An error message is only displayed if a cURL error occurs, but if all goes well, it decodes the JSON into a PHP array and

displays it into a digestible format with print_r in

tags to verify API connection.

Saved: 4/14/2026 1:10:01 AM

Section #3: (2 pts.) Misc

Progress: 100%


Task #1 (0.67 pts.) - Github Details

Progress: 100%

Part 1:

Progress: 100%

Details:
From the Commits tab of the Pull Request screenshot the commit history Following minimum should be present



commit history

Saved: 4/14/2026 1:11:47 AM

Part 2:

Progress: 100%

Details:
Include the link to the Pull Request (should end in /pull/#)

URL #1
https://github.com/kurtjcastro/kc784-it202-008-2026630

URL
https://github.com/kurtjcastro/kc

URL #2
https://github.com/kurtjcastro/kc784-it202-008-2026627

URL
https://github.com/kurtjcastro/kc

URL #3
https://github.com/kurtjcastro/kc784-it202-008-2026/632

URL
https://github.com/kurtjcastro/kc

Saved: 4/14/2026 1:11:47 AM

Task #2 (0.67 pts.) - WakaTime - Activity

Progress: 100%

Details:

- Visit the WakaTime.com Dashboard
- Click `Projects` and find your repository
- Capture the overall time at the top that includes the repository name
- Capture the individual time at the bottom that includes the file time
- Note: The duration isn't relevant for the grade and the visual graphs aren't necessary



overall time



file time

Saved: 4/14/2026 1:12:33 AM

Task #3 (0.67 pts.) - Reflection

Progress: 100%

Task #1 (0.33 pts.) - What did you learn?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

I learned how PHP handles env variables and the difference between reading from a .env file locally compared to a server's set environment variables. I also learned more about using cURL in PHP in order to make API requests.

Saved: 4/14/2026 1:15:14 AM

Task #2 (0.33 pts.) - What was the easiest part of the assignment?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

The easiest part was setting up the cURL request with its structuring being a straightforward process, as most of the formatting comes from the URL and headers from the RapidAPI dashboard.

Saved: 4/14/2026 1:16:05 AM

Task #3 (0.33 pts.) - What was the hardest part of the assignment?

Progress: 100%

Details:
Briefly answer the question (at least a few decent sentences)

Your Response:

The hardest part of the assignment was figuring out why my API key wasn't loading both locally and on the live sites. The .env file and the file path I was using didn't point correctly, which proved to be a hassle to figure out so debugging the correct path and handling the difference between local and deployed environments took a lot of time for me.



Saved: 4/14/2026 1:17:27 AM