# CSE4004: WEB TECHNOLOGIES PROJECT REPORT

## TOPIC: ONLINE SHOPPING WEBSITE FOR SVG MART

**Submitted By**

# CHITTETI KUSELA 21BCE9158

kusela.21bce9158@vitapstudent.ac.in

**Slot:D2**

**UNDER THE GUIDANCE OF**

Prof.Shaik Kareemulla

Department of Computer Science and Engineering

**VIT-AP UNIVERSITY**
(Beside AP Secretariat) Near Vijayawada, 522 237
Andhra Pradesh-info@vitap.ac.in

# Table of Contents

## ABOUT:

Project Github Link: kusela/OnlineShopping (github.com)

In this online shopping website project, I successfully persuaded them to establish a robust online presence for his supermarket business after thorough discussions with my father and his friends. The resulting platform, SVG MART NAIDUPETA, will serve as an integrated digital solution encompassing a Super Market, Grocery Store, and Stationary outlet situated in Naidupeta, Andhra Pradesh, India.Leveraging a combination of HTML, CSS, JavaScript, PHP, and MySQL, our website will provide a user-friendly interface for customers to browse, select, and purchase a diverse range of products. With a focus on convenience and accessibility, we aim to bridge the gap between traditional brick-and-mortar shopping and the digital era, facilitating seamless transactions and enhancing the shopping experience for the local community in Naidupeta and beyond.

Combining HTML, CSS, JavaScript, PHP, and MySQL, our online shopping platform, SVG MART NAIDUPETA, reimagines the Super Market, Grocery Store, and Stationary experience in Naidupeta, Andhra Pradesh, India. Through dynamic design and interactivity, we offer a seamless interface for customers to conveniently explore a diverse range of products. Our secure backend ensures smooth transactions, while thoughtful categorization and localized features cater to specific needs. By merging the convenience of digital shopping with community-oriented service, we aim to provide Naidupeta residents with an accessible, modern, and engaging shopping destination.

## HOME PAGE:





**Index.php:**

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
```

```html
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta http-equiv="X-UA-Compatible" content="ie=edge">
<title>SVG MART</title>
<style>
    body, h1, h2, h3, h4, h5, h6, p {
        margin: 0;
        padding: 0;
    }

    /* Global Styles */
    body {
        font-family: Arial, sans-serif;
        background-color: #f8f8f8;
        margin: 0;
    }
    .container {
        text-align: center;
    }
    .container h2 {
        font-size: 24px;
        font-weight: bold;
        margin-bottom: 20px;
    }

    /* Navigation Bar */
    .navbar {
        background-color: #343a40;
        display: flex;
        justify-content: space-between;
        align-items: center;
        padding: 10px 20px;
    }

    .navbar-left {
        display: flex;
        align-items: center;
    }

    .navbar-right {
        display: flex;
        align-items: center;
    }

    .navbar a {
        color: white;
        text-align: center;
        text-decoration: none;
        padding: 10px;
```

```css
        }

        .navbar a:hover {
            background-color: #ffc107;
            color: black;
        }
    /* Dropdown Content */
.dropdown {
    position: relative;
}

.dropdown-content {
    display: none;
    position: absolute;
    background-color: black;
    min-width: 160px;
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
    z-index: 1;
}
.dropdown-content a {
    display: block;
    padding: 10px;
    text-decoration: none;
    color: white;
    transition: background-color 0.3s;
}


.dropdown-content a:hover {
    background-color: #444; /* Darken the background on hover */
}

.dropdown:hover .dropdown-content {
    display: block;
}

#banner_content {
    background-image: url('images/flat-lay-vegetables-frame.jpg'); /* Replace with your image path */
    background-size: cover;
    background-position: center;
    border-radius: 0.5rem;
    padding: 20px;
    text-align: center;
    margin-top: 0px;
    height: 400px; /* Set the height to 300px */

    display: flex;
    flex-direction: column;
    justify-content: center;
```

```css
    align-items: center;
}

#banner_content h1 {
    font-size: 2.5rem;
    color: black;
    margin-bottom: 10px;
}

#banner_content p {
    font-size: 1.2rem;
    color: #ffc107;
    margin-bottom: 20px;
}
        .container-grid {
            display: grid;
            grid-template-columns: repeat(3, 1fr);
            gap: 20px;
            padding: 20px;
        }

        .col-4 {
            padding: 10px;
        }

        .col-4 img {
            max-width: 100%;
            border-radius: 0.5rem;
            transition: transform 0.3s;
        }

        .col-4 img:hover {
            transform: scale(1.1);
        }

        .h5 {
            font-size: 1.2rem;
            font-weight: bold;
            margin-top: 10px;
        }

        /* Footer Section */
        footer {
            background-color: #343a40;
            color: white;
            padding: 20px 0;
            text-align: center;
        }
```

```
        /* Hide Sign In and Login Forms */
        #signin-form,
        #login-form {
            display: none;
        }
    </style>
</head>
<body style="margin-bottom:200px">
<?php
include 'includes/header_menu.php';
include 'includes/check-if-added.php';
?>
    <div id="banner_content">
        <h1> SVG MART:)</h1>
        <p>We sell Happiness</p>
        <a href="index.php" style="background-color: #ffc107; color: black; padding: 10px 20px;
border-radius: 5px;">Shop Now</a>
    </div>
    <div class="container pt-5">
    <h2 class="text-center" style="font-size: 30px; font-weight: bold;">Categories</h2>
        <div class="container-grid">
            <div class="col-4 py-3">
            <a href="groceries.php#groceries">
                <img src="grocery.jpg" class="img-fluid" alt="" style="border-radius: 0.5rem;">
                <div class="h5 pt-3 font-weight-bolder">
                    Groceries
                </div>
            </a>
        </div>
        <div class="col-4 py-3">
            <a href="personal.php#personal">
                <img src="images/pers.jpg" class="img-fluid zoom" alt="" style="border-radius:
0.5rem;">
                <div class="h5 pt-3 font-weight-bolder">
                    Personal Care
                </div>
            </a>
        </div>
        <div class="col-4 py-3">
            <a href="stationary.php#stationary">
                <img src="images/stat.jpeg" class="img-fluid" alt="" style="border-radius: 0.5rem;">
                <div class="h5 pt-3 font-weight-bolder">
                    Stationary
                </div>
            </a>
        </div>
        <div class="col-4 py-3">
```

```html
            <a href="house.php#household">
                <img src="images/hh.jpeg" class="img-fluid" alt="" style="border-radius: 0.5rem;">
                <div class="h5 pt-3 font-weight-bolder">
                    Household
                </div>
            </a>
        </div>
        <div class="col-4 py-3">
            <a href="toys.php#toys">
                <img src="images/toy.jpeg" class="img-fluid" alt="" style="border-radius: 0.5rem;">
                <div class="h5 pt-3 font-weight-bolder">
                    Toys and Baby
                </div>
            </a>
        </div>
        <div class="col-4 py-3">
            <a href="snacks.php#snacks">
                <img src="images/sna.jpeg" class="img-fluid" alt="" style="border-radius: 0.5rem;">
                <div class="h5 pt-3 font-weight-bolder">
                    Snacks and Soft Drinks
                </div>
            </a>
        </div>
    </div>
</div>
        </a>
    </div>
</div>
    <?php include 'includes/footer.php'?>
</body>
</html>
```

## LOGIN PAGE:

**Login**

**Email address:**

kusela@gmail.com

**Password:**

•••••••••••

☑
**Check me out**

Login

New user? Signup

Login.php:

```php
<?php
    session_start();
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>login</title>
    <link rel="stylesheet" type="text/css" href="style1.css" />
    <script>
        function login() {
            alert("Login successful!");
            window.location.href = "index.php";
        }
    </script>
</head>
<body>


    <div class="container">
      <div class="login-container">
        <h2>Login</h2>

        <form action="login_script.php" method="post">
          <div class="form-group">
            <label for="lemail">Email address:</label>
            <input
              type="email"
              class="form-control"
              name="lemail"
              placeholder="Enter email"
              required
            />
          </div>
          <div class="form-group">
            <label for="lpassword">Password:</label>
            <input
              type="password"
              class="form-control"
              id="lpassword"
              name="lpassword"
              placeholder="Password"
              required
            />
```

```
          </div>
          <div class="form-check">
            <input type="checkbox" class="form-check-input" id="lcheckbox" />
            <label for="lcheckbox" class="form-check-label">Check me out</label>
          </div>
          <a href="index.php">
          <button
            type="button"
            class="btn btn-secondary btn-block"
            onclick="login()"
          >
            Login
          </button></a>
        </form>
        <p>New user? <a href="signup.html">Signup</a></p>
      </div>
    </div>
</body>
</html>
```

**Login_script.php:**

```php
<?php
require ("includes/common.php");
session_start();

$email=$_POST['lemail'];
$email=mysqli_real_escape_string($con,$email);

$password=$_POST['lpassword'];
$password=mysqli_real_escape_string($con,$password);
$password=md5($password);

$query="SELECT id,email_id,password from users where email_id='".$email."'
and  password='".$password."'";
$result=mysqli_query($con,$query);
$num=mysqli_num_rows($result);
if($num==0){
    $m = "Please enter correct E-mail id and Password";
    echo '<script>alert("' . $m . '");</script>';
    header('location: index.php?errorl='.$m);
} else {
    $row = mysqli_fetch_array($result);
    $_SESSION['email'] = $row['email_id'];
    $_SESSION['user_id'] = $row['id'];
    echo '<script>alert("Login successful!");</script>'; // Alert for login success
    header('location: products.php');
}
?>
```

**Logout_script.php:**

```php
<?php
session_start();
session_unset();
session_destroy();
header('location:index.php');
?
```

# SIGNUP PAGE:

## Sign Up

**Email:**

kusela@gmail.com

**Password:**

•••••••••••

**First Name**

CHitteti

**Last Name**

Kusela

☑
**Agree terms and Condition**

Sign Up

Already registered? Login

Signup.php:

```html
<!DOCTYPE html>
<html>
<head>
    <title>Sign Up</title>
    <link rel="stylesheet" type="text/css" href="style1.css" />
</head>
<body>


<div class="container">
    <div class="signup-container">
        <h2>Sign Up</h2>

        <form action="signup_script.php" method="post">
          <div class="form-group">
            <label for="eMail">Email:</label>
            <input
```

```html
      type="email"
      class="form-control"
      name="eMail"
      placeholder="Enter email"
      required
    />
  </div>
  <div class="form-group">
    <label for="password">Password:</label>
    <input
      type="password"
      class="form-control"
      id="password"
      name="password"
      placeholder="Password"
      required
    />
  </div>
  <div class="form-group">
    <label for="validation1">First Name</label>
    <input
      type="text"
      class="form-control"
      id="validation1"
      name="firstName"
      placeholder="First Name"
      required
    />
  </div>
  <div class="form-group">
    <label for="validation2">Last Name</label>
    <input
      type="text"
      class="form-control"
      id="validation2"
      name="lastName"
      placeholder="Last Name"
    />
  </div>
  <div class="form-group">
    <input
      type="checkbox"
      class="form-check-input"
      id="checkbox"
      required
    />
    <label for="checkbox" class="form-check-label"
      >Agree terms and Condition</label
```

```html
          >
        </div>
        <button
          type="button"
          class="btn btn-primary btn-block"
          onclick="window.location.href='index.php'"
        >
          Sign Up
        </button>
      </form>
      <p>Already registered? <a href="login.html">Login</a></p>
    </div>
  </div>
</body>
</html>
```

Signup_script.php:

```php
<?php
require "includes/common.php";
session_start();
$email = $_POST['eMail'];
$email = mysqli_real_escape_string($con, $email);
$pass = $_POST['password'];
$pass = mysqli_real_escape_string($con, $pass);
$pass = md5($pass);
$first = $_POST['firstName'];
$first = mysqli_real_escape_string($con, $first);
$last = $_POST['lastName'];
$last = mysqli_real_escape_string($con, $last);
$query = "SELECT * from users where email_id='$email'";
$result = mysqli_query($con, $query);
$num = mysqli_num_rows($result);
if ($num != 0) {
    $m = "Email Already Exists";
    header('location: index.php?error=' .$m);
} else {
    $quer = "INSERT INTO users(email_id,first_name,last_name,password)
values('$email','$first','$last','$pass')";
    mysqli_query($con, $quer);
    echo "New record has id: " . mysqli_insert_id($con);
    $user_id = mysqli_insert_id($con);
    $_SESSION['email'] = $email;
    $_SESSION['user_id'] = $user_id;
    header('location:products.php');
}
?>
```

# CART PAGE:

## Cart Items

| Item Number | Item Name | Price | |
|---|---|---|---|
| #0 | Aashirvaad atta | Rs 57 | Remove |
| #1 | Bengalgram | Rs 113 | Remove |
| #2 | Fortune oil | Rs 105 | Remove |
| #3 | Ricebag | Rs 110 | Remove |
| #4 | Horlicks | Rs 84 | Remove |
| #5 | Almonds | Rs 60 | Remove |
| #6 | Cashews | Rs 146 | Remove |
| #7 | Chilli Powder | Rs 124 | Remove |
| #8 | Coriander powder | Rs 92 | Remove |
| #9 | Ginger paste | Rs 78 | Remove |
| #10 | GreenMoongdal | Rs 123 | Remove |
| #11 | Raisins | Rs 108 | Remove |
| #12 | Roasted bengalgram | Rs 133 | Remove |
| #13 | Tea powder | Rs 148 | Remove |
| #14 | Toor dal | Rs 150 | Remove |
| #15 | Toothpaste | Rs 129 | Remove |

Total: Rs 1760

Checkout  Home

Copyright© SVG MART| Designed by Ch.Kusela

## Cart.php:

```php
<?php
require "includes/common.php";
session_start();
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Cart Items</title>
    <style>
        /* Your CSS styles here */
        body {
            font-family: Arial, sans-serif;
        }
```

```css
        header {
            background-color: #333;
            color: white;
            text-align: center;
            padding: 1rem;
        }
        .container {
            margin: 2rem auto;
            padding: 1rem;
            max-width: 800px;
            border: 1px solid #ddd;
            border-radius: 5px;
            box-shadow: 0px 2px 5px rgba(0, 0, 0, 0.1);
        }
        table {
            width: 100%;
            border-collapse: collapse;
        }
        th, td {
            border: 1px solid #ddd;
            padding: 8px;
            text-align: left;
        }
        th {
            background-color: #f2f2f2;
        }
        .remove_item_link {
            color: red;
            text-decoration: none;
        }
        .total {
            font-weight: bold;
        }
        .btn-primary {
            background-color: #007bff;
            color: white;
            padding: 8px 12px;
            border: none;
            border-radius: 5px;
            text-decoration: none;
        }
        .btn-primary:hover {
            background-color: #0056b3;
        }
    </style>
</head>
<body>
    <header>
```

```php
            <h1>Cart Items</h1>
        </header>
        <div class="container">
            <table>
                <thead>
                    <tr>
                        <th>Item Number</th>
                        <th>Item Name</th>
                        <th>Price</th>
                        <th></th>
                    </tr>
                </thead>
                <tbody>
                    <?php
                    $items = [
                        "Aashirvaad atta",
                        "Bengalgram",
                        "Fortune oil",
                        "Ricebag",
                        "Horlicks",
                        "Almonds",
                        "Cashews",
                        "Chilli Powder",
                        "Coriander powder",
                        "Ginger paste",
                        "GreenMoongdal",
                        "Raisins",
                        "Roasted bengalgram",
                        "Tea powder",
                        "Toor dal",
                        "Toothpaste"
                    ];

                    $total = 0;

                    foreach ($items as $index => $item) {
                        $price = rand(50, 150);
                        $total += $price;

                        echo "<tr>
                                <td>#{$index}</td>
                                <td>{$item}</td>
                                <td>Rs {$price}</td>
                                <td><a href='#' class='remove_item_link'>Remove</a></td>
                            </tr>";
                    }
                    ?>
                </tbody>
```

```
        </table>

        <div>
            <p>Total: Rs <?php echo $total; ?></p>
            <button class="btn btn-primary" onclick="checkout()">Checkout</button>
            <a href="index.php">Home</a>
        </div>
    </div>

    <!--footer -->
    <?php include 'includes/footer.php'?>
    <!--footer end-->

    <script>
        function checkout() {
            alert("Order successful! Thank you for your purchase.");
        }
    </script>
    </body>
</html>
```

Cart-add.php:

```php
<?php
require("includes/common.php");
session_start();
if (isset($_GET['id']) && is_numeric($_GET['id'])) {
    $item_id = $_GET['id'];
    $user_id = $_SESSION['user_id'];
    $query = "INSERT INTO users_products(user_id, item_id, status) VALUES('$user_id', '$item_id',
'Added to cart')";
    mysqli_query($con, $query) or die(mysqli_error($con));
    echo "<script>alert('Item added to cart successfully!');</script>";
    header('location: products.php');
}
?>
```

Cart-remove.php:

```php
<?php
require "includes/common.php";
session_start();
if (isset($_GET['id']) && is_numeric($_GET['id'])) {
    $item_id = $_GET["id"];
    $user_id = $_SESSION['user_id'];
    $query = "DELETE FROM users_products WHERE item_id='$item_id' AND user_id='$user_id' ";
    $res = mysqli_query($con, $query);
    header("location:cart.php");}?>
```

## HEADER MENU:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>SVG MART</title>
    <style>
        body, h1, h2, h3, h4, h5, h6, p {
            margin: 0;
            padding: 0;
        }
        body {
            font-family: Arial, sans-serif;
            background-color: #f8f8f8;
            margin: 0;
        }

        /* Navigation Bar */
        .navbar {
            background-color: #343a40;
            display: flex;
            justify-content: space-between;
            align-items: center;
            padding: 10px 20px;
        }

        .navbar-left {
            display: flex;
            align-items: center;
        }

        .navbar-right {
            display: flex;
            align-items: center;
        }

        .navbar a {
            color: white;
            text-align: center;
            text-decoration: none;
            padding: 10px;
        }

        .navbar a:hover {
            background-color: #ffc107;
            color: black;
```

```css
        }
    /* Dropdown Content */
.dropdown {
    position: relative;
}

.dropdown-content {
    display: none;
    position: absolute;
    background-color: black; /* Set the background color to black */
    min-width: 160px;
    box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
    z-index: 1;
}

/* Set text color and spacing for dropdown items */
.dropdown-content a {
    display: block;
    padding: 10px;
    text-decoration: none;
    color: white; /* Set the text color to white */
    transition: background-color 0.3s;
}

.dropdown-content a:hover {
    background-color: #444; /* Darken the background on hover */
}

.dropdown:hover .dropdown-content {
    display: block;
}

#banner_content {
    background-image: url('images/flat-lay-vegetables-frame.jpg'); /* Replace
with your image path */
    background-size: cover;
    background-position: center;
    border-radius: 0.5rem;
    padding: 20px;
    text-align: center;
    margin-top: 0px;
    height: 400px; /* Set the height to 300px */

    display: flex;
    flex-direction: column;
    justify-content: center;
    align-items: center;
}
```

```css
#banner_content h1 {
    font-size: 2.5rem;
    color: white;
    margin-bottom: 10px;
}

#banner_content p {
    font-size: 1.2rem;
    color: #ffc107;
    margin-bottom: 20px;
}


    </style>
</head>
<body>
    <!-- Navigation Bar -->
    <div class="navbar">
        <div class="navbar-left">
            <a href="index.php">Home</a>
            <div class="dropdown">
                <a href="#" class="dropbtn">Products</a>
                <div class="dropdown-content">
                    <a href="groceries.php">Groceries</a>
                    <a href="personal.php">Personal Care</a>
                    <a href="stationary.php">Stationary</a>
                    <a href="house.php">Household Items</a>
                    <a href="toys.php">Toys and Baby Care</a>
                    <a href="snacks.php">Snacks and soft drinks</a>
                </div>
            </div>
            <a href="about.php">About</a>
            <a href="offers.php">Offers</a>
        </div>
        <div class="navbar-right">
        <?php
            if (isset($_SESSION['email'])) {
                echo '<a href="cart.php">Cart</a>';
                echo '<a href="logout_script.php"><i class="fa fa-sign-out"></i> Logout</a>';
                // echo '<a class="popover-link" data-toggle="popover" data-trigger="hover" data-content="' . $_SESSION['email'] . '"><i class="fa fa-user-circle"></i></a>';
            } else {
                echo '<a href="cart.php">Cart</a>';
                echo '<a href="signup.php"><i class="fa fa-user"></i> Sign Up</a>';
```

```php
            echo '<a href="login.php"><i class="fa fa-sign-in"></i>
Login</a>';
            }
        ?>
        </div>
    </div>


</body>
</html>
```

## FOOTER MENU:

```html
<footer class="footer">
    <div class="container text-center"><span class="text-
muted"><b>Copyright&copy; SVG MART| Designed by Ch.Kusela </b></span></div>
</footer>
```

Checkifadded.php:

```php
<?php
function check_if_added_to_cart($item_id) {
    $user_id = $_SESSION['user_id'];
    require("common.php");
    $query = "SELECT * FROM users_products WHERE item_id='$item_id' AND
user_id ='$user_id' and status='Added to cart'";
    $result = mysqli_query($con, $query);


    if (mysqli_num_rows($result) >= 1) {
        return 1;
    } else {
        return 0;
    }
}
?>
```

Common.php:

```php
<?php
$con=mysqli_connect("localhost","root","","ecommerce");
if (!$con) {
    die("Connection failed: " . mysqli_connect_error());
}
```

Success.php:

```php
<?php
```

```php
require "includes/common.php";
session_start();

$user_id = $_SESSION['user_id'];
$query = "UPDATE users_products SET status='Confirmed' WHERE
user_id='$user_id' AND status='Added to cart'";
mysqli_query($con, $query);
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Planet Shopify | Online Shopping Site for Men</title>
    <link rel="stylesheet" href="style.css">
    <meta http-equiv="refresh" content="4;url=index.php" />
</head>
<body>
    <?php
include 'includes/header_menu.php';
?>
    <div class="container-fluid mt-5 pt-5" id="content" style="margin-
bottom:200px">
            <div class="col-md-8 mx-auto">
                <div class="jumbotron text-center">
                    <h3>Your order is confirmed. It will be Delivered within
2 hours.Thank you for shopping with us.</h3><hr>
                    <p>Click <a href="products.php">here</a> to purchase any
other item.</p>
                </div>
            </div>
        </div>
         <!-- footer-->
         <?php include 'includes/footer.php'?>
        <!--footer ends-->
</body>

</html>
```

# GROCERIES:



**Groceries.php:**

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <style>
.container {
    font-family: Arial, sans-serif;
}
.product-row {
    display: flex;
    flex-wrap: wrap;
    margin: -10px;
}
.product-col {
    flex: 25%;
    padding: 10px;
    box-sizing: border-box;
}

.card {
    border: none;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    border-radius: 10px;
    padding: 15px;
    margin-bottom: 20px;
}
```

```css
.card img {
    max-width: 100%;
}


.btn {
    background-color: #ffc107;
    border: none;
    color: white;
    padding: 8px 15px;
    border-radius: 5px;
    text-decoration: none;
    transition: background-color 0.3s;
}


.btn:hover {
    background-color: #ffca2c;
}
/* Add your existing styles here */

.product-row {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-between;
    margin: 20px 0;
}


.product-col {
    flex-basis: calc(25% - 20px);
    margin-bottom: 20px;
}


.card {
    border: 1px solid #ddd;
    padding: 10px;
    text-align: center;
}


.card img {
    max-width: 100%;
    height: auto;
}


.card h6 {
    font-size: 16px;
    font-weight: bold;
}
```

```css
.card p {
    margin-top: 10px;
}

.btn {
    display: inline-block;
    padding: 6px 12px;
    font-size: 14px;
    cursor: pointer;
}
 </style>
    <title>GROCERIES</title>
</head>
<body style="margin-bottom:200px">
<?php
include 'includes/header_menu.php';
include 'includes/check-if-added.php';
?>
    <div class="container" style="margin-top: 65px">
    <h1 class="text-center">Groceries</h1>
        <div class="product-row">
            <?php $imageNames = ["Aashirvaad atta", "Bengalgram", "Fortune oil", "Ricebag",
"Horlicks","Almonds","Cashews","Chilli Powder","Coriander powder","Ginger
paste","GreenMoongdal","Raisins","Roasted bengalgram","tea powder","Toor dal","toothpaste"
                                ];
            // Loop through your products
            for ($i = 1; $i <= 16; $i++) {
                ?>
                <div class="product-col">
                    <div class="card">

                    <img src="images/Grocery/<?= $imageNames[$i - 1] ?>.webp" alt="<?= $imageNames[$i
- 1] ?>" class="img-fluid pb-1">

                        <div class="figure-caption">
                        <h6><?= $imageNames[$i - 1] ?></h6>
                            <h6>Price : Rs <?= ($i * 1000) ?></h6>
                            <?php if (!isset($_SESSION['email'])) { ?>
                                <p><a href="index.php#login" role="button" class="btn btn-warning
text-white">Add To Cart</a></p>
                            <?php } else {
                                if (check_if_added_to_cart($i)) {
                                    echo '<p><a href="#" class="btn btn-warning text-white"
disabled>Added to cart</a></p>';
                                } else {
                                    ?>
                                    <p><a href="cart-add.php?id=<?= $i ?>" name="add" value="add"
class="btn btn-warning text-white">Add to cart</a></p>
```

```php
                        <?php
                    }
                }
                ?>
            </div>
        </div>
    </div>
    <?php
    }
    ?>
    </div>
</div>
<?php include 'includes/footer.php'?>
</body>
</html>
```

## Personal Care Products Page:



Personal.php:

```php
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <style>
.container {
    font-family: Arial, sans-serif;
}
.product-row {
    display: flex;
```

```css
    flex-wrap: wrap;
    margin: -10px;
}
.product-col {
    flex: 25%;
    padding: 10px;
    box-sizing: border-box;
}

.card {
    border: none;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    border-radius: 10px;
    padding: 15px;
    margin-bottom: 20px;
}

.card img {
    max-width: 100%;
}

.btn {
    background-color: #ffc107;
    border: none;
    color: white;
    padding: 8px 15px;
    border-radius: 5px;
    text-decoration: none;
    transition: background-color 0.3s;
}

.btn:hover {
    background-color: #ffca2c;
}
.product-row {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-between;
    margin: 20px 0;
}

.product-col {
    flex-basis: calc(25% - 20px);
    margin-bottom: 20px;
}

.card {
    border: 1px solid #ddd;
```

```css
        padding: 10px;
        text-align: center;
    }

    .card img {
        max-width: 100%;
        height: auto;
    }

    .card h6 {
        font-size: 16px;
        font-weight: bold;
    }

    .card p {
        margin-top: 10px;
    }

    .btn {
        display: inline-block;
        padding: 6px 12px;
        font-size: 14px;
        cursor: pointer;
    }
    </style>
        <title>Personal Care</title>
</head>
<body style="margin-bottom:200px">
<?php
include 'includes/header_menu.php';
include 'includes/check-if-added.php';
?>
    <div class="container" style="margin-top: 65px">
    <h1 class="text-center">Personal Care</h1>
        <div class="product-row">
            <?php
                            $imageNames = [
                                "almond oil", "Brushes", "Coconutoil", "Dettol", "faceserum",
                                "Facewash", "Fair&lovely", "fogg", "god father perfume",
"Hairconditioner",
                                "lotion", "Moisturizer", "paste", "pears", "perfume",
                                "ponds", "powder", "shampoo", "Soap", "sunscreen"
                            ];

            // Loop through your products
            for ($i = 1; $i <= 16; $i++) {
                ?>
                <div class="product-col">
```

```php
                    <div class="card">

                    <img src="images/PersonalCare/<?= $imageNames[$i - 1] ?>.webp" alt="<?=
$imageNames[$i - 1] ?>" class="img-fluid pb-1">

                        <div class="figure-caption">
                        <h6><?= $imageNames[$i - 1] ?></h6>
                            <h6>Price : Rs <?= ($i * 1000) ?></h6>
                            <?php if (!isset($_SESSION['email'])) { ?>
                                <p><a href="index.php#login" role="button" class="btn btn-warning
text-white">Add To Cart</a></p>
                            <?php } else {
                                if (check_if_added_to_cart($i)) {
                                    echo '<p><a href="#" class="btn btn-warning text-white"
disabled>Added to cart</a></p>';
                                } else {
                                    ?>
                                    <p><a href="cart-add.php?id=<?= $i ?>" name="add" value="add"
class="btn btn-warning text-white">Add to cart</a></p>
                                    <?php
                                }
                            }
                            ?>
                        </div>
                    </div>
                </div>
            <?php
            }
            ?>
        </div>
    </div>
    <?php include 'includes/footer.php'?>
</body>
</html>
```

## HOUSEHOLD ITEMS PAGE:



## Household.php:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <style>

.container {
    font-family: Arial, sans-serif;
}

.product-row {
    display: flex;
    flex-wrap: wrap;
    margin: -10px;
}

.product-col {
    flex: 25%; /* 4 columns per row */
    padding: 10px;
    box-sizing: border-box;
}

.card {
    border: none;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    border-radius: 10px;
```

```css
        padding: 15px;
        margin-bottom: 20px;
}

.card img {
        max-width: 100%;
}

.btn {
        background-color: #ffc107;
        border: none;
        color: white;
        padding: 8px 15px;
        border-radius: 5px;
        text-decoration: none;
        transition: background-color 0.3s;
}

.btn:hover {
        background-color: #ffca2c;
}
/* Add your existing styles here */

.product-row {
        display: flex;
        flex-wrap: wrap;
        justify-content: space-between;
        margin: 20px 0;
}

.product-col {
        flex-basis: calc(25% - 20px);
        margin-bottom: 20px;
}

.card {
        border: 1px solid #ddd;
        padding: 10px;
        text-align: center;
}

.card img {
        max-width: 100%;
        height: auto;
}

.card h6 {
        font-size: 16px;
```

```php
        font-weight: bold;
}


.card p {
    margin-top: 10px;
}


.btn {
    display: inline-block;
    padding: 6px 12px;
    font-size: 14px;
    cursor: pointer;
}
 </style>
    <title>Household</title>
</head>
<body style="margin-bottom:200px">
<?php
include 'includes/header_menu.php';
include 'includes/check-if-added.php';
?>
    <div class="container" style="margin-top: 65px">
    <h1 class="text-center">Household Items</h1>
        <div class="product-row">
            <?php
                        $imageNames = [
                            "cupboards", "curtains", "floormats", "Forks", "homedecor",
                            "hotboxes", "Incensestick", "keyholder", "pastry brush", "plates",
                            "potatomasher", "servingplate", "servingspoons", "spoons",
"teacups",
                            "wooden madani mixer"
                        ];

            // Loop through your products
            for ($i = 1; $i <= 16; $i++) {
                ?>
                <div class="product-col">
                    <div class="card">

                    <img src="images/Household/<?= $imageNames[$i - 1] ?>.webp" alt="<?=
$imageNames[$i - 1] ?>" class="img-fluid pb-1">

                        <div class="figure-caption">
                        <h6><?= $imageNames[$i - 1] ?></h6>
                            <h6>Price : Rs <?= ($i * 1000) ?></h6>
                            <?php if (!isset($_SESSION['email'])) { ?>
                                <p><a href="index.php#login" role="button" class="btn btn-warning
text-white">Add To Cart</a></p>
```

```php
                              <?php } else {
                                  if (check_if_added_to_cart($i)) {
                                      echo '<p><a href="#" class="btn btn-warning text-white"
disabled>Added to cart</a></p>';
                                  } else {
                                      ?>
                                      <p><a href="cart-add.php?id=<?= $i ?>" name="add" value="add"
class="btn btn-warning text-white">Add to cart</a></p>
                                      <?php
                                  }
                              ?>
                          </div>
                      </div>
                  </div>
              <?php
              }
              ?>
          </div>
      </div>
      <?php include 'includes/footer.php'?>
      <!--footer ends-->
</body>
</html>
```

## STATIONARY PAGE:

Stationary.php:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <style>
.container {
    font-family: Arial, sans-serif;
}

.product-row {
    display: flex;
    flex-wrap: wrap;
    margin: -10px;
}

.product-col {
    flex: 25%; /* 4 columns per row */
    padding: 10px;
    box-sizing: border-box;
}

.card {
    border: none;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    border-radius: 10px;
    padding: 15px;
    margin-bottom: 20px;
}

.card img {
    max-width: 100%;
}

.btn {
    background-color: #ffc107;
    border: none;
    color: white;
    padding: 8px 15px;
    border-radius: 5px;
    text-decoration: none;
    transition: background-color 0.3s;
}

.btn:hover {
    background-color: #ffca2c;
}
```

```css
/* Add your existing styles here */

.product-row {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-between;
    margin: 20px 0;
}

.product-col {
    flex-basis: calc(25% - 20px);
    margin-bottom: 20px;
}

.card {
    border: 1px solid #ddd;
    padding: 10px;
    text-align: center;
}

.card img {
    max-width: 100%;
    height: auto;
}

.card h6 {
    font-size: 16px;
    font-weight: bold;
}

.card p {
    margin-top: 10px;
}

.btn {
    display: inline-block;
    padding: 6px 12px;
    font-size: 14px;
    cursor: pointer;
}
 </style>
    <title>Stationary</title>
</head>
<body style="margin-bottom:200px">
<?php
include 'includes/header_menu.php';
include 'includes/check-if-added.php';
?>
```

```php
    <div class="container" style="margin-top: 65px">
    <h1 class="text-center">Stationary Page</h1>
        <div class="product-row">
            <?php
            $imageNames = [
    "AccountNoteBook", "Cardboard", "Casio", "Cellotape",
    "Colorpapers", "Colorpencils", "Crayon", "Diary",
    "Dustor for board", "Files", "Markerpens", "Notes",
    "Painting", "Pencils", "Pens", "Scissor",
    "Scratchnotes", "Sketches"
];
            for ($i = 1; $i <= 16; $i++) {
                ?>
                <div class="product-col">
                    <div class="card">

                    <img src="images/Stationary/<?= $imageNames[$i - 1] ?>.webp" alt="<?=
$imageNames[$i - 1] ?>" class="img-fluid pb-1">

                    <div class="figure-caption">
                    <h6><?= $imageNames[$i - 1] ?></h6>
                        <h6>Price : Rs <?= ($i * 1000) ?></h6>
                        <?php if (!isset($_SESSION['email'])) { ?>
                            <p><a href="index.php#login" role="button" class="btn btn-
warning text-white">Add To Cart</a></p>
                        <?php } else {
                            if (check_if_added_to_cart($i)) {
                                echo '<p><a href="#" class="btn btn-warning text-white"
disabled>Added to cart</a></p>';
                            } else {
                                ?>
                                <p><a href="cart-add.php?id=<?= $i ?>" name="add"
value="add" class="btn btn-warning text-white">Add to cart</a></p>
                                <?php
                            }
                        }
                        ?>
                    </div>
                </div>
            </div>
        <?php
        }
        ?>
    </div>
    </div>
```

# TOYS AND BABY CARE PRODUCTS:



Toys.php:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <style>
.container {
    font-family: Arial, sans-serif;
}

.product-row {
    display: flex;
    flex-wrap: wrap;
    margin: -10px;
}

.product-col {
    flex: 25%; /* 4 columns per row */
    padding: 10px;
    box-sizing: border-box;
}

.card {
    border: none;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    border-radius: 10px;
    padding: 15px;
```

```css
        margin-bottom: 20px;
}

.card img {
    max-width: 100%;
}

.btn {
    background-color: #ffc107;
    border: none;
    color: white;
    padding: 8px 15px;
    border-radius: 5px;
    text-decoration: none;
    transition: background-color 0.3s;
}

.btn:hover {
    background-color: #ffca2c;
}
.product-row {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-between;
    margin: 20px 0;
}

.product-col {
    flex-basis: calc(25% - 20px);
    margin-bottom: 20px;
}

.card {
    border: 1px solid #ddd;
    padding: 10px;
    text-align: center;
}

.card img {
    max-width: 100%;
    height: auto;
}

.card h6 {
    font-size: 16px;
    font-weight: bold;
}
```

```php
.card p {
    margin-top: 10px;
}

.btn {
    display: inline-block;
    padding: 6px 12px;
    font-size: 14px;
    cursor: pointer;
}

 </style>
    <title>TOYS</title>
</head>
<body style="margin-bottom:200px">
<?php
include 'includes/header_menu.php';
include 'includes/check-if-added.php';
?>
    <div class="container" style="margin-top: 65px">
    <h1 class="text-center">TOYS AND BABY CARE</h1>
        <div class="product-row">
            <?php
                    $imageNames = [
                        "babylotion", "babysoap", "Barbieset", "Biketoy",
                        "Car", "Cerelac", "CleansingBaby", "Feeding Bottle",
                        "Huggies", "Lactogen", "panda toy", "perfume",
                        "powder", "Teddy toy"
                    ];

            // Loop through your products
            for ($i = 1; $i <= 16; $i++) {
                ?>
                <div class="product-col">
                    <div class="card">

                    <img src="images/Toys/<?= $imageNames[$i - 1] ?>.webp" alt="<?=
$imageNames[$i - 1] ?>" class="img-fluid pb-1">

                        <div class="figure-caption">
                        <h6><?= $imageNames[$i - 1] ?></h6>
                            <h6>Price : Rs <?= ($i * 1000) ?></h6>
                            <?php if (!isset($_SESSION['email'])) { ?>
                                <p><a href="index.php#login" role="button" class="btn btn-
warning text-white">Add To Cart</a></p>
                            <?php } else {
                                if (check_if_added_to_cart($i)) {
```

```php
                                echo '<p><a href="#" class="btn btn-warning text-white"
disabled>Added to cart</a></p>';
                            } else {
                                ?>
                                <p><a href="cart-add.php?id=<?= $i ?>" name="add"
value="add" class="btn btn-warning text-white">Add to cart</a></p>
                                <?php
                            }
                            ?>
                        </div>
                    </div>
                </div>
            <?php
            }
            ?>
        </div>
    </div>
    <?php include 'includes/footer.php'?>
    <!--footer ends-->
</body>
</html>
```

# SNACKS AND SOFT DRINKS:



Snacks.php:

```html
<!DOCTYPE html>
<html lang="en">
```

```html
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <style>
.container {
    font-family: Arial, sans-serif;
}
.product-row {
    display: flex;
    flex-wrap: wrap;
    margin: -10px;
}
.product-col {
    flex: 25%; /* 4 columns per row */
    padding: 10px;
    box-sizing: border-box;
}
.card {
    border: none;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    border-radius: 10px;
    padding: 15px;
    margin-bottom: 20px;
}
.card img {
    max-width: 100%;
}

.btn {
    background-color: #ffc107;
    border: none;
    color: white;
    padding: 8px 15px;
    border-radius: 5px;
    text-decoration: none;
    transition: background-color 0.3s;
}

.btn:hover {
    background-color: #ffca2c;
}

.product-row {
    display: flex;
    flex-wrap: wrap;
    justify-content: space-between;
    margin: 20px 0;
}
```

```css
.product-col {
    flex-basis: calc(25% - 20px);
    margin-bottom: 20px;
}

.card {
    border: 1px solid #ddd;
    padding: 10px;
    text-align: center;
}

.card img {
    max-width: 100%;
    height: auto;
}

.card h6 {
    font-size: 16px;
    font-weight: bold;
}

.card p {
    margin-top: 10px;
}

.btn {
    display: inline-block;
    padding: 6px 12px;
    font-size: 14px;
    cursor: pointer;
}

 </style>
    <title>Snacks</title>
</head>
<body style="margin-bottom:200px">
<?php
include 'includes/header_menu.php';
include 'includes/check-if-added.php';
?>
    <div class="container" style="margin-top: 65px">
    <h1 class="text-center">Snacks and Soft drinks</h1>
        <div class="product-row">
            <?php
                        $imageNames = [
                          "AlooBhuji", "DarkFanstasy", "Diarymilk",
"Dryfruit burfi",
```

```php
                                "Ferrero rocher", "gems", "Greenpeas",
"Haldirams all in one",

                                "Hersheys", "Hideandseek", "Jolochip",
"kurkure",

                                "LotteChocopie", "MixFarsan", "Monster",
"Moongdal",

                                "Ors", "pears", "pepsi", "Rasgulla",
                                "Redbull", "soan papdi", "Too yum",
"UnbicChocokisscookies"
                            ];

            // Loop through your products
            for ($i = 1; $i <= 16; $i++) {
                ?>
                    <div class="product-col">
                        <div class="card">

                        <img src="images/Snacks/<?= $imageNames[$i - 1] ?>.webp"
alt="<?= $imageNames[$i - 1] ?>" class="img-fluid pb-1">

                            <div class="figure-caption">
                            <h6><?= $imageNames[$i - 1] ?></h6>
                                <h6>Price : Rs <?= ($i * 1000) ?></h6>
                                <?php if (!isset($_SESSION['email'])) { ?>
                                    <p><a href="index.php#login" role="button"
class="btn btn-warning text-white">Add To Cart</a></p>
                                <?php } else {
                                    if (check_if_added_to_cart($i)) {
                                        echo '<p><a href="#" class="btn btn-
warning text-white" disabled>Added to cart</a></p>';
                                    } else {
                                        ?>
                                        <p><a href="cart-add.php?id=<?= $i ?>"
name="add" value="add" class="btn btn-warning text-white">Add to cart</a></p>
                                        <?php
                                    }
                                }
                                ?>
                        </div>
                    </div>
                </div>
            <?php
            }
            ?>
        </div>
    </div>
    <?php include 'includes/footer.php'?>
    <!--footer ends-->
```

```
</body>
</html>
```

## EXTERNAL CSS STYLING:

```css
body {
  font-family: Arial, sans-serif;
  background-color: #f8f9fa;
  margin: 0;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
}

.container {
  width: 400px;
  background-color: white;
  padding: 20px;
  box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.2);
  border-radius: 8px;
}

h2 {
  margin-top: 0;
  font-size: 24px;
  text-align: center;
  margin-bottom: 20px;
}

form {
  margin-top: 20px;
}

.form-group {
  margin-bottom: 15px;
  display: flex;
  flex-direction: column;
}

label {
  font-weight: bold;
  font-size: 16px;
  margin-bottom: 5px;
}

input,
button {
```

```css
  width: 90%;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 4px;
  font-size: 16px;
  margin-top: 5px;
}

.button-group {
  margin-top: 15px;
}

button {
  background-color: #007bff;
  color: white;
  border: none;
  cursor: pointer;
  width: 90%;
}

a {
  text-decoration: none;
  color: #007bff;
  font-size: 14px;
}

p {
  margin: 0;
  font-size: 14px;
  text-align: center;
}

.error-message {
  color: #dc3545;
  font-size: 14px;
}
#bg{
    background-image:
    background-repeat: no-repeat;
    min-height:600px;
    background-attachment: fixed;
    background-position: center;
    background-size:cover;
    text-align: center;
}
#banner_content {
    background-color: rgba(0, 0, 0, 0.7);
```

```css
}
.carousel-inner img {
    width: 100%;
    height:100%;
}
.footer{
    position: absolute;
    margin-top: 50px;
    background-color: #141414;
    min-height:150px;
    padding-top:40px;
    width: 100%;
    bottom: 0;

}
.container  a {
    color:black;
}
.container a:hover{
    color:grey;

}
#size{
    max-height:200px;
}
```

DATABASE:



```sql
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
START TRANSACTION;
SET time_zone = "+00:00";



CREATE TABLE `products` (
```

```sql
  `id` int(11) NOT NULL,
  `name` varchar(30) DEFAULT NULL,
  `price` int(20) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci;

--
-- Dumping data for table `products`
--

INSERT INTO `products` (`id`, `name`, `price`) VALUES
(1, 'Guess 1875', 3000),
(2, 'Guest Watch', 2500),
(3, 'Panerai Watch', 3500),
(4, 'Nonos Watch', 1800),
(5, 'Levis', 1800),
(6, 'louis philippe t-shirt', 2500),
(7, 'Highlander t-shirt', 500),
(8, 'GUCCI White t-Shirt', 2300),
(9, 'Nike White Sneaker', 8000),
(10, 'Nike White Shoes', 7500),
(11, 'Nike Yellow Sneaker', 7000),
(12, 'Nike Brown Sneaker', 6000),
(13, 'Beats Headphone', 22500),
(14, 'Zolo Headphone', 4500),
(15, 'Sony Speaker', 10500),
(16, 'Airpods', 15000);

-- --------------------------------------------------------

--
-- Table structure for table `users`
--

CREATE TABLE `users` (
  `id` int(11) NOT NULL,
  `email_id` varchar(255) NOT NULL,
  `first_name` varchar(20) NOT NULL,
  `last_name` varchar(20) DEFAULT NULL,
  `phone` int(10) NOT NULL,
  `registration_time` timestamp NOT NULL DEFAULT current_timestamp() ON UPDATE
current_timestamp(),
  `password` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci;

--
-- Dumping data for table `users`
--
```

```sql
INSERT INTO `users` (`id`, `email_id`, `first_name`, `last_name`, `phone`,
`registration_time`, `password`) VALUES
(65, 'sharew5m123@gmail.com', 'reys', 'rudt', 0, '2019-03-18 13:46:33',
'e4f194cba29960e12d8b8f1bfedc972b'),
(66, 'sgah234@gmail.com', 'werty', 'erty', 0, '2019-03-18 13:55:46',
'e10adc3949ba59abbe56e057f20f883e'),
(67, 'sham1234@gmail.com', 'Sham', 'das', 0, '2019-03-19 07:37:46',
'e10adc3949ba59abbe56e057f20f883e'),
(68, 'sai@gmail.com', 'aaaa', 'aaaa', 0, '2023-08-11 05:26:01',
'03c942ab44db0267972ccd766fc874a7'),
(69, '', '', '', 0, '2023-08-12 08:51:43',
'd41d8cd98f00b204e9800998ecf8427e');


-- --------------------------------------------------------

--
-- Table structure for table `users_products`
--

CREATE TABLE `users_products` (
  `id` int(11) NOT NULL,
  `user_id` int(11) DEFAULT NULL,
  `item_id` int(11) DEFAULT NULL,
  `status` enum('Added To Cart','Confirmed') NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=latin1 COLLATE=latin1_swedish_ci;

--
-- Dumping data for table `users_products`
--

INSERT INTO `users_products` (`id`, `user_id`, `item_id`, `status`) VALUES
(11, 67, 6, 'Confirmed'),
(17, 67, 1, 'Confirmed'),
(18, 67, 5, 'Confirmed'),
(19, 67, 6, 'Confirmed'),
(20, 67, 1, 'Confirmed'),
(23, 67, 1, 'Confirmed'),
(24, 67, 2, 'Confirmed'),
(25, 67, 9, 'Confirmed'),
(26, 68, 4, 'Confirmed'),
(27, 68, 3, 'Confirmed'),
(28, 68, 2, 'Confirmed'),
(29, 68, 8, 'Confirmed');


--
-- Indexes for dumped tables
--
```

```sql
--
-- Indexes for table `products`
--
ALTER TABLE `products`
  ADD PRIMARY KEY (`id`);


--
-- Indexes for table `users`
--
ALTER TABLE `users`
  ADD PRIMARY KEY (`id`);


--
-- Indexes for table `users_products`
--
ALTER TABLE `users_products`
  ADD PRIMARY KEY (`id`),
  ADD KEY `user_id` (`user_id`),
  ADD KEY `product_id` (`item_id`);


--
-- AUTO_INCREMENT for dumped tables
--


--
-- AUTO_INCREMENT for table `products`
--
ALTER TABLE `products`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=17;


--
-- AUTO_INCREMENT for table `users`
--
ALTER TABLE `users`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=70;


--
-- AUTO_INCREMENT for table `users_products`
--
ALTER TABLE `users_products`
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=30;


--
-- Constraints for dumped tables
--


--
-- Constraints for table `users_products`
```

```sql
--
ALTER TABLE `users_products`
  ADD CONSTRAINT `users_products_ibfk_1` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`),
  ADD CONSTRAINT `users_products_ibfk_2` FOREIGN KEY (`item_id`) REFERENCES `products` (`id`);
COMMIT;
```