

Setting	Configuration
VM Name	ubuntu-target
OS Type	Linux
Version	6.x - 2.6 Kernel
ISO	ubuntu-26.04-live-server-amd64.iso
Machine	q35
BIOS	OVMF (UEFI)
EFI Storage	local-lvm
SCSI Controller	VirtIO SCSI single
Disk Bus/Device	SCSI
Disk Storage	local-lvm
Disk Size	25 GB
Cache	Default / No cache
Discard	Enabled
IO Thread	Enabled
CPU Sockets	1
CPU Cores	2
CPU Type	host
RAM	2048 MB
Network Bridge	vmb0
Network Adapter	VirtIO (paravirtualized)
Firewall	Off
VLAN Tag	Default/Blank
MAC Address	Default auto-generated

Setting	Configuration
VM Name	kali-attacker
OS Type	Linux
Version	6.x - 2.6 Kernel
ISO	Kali Installer amd64/x86_64 ISO
Machine	q35
BIOS	OVMF (UEFI)
EFI Storage	local-lvm
SCSI Controller	VirtIO SCSI single
Disk Bus/Device	SCSI
Disk Storage	local-lvm
Disk Size	40 GB
Cache	Default / No cache
Discard	Enabled
IO Thread	Enabled
CPU Sockets	1
CPU Cores	4
CPU Type	host
RAM	4096 MB
Network Bridge	vmbr0
Network Adapter	VirtIO (paravirtualized)
Firewall	Off
VLAN Tag	Default/Blank
MAC Address	Default auto-generated

