



Sales Indusuno &lt;sales@indusuno.com&gt;

**Fwd: FW: PR for HRSSC coupling Spider - PR 4110**

13 messages

**Deependra Yadav** <deependra@indusuno.com>  
To: Sales Indusuno <sales@indusuno.com>

Tue, Jun 8, 2021 at 11:20 AM

Thanks &amp; Regards

**Deependra Yadav****Purchase**

IndusUno Pvt Ltd.

**Gujarat, Delhi NCR, Pune, AP, Chennai.**

Mob: +91 9205399109 WhatsApp: +91 9205399109

Add: Building No10, 3rd Floor, New Manglapuri, Delhi-110030

Web: [www.indusuno.com](http://www.indusuno.com) Email: [Deependra@indusuno.com](mailto:Deependra@indusuno.com)

----- Forwarded message -----

From: **Jaideep Mitra** <[jaideep.mitra@aisglass.com](mailto:jaideep.mitra@aisglass.com)>  
Date: Tue, Jun 8, 2021 at 11:18 AM  
Subject: FW: PR for HRSSC coupling Spider - PR 4110  
To:  
Cc: Gopi Anand Vellaichamy <[gopi.vellaichamy@aisglass.com](mailto:gopi.vellaichamy@aisglass.com)>

Dear Sir

Please quote for the following :-

Coupling Spider, Size: 075, Type: R &amp; SW – 1 no

Blower, MAKE : EVEREST, MODEL NO. 42, SR NO. : ER17071476, RPM: 1390, 90M3/HR CAPACITY 1.5 NM3 , M/C NO. 370 KP4 – 1 no

Light Vertical multistage Centrifugal pump, Model No: CDL1-15, Make: CNP, Rpm: 2900, flow: 1 m3/h – 1 no

MEE Feed Pump, Make: Antico, Model No.: NZRP25125 TBG V1J, HP: 2, RPM: 2900 – 1 no

Best Regards,  
Jaideep Mitra

7434852388

**Asahi India Glass Limited, Mesana-Chanasma Highway, Vill. Dhanodharda, Tal. Chansma, Dist Patan, Gujrat 384220****SEE MORE** with Asahi India Glass Limited. | Website: [www.aisglass.com](http://www.aisglass.com)**Follow Us**   

"This e-mail may contain confidential and/ or privileged information. If you are not the intended recipient (or have received this e-mail in error) please notify the sender immediately and delete this e-mail. Any unauthorized copying, distribution, dissemination or taking any action in reliance on the contents of this information (either whole or partial) is strictly prohibited.

E-mails are susceptible to alteration and their integrity cannot be guaranteed. Before opening any attachments please check them for viruses and defects."



**IMG-20210520-WA0018.jpg**  
135K

**Sales Indusuno** <sales@indusuno.com>  
To: Indusuno Sales <sales@indusuno.com>

Tue, Jun 8, 2021 at 1:43 PM

210610988  
**Thanks & Regards,**  
**Team Indusuno.com**



[Quoted text hidden]

Sales Indusuno &lt;sales@indusuno.com&gt;

Wed, Jun 9, 2021 at 3:58 AM

To: Jaideep Mitra &lt;jaideep.mitra@aisglass.com&gt;

Cc: Gopi Anand Vellaichamy &lt;gopi.vellaichamy@aisglass.com&gt;, Deependra Yadav &lt;deependra@indusuno.com&gt;, Lalit chitkara &lt;lalit@indusuno.com&gt;, kedar &lt;kedar.n@indusuno.com&gt;

Dear Sir,

Please find the attached quotation against your requirement for the blower .

Feel free to contact for any further queries.

TECHNICAL AND COMMERCIAL ANNEXURE		
1	Make/Model	Everest/42/Twin Lobe
2	Fluid Handled	Air
3	Installation	Indoor
4	Quantity	1 nos.
5	Inlet Condition	Atmospheric
6	Capacity	90m3/hr
7	Discharge Pressure	0.45kg/cm2
8	Differential Pressure	0.45kg/cm2
9	Blower RPM	1390
10	BHP	2.83
11	Required Motor	5HP/1440
12	Opening	40 MM
13	Sealing	Lip Seal
14	Lubrication	Oil/Grease Packed
15	Drive	V-Belt Driven
16	Direction Of Rotation	Clockwise As Viewed From Pulley End
17	MOC of Casing, Side Plater, Rotors	C.I.Gr.FG.260:IS:210(1993)
18	MOC of Shafts	EN19(BS1970:1955)
19	MOC of Gears	20MnCr5 , Hardened & Grounded
20	Bearings	SKF,Antifriction
21	Base Frame	MS Fabricated
22	Scope of Supply	Common Motor & Blower Base Frame, Suction Silencer, Air Filters,Belt Guard, Blower & Motor Pulley, Pressure Gauge, Spring Loaded Relief Valve, Matching Companion Flange, NRV, V-BELT

Thanks & Regards,  
Kedar nath 8448100801  
Team Indusuno.com



[Quoted text hidden]

210610988.pdf  
34K

Jaideep Mitra &lt;jaideep.mitra@aisglass.com&gt;

Wed, Jun 9, 2021 at 4:12 PM

To: Sales Indusuno &lt;sales@indusuno.com&gt;

Cc: Gopi Anand Vellaichamy &lt;gopi.vellaichamy@aisglass.com&gt;, Deependra Yadav &lt;deependra@indusuno.com&gt;, Lalit chitkara &lt;lalit@indusuno.com&gt;, kedar &lt;kedar.n@indusuno.com&gt;

Please quote for rest of the items.

Thanks &amp; Regards

Jaideep Mitra

[Quoted text hidden]

[Quoted text hidden]

Kedar Nath &lt;kedar.n@indusuno.com&gt;

Wed, Jun 9, 2021 at 4:23 PM

To: Jaideep Mitra &lt;jaideep.mitra@aisglass.com&gt;

Cc: Sales Indusuno &lt;sales@indusuno.com&gt;, Gopi Anand Vellaichamy &lt;gopi.vellaichamy@aisglass.com&gt;, Deependra Yadav &lt;deependra@indusuno.com&gt;, Lalit chitkara &lt;lalit@indusuno.com&gt;

Dear Sir,

Pls provide the Head and Capacity of the PUMP?.

(MEE Feed Pump, Make: Antic)

Thanks Regards  
Kedar nath  
Mobile: 08448100801

[Quoted text hidden]

Gopi Anand Vellaichamy &lt;gopi.vellaichamy@aisglass.com&gt;

Thu, Jun 10, 2021 at 12:11 PM

To: Kedar Nath &lt;kedar.n@indusuno.com&gt;, Jaideep Mitra &lt;jaideep.mitra@aisglass.com&gt;

PFA the name plate details.

Regards

Gopi Anand V

[Quoted text hidden]  
[Quoted text hidden]

[Quoted text hidden]  
[Quoted text hidden]

TECHNICAL AND COMMERCIAL ANNEXURE		
1	Make/Model	Everest/42/Twin Lobe
2	Fluid Handled	Air
3	Installation	Indoor
4	Quantity	1 nos.
5	Inlet Condition	Atmospheric
6	Capacity	90m3/hr
7	Discharge Pressure	0.45kg/cm2
8	Differential Pressure	0.45kg/cm2
9	Blower RPM	1390
10	BHP	2.83
11	Required Motor	5HP/1440
12	Opening	40 MM
13	Sealing	Lip Seal
14	Lubrication	Oil/Grease Packed
15	Drive	V-Belt Driven
16	Direction Of Rotation	Clockwise As Viewed From Pulley End
17	MOC of Casing, Side Plater, Rotors	C.I.Gr.FG.260:IS:210(1993)
18	MOC of Shafts	EN19(BS1970:1955)
19	MOC of Gears	20MnCr5 , Hardened & Grounded
20	Bearings	SKF,Antifriction
21	Base Frame	MS Fabricated
22	Scope of Supply	Common Motor & Blower Base Frame, Suction Silencer, Air Filters,Belt Guard, Blower & Motor Pulley, Pressure Gauge, Spring Loaded Relief Valve, Matching Companion Flange, NRV, V-BELT

Thanks & Regards,

[Quoted text hidden]

[Quoted text hidden]  
[Quoted text hidden]

[Quoted text hidden]



IMG-20210610-WA0002.jpg  
175K

Gopi Anand Vellaichamy <gopi.vellaichamy@aisglass.com>  
To: Sales Indusuno <sales@indusuno.com>, Jaideep Mitra <jaideep.mitra@aisglass.com>  
Cc: Deependra Yadav <deependra@indusuno.com>, Lalit chitkara <lalit@indusuno.com>, kedar <kedar.n@indusuno.com>

Thu, Jun 10, 2021 at 1:13 PM

Dear Sir,

The offer is technically okay.

Jaideep ji, Please go head for ordering!

Regards

Gopi Anand V

From: Sales Indusuno [mailto:sales@indusuno.com]  
Sent: 09 June 2021 03:59  
To: Jaideep Mitra

Cc: Gopi Anand Vellaichamy; Deependra Yadav; Lalit chitkara; kedar  
 Subject: [EXTERNAL] Fwd: FW: PR for HRSSC coupling Spider - PR 4110

Dear Sir,

Please find the attached quotation against your requirement for the blower .

Feel free to contact for any further queries.

TECHNICAL AND COMMERCIAL ANNEXURE			
1	Make/Model	Everest/42/Twin Lobe	
2	Fluid Handled	Air	
3	Installation	Indoor	
4	Quantity	1 nos.	
5	Inlet Condition	Atmospheric	
6	Capacity	90m3/hr	
7	Discharge Pressure	0.45kg/cm2	
8	Differential Pressure	0.45kg/cm2	
9	Blower RPM	1390	
10	BHP	2.83	
11	Required Motor	5HP/1440	
12	Opening	40 MM	
13	Sealing	Lip Seal	
14	Lubrication	Oil/Grease Packed	
15	Drive	V-Belt Driven	
16	Direction Of Rotation	Clockwise As Viewed From Pulley End	
17	MOC of Casing, Side Plater, Rotors	C.I.Gr.FG.260:IS-210(1993)	
18	MOC of Shafts	EN19(BS1970:1955)	
19	MOC of Gears	20MnCr5 , Hardened & Grounded	
20	Bearings	SKF,Antifriction	
21	Base Frame	MS Fabricated	
22	Scope of Supply	Common Motor & Blower Base Frame, Suction Silencer, Air Filters,Belt Guard, Blower & Motor Pulley, Pressure Gauge, Spring Loaded Relief Valve, Matching Companion Flange, NRV, V-BELT	

Thanks & Regards,

Kedar nath 8448100801

Team Indusuno.com

[Redacted Signature]

----- Forwarded message -----

From: Jaideep Mitra <jaideep.mitra@aisglass.com>  
 Date: Tue, Jun 8, 2021 at 11:18 AM  
 Subject: FW: PR for HRSSC coupling Spider - PR 4110  
 To:  
 Cc: Gopi Anand Vellaichamy <gopi.vellaichamy@aisglass.com>

Dear Sir

Please quote for the following :-

Coupling Spider, Size: 075, Type: R & SW – 1 no

Blower, MAKE : EVEREST, MODEL NO. 42, SR NO. : ER17071476, RPM: 1390, 90M3/HR CAPACITY 1.5 NM3 , M/C NO. 370 KP4 – 1 no

Light Vertical multistage Centrifugal pump, Model No: CDL1-15, Make: CNP, Rpm: 2900, flow: 1 m3/h – 1 no

MEE Feed Pump, Make: Antico, Model No.: NZRP25125 TBG V1J, HP: 2, RPM: 2900 – 1 no

Best Regards,  
 Jaideep Mitra

7434852388



Asahi India Glass Limited, Mesana-Chanasma Highway, Vill. Dhanodharda, Tal. Chansma, Dist Patan, Gujarat 384220

SEE MORE with Asahi India Glass Limited. | Website: [www.aisglass.com](http://www.aisglass.com)

Follow Us   

"This e-mail may contain confidential and/ or privileged information. If you are not the intended recipient (or have received this e-mail in error) please notify the sender immediately and delete this e-mail. Any unauthorized copying, distribution, dissemination or taking any action in reliance on the contents of this information (either whole or partial) is strictly prohibited.

E-mails are susceptible to alteration and their integrity cannot be guaranteed. Before opening any attachments please check them for viruses and defects."

[Quoted text hidden]

Kedar Nath <kedar.n@indusuno.com>

Thu, Jun 10, 2021 at 2:02 PM

To: Gopi Anand Vellaichamy <gopi.vellaichamy@aisglass.com>

Cc: Sales Indusuno <sales@indusuno.com>, Jaideep Mitra <jaideep.mitra@aisglass.com>, Deependra Yadav <deependra@indusuno.com>, Lalit chitkara <lalit@indusuno.com>

Dear Sir,

Please find the attached quotation against your requirement for Antico pump.

Feel free to contact for any further clarification.

**HEAD:15MTRS CAPACITY: 2M3/HR.**  
**PUMP MAKE: ANTICO.**  
**PUMP MOC:GFRPP.**  
**PUMP MODEL: NZ RP 25-125 TBGV1J.**  
**PUMP POWER: 2HP-2900 RPM.**  
**PUMP SUCTION: 40MM PUMP DELIVERY: 25MM.**  
**MOC: IMPELLER , BACKPLATE , CASING: GFRPP.**  
**SHAFT MOC: SS.316.**  
**SLEEVE MOC: CERAMIC.**  
**MECH.SEAL MOC: GFT VS CERAMIC.**  
**BASE-PLATE MOC: SHEET METAL.**


**IT INCLUDES PUMP WITH BASEFRAME + COUPLING , COUPLING GUARD , FOUNDATION BOLTS + MOTOR MOUNTING BOLTS.**

[Quoted text hidden]

#### 2 attachments



IMG-20210610-WA0002.jpg  
175K



210610988.9117.pdf  
34K

Gopi Anand Vellaichamy <gopi.vellaichamy@aisglass.com>

Thu, Jun 10, 2021 at 2:06 PM

To: Kedar Nath <kedar.n@indusuno.com>

Cc: Sales Indusuno <sales@indusuno.com>, Jaideep Mitra <jaideep.mitra@aisglass.com>, Deependra Yadav <deependra@indusuno.com>, Lalit chitkara <lalit@indusuno.com>

Dear Sir

Thanks

We need only PUMP WITH COUPLING , COUPLING GUARD

We don't need following

Base frame + Foundation bolts + Motor mounting bolts.

Please share your revised offer accordingly!

Regards

Gopi Anand V

[Quoted text hidden]

"This e-mail may contain confidential and/ or privileged information. If you are not the intended recipient (or have received this e-mail in error) please notify the sender immediately and delete this e-mail. Any unauthorized copying, distribution, dissemination or taking any action in reliance on the contents of this information (either whole or partial) is strictly prohibited.

E-mails are susceptible to alteration and their integrity cannot be guaranteed. Before opening any attachments please check them for viruses and defects."

Dear Sir,

OEM provides the standard accessories with pumps.

Thanks Regards  
Kedar nath  
Mobile: 08448100801

[Quoted text hidden]

Gopi Anand Vellaichamy <gopi.vellaichamy@aisglass.com>

Thu, Jun 10, 2021 at 2:44 PM

To: Kedar Nath <kedar.n@indusuno.com>

Cc: Sales Indusuno <sales@indusuno.com>, Jaideep Mitra <jaideep.mitra@aisglass.com>, Deependra Yadav <deependra@indusuno.com>, Lalit chitkara <lalit@indusuno.com>

Please check with them, this will help us to reduce the cost!

[Quoted text hidden]  
[Quoted text hidden]

Kedar Nath <kedar.n@indusuno.com>

Sun, Jun 13, 2021 at 1:50 AM

To: Gopi Anand Vellaichamy <gopi.vellaichamy@aisglass.com>

Cc: Sales Indusuno <sales@indusuno.com>, Jaideep Mitra <jaideep.mitra@aisglass.com>, Deependra Yadav <deependra@indusuno.com>, Lalit chitkara <lalit@indusuno.com>


Dear Sir,

Please find the attached quotation against your requirement.

Feel free to contact for any further clarification.

[Quoted text hidden]

2 attachments

-  210610988.9141.pdf  
34K
-  CDL1-15.pdf  
636K

Jaideep Mitra <jaideep.mitra@aisglass.com>

To: Kedar Nath <kedar.n@indusuno.com>

Cc: Sales Indusuno <sales@indusuno.com>, Deependra Yadav <deependra@indusuno.com>, Lalit chitkara <lalit@indusuno.com>, Gopi Anand Vellaichamy <gopi.vellaichamy@aisglass.com>

Dear Sir

Please find the PO 5675 dt 24.06.21 for the MEE feed pump. Make Antico. This is for Patan Plant

Purchase Order Lines										
Purchas	Number	Line	Item	Item	Cate	Description	Quantity	UOM	Price	A
PATAN	5675	1	EX.TOO.MET.001		MLM	MEE Feed Pump, Make: Antico, Model No.: NZRP25125 TBG V1J, HP: 2	1	Number	34144	
Editor MEE Feed Pump, Make: Antico, Model No.: NZRP25125 TBG V1J, HP: 2, RPM: 2900										

Thanks & Regards

Jaideep Mitra


From: Kedar Nath [mailto:kedar.n@indusuno.com]  
Sent: 10 June 2021 14:03  
To: Gopi Anand Vellaichamy  
Cc: Sales Indusuno; Jaideep Mitra; Deependra Yadav; Lalit chitkara

[Quoted text hidden]

[Quoted text hidden]

"This e-mail may contain confidential and/ or privileged information. If you are not the intended recipient (or have received this e-mail in error) please notify the sender immediately and delete this e-mail. Any unauthorized copying, distribution, dissemination or taking any action in reliance on the contents of this information (either whole or partial) is strictly prohibited.

E-mails are susceptible to alteration and their integrity cannot be guaranteed. Before opening any attachments please check them for viruses and defects."

-  210610988.9117.pdf  
34K