



AARTI PHARMALABS LIMITED [UNIT-VI]


FACTORY : D-18 MIDC TARAPUR, DIST- PALGHAR, PIN 401506

CERTIFICATE OF ANALYSIS

Product Name : Di-Methyl Sulphate	Date of Analysis : 24/06/2024
LOT NO : ED/DMS/06/24/026	Date of Release : 24/06/2024
Quantity : 4,000 kg	Mfg. Date : JUNE - 2024
Date of Sampling : 24/06/2024	Retest Date : JUNE - 2025
Storage Tank no : I	AR.NO : APL/FP-DMS/026
Dispatch to : BBELL INDUSTRY LLP	TRUCK NO:- UP78HT1710

Sr.No	Test	Specification	Observation
1	Appearance	Clear Colourless Liquid	Clear Colourless Liquid
2	Free Acidity	NMT 0.10 %	0.054 %
3	Specific Gravity (At 30°C)	1.310 g/ml To 1.330 g/ml	1.326 g/ml
4	Hazen Color Value	0 To 25 APHA	3.5 APHA
5	Black Particle	Yes / No	No
6	Purity (By Titration)	NLT 99.50 %	99.76 %

Remark: -The sample is complies/~~does not complies~~ as per Specification No: **APL-S/QC/WI-FP/002**

Analyzed By	Checked By
 24/06/2024	 24/06/2024

Received
25/06/24