

ALCHEMIE FINECHEM PVT. LTD.		
CERTIFICATE OF ANALYSIS-FINISHED PRODUCT	DOC.NO:F/QC/06	Rev.No.00
	Effective Date:01.12.2021	Page 1 of1

Ref No.:L/08

A.R. NO.: 12

PRODUCT NAME: N, ETHYL ORTHO TOLUIDINE (NEOT)	DATE.: 23.08.2024
IUPAC NAME : N-ethyl-2-methylaniline	CAS # 94-68-8
LOT NO.: 01/08/24	PACKING .: HM HDPE DRUMS
QUANTITY .: 25 DRUMS X 200 KGS = 5,000 KGS	
CUSTOMER NAME .: BBELL INDUSTRY LLP	
INVOICE NO.: LC/24-25/0844 (23.08.2024)	

SR. NO.	PARAMETER	ACCEPTABLE LIMIT	TEST RESULT
1	APPEARANCE	PALE YELLOW TO LIGHT AMBER LIQUID	PALE YELLOW LIQUID
2	PURITY BY G. C.	MIN - 99.00%	99.5403%
3	MOISTURE BY K/F	MAX - 0.3%	0.050 %
4	ORTHO TOLUIDINE	MAX - 0.08%	0.0462 %
5	N N DI ETHYL ANILINE OR ANY ISOMER	MAX - 1.0%	0.3581 %
6	DEOT / OTHER IMPURITIES	MAX - 0.3%	0.0554 %

NOTE.: 1) PURITY CHECKED ON (Rtx-5) CAPILLARY COLUMN.

2) MFG. DATE.: AUG - 2024 / EXP. DATE.: JULY - 2026

QC INCHARGE

FACTORY MANAGER/INCHARGE

Add:-Plot no.B-39,MIDC,Phase-1,Near Manpada police station,Dombivali (e) 421203,Dist-Thane

Received
24/08/2024

TREM CARD

1. PRODUCT: : - N ETHYL ORTHO TOLUIDINE (N.E.O.T.)

2.PROPERTIES:

Appearance	Pale Yellow Liquid
Density (g cm ⁻³)	0.93
Flash point	88 c (190.40 deg f)
Explosion limits	Not available
Auto ignition temperature	Not available
Water solubility	Insoluble
Toxicity	Not available
Nature of Hazard	Not available.

3.PROTECTION DEVICES :

Respiratory Protection	Use cotton Mask
Other Protection Devices	Use Hand gloves, safety goggles Gumshoes and PVC apron.
Emergency Action	Incase of spillage /leakage collect the material Into container Flush the contaminated area with Plenty of water.
Fire Fighting	Material is Non-flamable.Incase of surrounding Fire , cool the container by water spray.

4.FIRST AID :

Skin	Wash the contaminated part of body with plenty Of water for minimum 15 minutes . Consult Doctor if required .
Eye	Flush eyes with water and consult doctor Immediately.
Inhalation	Shift the victim in fresh air and consult Doctor.

Manufacturer :

ALCHEMIE FINECHEM PVT.LTD,

Plot no.B-39,Phase 1,MIDC,Dombivli,Maharashtra

Prepared by
24/08/2019
PCO/30/PC