



## **Shriram Alkali & Chemicals : Jhagadia**

### **QUALITY ASSURANCE DEPARTMENT**

#### **TEST REPORT FOR HYDROCHLORIC ACID**

Grade : Technical Date Of Testing : 23.11.25  
Tank/Batch No : 520-E Quantity (KG) : 29510  
Vehicle No : GJ02XX3699 Report No : 418/25  
Party Name : BHARAT CHEMICAL CO.

| Sr No | Test                                          | UNIT  | Specification (IS - 265 : 1993)                          | TEST VALUE                                     |
|-------|-----------------------------------------------|-------|----------------------------------------------------------|------------------------------------------------|
| 1     | Description                                   | -     | A Clear colourless fuming liquid odour pungent           | A Clear colourless fuming liquid odour pungent |
| 2     | Identification                                | -     | When added to Potassium Permanganate Chlorine is evolved | Complies                                       |
| 3     | Total Acidity (as HCl)                        | % w/w | Min 30.0                                                 | 32.2                                           |
| 4     | Free Chlorine (as Cl)                         | ppm   | Max 50                                                   | NIL                                            |
| 5     | Iron (as Fe)                                  | ppm   | Max 10.0                                                 | 0.34                                           |
| 6     | Residue on Ignition                           | % w/w | Max 0.05                                                 | 0.04                                           |
| 7     | Sulphate (as H <sub>2</sub> SO <sub>4</sub> ) | % w/w | Max 0.05                                                 | 0.03                                           |
| 8     | Sulphite (as SO <sub>2</sub> )                | % w/w | Max 0.02                                                 | NIL                                            |
| 9     | Specific Gravity                              | -     | Min. 1.15                                                | 1.164                                          |

Remarks : Conforming

Signature :

ANALYST

INCHARGE QAD

SAC-QA-FP-COA-01