

CERTIFICATE OF ANALYSIS

PRODUCT PHTHALIC ANHYDRIDE REACH REGISTRATION NUMBER : 01-2119457017-41-0010
BATCH NO 9892
DATE OF MANUFACTURE 01-Jul-2024

SL NO	DESCRIPTION	UNITS	TEST METHOD	SPECIFICATION	TEST RESULTS
1	APPEARANCE	-	-	WHITE FLAKES	WHITE FLAKES
2	PURITY(Gas Chromatography)	WT%	TCL:LAB:PA:09	99.8 Min	99.85
3	MALEIC ANHYDRIDE (Gas Chromatography)	WT%	TCL:LAB:PA:09	0.05 Max	0.01
4	SOLIDIFICATION POINT	Deg C	ASTM.D:1493	130.8 Min	130.9
5	MELT COLOUR	APHA	ASTM.D:3366	20 Max	5
6	HEAT STABILITY	APHA	ASTM.D:3366	50 Max	25

Expiry date : Best before 6 months from the date of manufacture.

I/ We hereby declare that the product conforms to the above specification and is quality passed.

PATEL JIGNESHKUMAR DINESH
CHEMIST
QUALITY ASSURANCE LAB

MANOHAR C N
HEAD
QUALITY ASSURANCE

Form No. L/10/07. Oct 2022

This is a computer generated C.O.A.Hence signature is not necessary

Printed by & date - RANA ANJALI 01-Jul-2024 11:22
MUKESHBHAI