## Assignment - 2 web-d

1) State Jour difference hypertext 9.

Between hypermedia and

## Any Hypertext

- I hypertext Refers to the System of managing the Information Related to the Plain text
- 2 Hyperfext involves only text
- 3 tiere only text becomes the pant of link
- 4 Hypertext is the part of hypermedia means of comes under hypermedia

Hypermedia.

- 1 Hypermedia Refers to Connorting hypertext with other media. Such as graphics, Sounds, animation
- 2. It involves graphics, image, vedio, audio etc.
- 3 It is enhanced vesion of hypertext here along with text other multimedia also becomes the part of link 4. Hypermedia is the Syperior entity which is the advanced version of hypertext
- 2) (a) Bold tay . In HTML Bold tag (267) display the written paragraph or written.
  text in bold format

Syntax - < 6> this text is bold < 16>

(B) Strong tag -s. It defines. the tag text with

Strong importance The Content inside

1x typically displayed in bold:

<strong> This text is important!</strong>.

text: The Content invade is typically displayed.

cem> This text is emphasized / 1em)

(d) META tAh. 3. The Imetas tag defined. Metadata obout an HTML document. Metadata is douter (information) about data:

meta) tags alway go inside the chead elements are typically used to specify character set, page. description, legusords, authors of the elecuments and viewport settings.

Metadata will not be displayed on the page but is machine parasable.

Imeter name = "Keywords" content = "HTML, CSS, JavaScript"s

Define keywords for Seonch Ergine.

Imeta name = "description" content = "free web tutorials for

HTML and css">

Define discription for web pages

```
<meta nome="author" content = "John Doe">
             Define author Page.
          (meta http-evuiv="Referesh" content=(130").
              Refresh document every 30 Seconde.
          <meta name = "view point" content = " width = device width.
            mitial_Scale= 1.0">,
            Define the viewpoint to make your websites look.
            head on all derrices-
4) write an HTML program to create the following
     output (von'q Nested List).
      < 1 DOCTYPE HTML>
      < html>
      < body>
       ' < h1> Some Department Details </hi>
              4117 < h2> Depontment of Computer Science < /h2>
                 'LULY
                 Lli> B. Sc. Computer Science L/li>
                 211>Misc Computer Science 2/16)
                > PGDCA 4/117
                 4/11 2/lix
          Li > $2 > Deportment of Mathematics </br>
                  < VI>
                     Llir B.sc. Mathamatics 2 1/2
                      Llir Misc. Mathamatics ( / Lir
                      LINM. Phil mathamatics 2 /16)
                   2/VJ7 2/li7
```

Am

2/0/7 2/body> 2/html7.

idHs.

- 6) what is form? Explain its Basic elements write a program to.
- Ans FORMS & An HTIML form is used to collect user Input. The user input is most often sent to a server for processing
  - most used from element

    An Tiputs element can be displayed in many way in depending on the type altribute.
  - Interchabel > Element > The clabel > tag defines a.

    Label for many from elements

    The clabels element its useful for screen-leader user
    the clabels element its useful for screen-leader user
    because the screen-reader will recid out loud the label

    because the screen-reader will recid out loud the label

    when the user focus on the Input element

    when the clabels element also help users who difficulty

    the clabels element also help users who difficulty

    or check box) because when the user click the text

    with the clabels element if toggles the Radio button

    with the clabels element if toggles the Radio button)

- 3) The eselect > Element = The 2 select > element defines a drop-down list.
- The coptions elements The coptions element defined an option than an be selected. By default the first of item. in the drop-down list is. Selected.
- (5) The Hexturea > Element & The Elexanters element defines a malti-line input field.
- The < button > Elements The < button > element defines a Clic Kable button.
- - 1 The < data list > Element

The <datalist> element Specifies a list of predefined options for an <injust> element

Uses will see a drop down list of the.

Pre-defined options as they input date.

The contput > Element & The output Element Represent the Result of a Calculation

```
Inogram
                                i) Add a button on a form.
ine
                                                       <! DOCTYPE filmi>
                                                               < h+mls
                                                                 < body >
                                                                           < fiz> The button Element 4/ fre>
                                                                                2 button type = "button" on click = "alert ("Helio Wood")
                                                                                                            "> clickbutton ! </button>
                                                                                            </body>
                                                                                            </hr>
                                                                    order list in a page.
                                                                       <! DOCTYPE Atml>.
                                                                             (html)
                                                                               < body >
                                                                                      < h1> An Ordered list is </h2>.
                                                                                                   < 0,1>
                                                                                                                                 chis itemi 2 /lix
                                                                                                                             Llis item 2 2/lis
                                                                                                                              Zlis item3 2/li7
                                                                                                                           2/02
                                                                                            4/body>
                                                                                       2/R+ml>
                                                     Add menu in page.
                                                            LIDOCTYPE REMLY
                                                              2 ntml>

/ hodde
/ keads
/ Little > All about coffee </fiftle>
/ heads
/ Little > All about coffee </fiftle>
/ heads
/ he
                                                                       2/heads
                                                                                                           Chir All about coffee </ hi7.
                                                                            16 ody
```

<W>>

2/Ul>.

4/nav>

2/body> 2/html7.